
## **DANGER**

Risk of Child Entrapment BEFORE YOU THROW AWAY YOUR OLD REFRIGERATOR OR FREEZER:

- •Take off the doors.
- •Leave the shelves in place so that children may not easily climb inside.

**IMPORTANT:** Child entrapment and suffocation are not problems of the past. Junked or abandoned refrigerators are still dangerous... even if they will sit for "just a few days."



## **WARNING**



ELECTRICAL SHOCK HAZARD
Plug into a grounded 3-prong outlet.

<u>DO NOT</u> remove ground plug.


<u>DO NOT</u> use an adapter.

<u>DO NOT</u> use an extension cord.

Failure to follow these instructions could result in fire or electrical shock.

Power cord with 3-prong grounding plug





## It is the customer's responsibility to:

- •contact a qualified electrical installer.
- •assure that the electrical installation is adequate and in conformance with the National Electrical Code, ANSI/NFPA 70-latest edition or Canadian Electrical Code C22.1-1998 and C22.2 No. 0-M91 (or latest edition), and all local codes and ordinances. (115 volt, 60-Hz, 15 amp, fused, electrical supply is required. It is required that a separate circuit serving only this appliance be provided. This appliance is equipped with a power supply cord having a 3-prong grounding plug. To minimize possible shock hazard, the cord must be plugged into a mating 3-prong, grounding-type wall receptacle. If a 2-prong receptacle is encountered, the customer must contact a qualified electrical installer to have it replaced with a properly grounded 3-prong receptacle. **Do not use an extension cord or adapter plug.)**

## BASIC SPECIFICATIONS AND DIMENSIONS Freestanding Side-By-Side Refrigerator/Freezer

DESCRIPTION		VC/DDSF
Overall Width		35 5/8" (90.5 cm)
	Addition of side panels:	35 7/8" (91.1 cm)
Overall Height from Bottom		70" (178.0 cm)
	Addition of tops/grilles:	71 7/8" (182.6 cm)
Overall Depth from Rear	To front of door:	26 3/4" (67.9 cm)
Cutout Width		36" (91.4 cm)
Cutout Height		70 1/2" (179.0 cm)
	Addition of tops/grilles	72" (182.9 cm)
Cutout Depth	24" (61.0 cm)	
Electrical Requirements	115 volt, 60 Hz, 15 amp dedicated circuit; 3-wire cord with grounded	
	3-prong plug attached to product.	
Maximum Amp Usage	Non-Dispenser - 7.8 ar	mps Dispenser - 9.4 amps
Inlet Water Requirements	1/4" copper tubing inlet waterline; minimum 35 psi; maximum 100 psi	
Overall Interior Capacities	<u>Dispenser Units</u>	Non Dispenser Units
<ul><li>Refrigerator</li></ul>	13.5 cu. ft. (382 liters)	13.5 cu. ft. (382 liters)
∙Freezer	8.1 cu. ft. (229 liters)	8.0 cu. ft. (226 liters)
<ul><li>Total Capacity</li></ul>	21.6 cu. ft. (611 liters)	21.5 cu. ft. (608 liters)
Approximate Shipping Weight	314 lbs. (141.3 kg)	

<sup>\*</sup>When installing into a cutout, the edge of the door must be 2 7/8" (7.3 cm) ffrom the adjacent countertop/cabinet.