





Cooking





AGR5835QDS

Freestanding 5.3 Cu. Ft. Gas Ranges

CLEAN-N-SIMPLE" **DESIGN**

- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- · Hidden Bake Burner
- Smooth-Gloss Porcelain Backguard
- SpillSaver™ Upswept Cooktop Design
- Sealed-Surface Burners And Lift-Off Burner Caps

BASE FEATURES

- 5.3 Cu. Ft. Capacity
- Extra-Large Window
- Temp-Assure[™] Preheat
- Cook & Hold Setting
- Keep Warm Setting
- · Delay-Bake Oven Control • 12-Hour Auto Shutoff
- Electronic Clock With Timer
- Sabbath Mode
- Control Lockout
- Hi/Lo Broil
- Interior Oven Light
- Heavy-Duty Cast-Iron Burner Grates
- Storage Drawer
- 8 Rack Positions
- LP Kit Included

Bolded items indicate step-up features.



AGR5725RD

- 4 Sealed Gas Burners:
- (I) 16,000-BTU Burner (2) 9,200-BTU Burners (I) 5,000-BTU Burner
- Easy Touch 500 Oven Controls
- I Oven Rack And I EasyRack™ Oven Rack







For additional feature information, see specifications chart on page 50.

With Stainless Steel



AGR5835QD

- Easy-Use Convection With Auto Conversion
- 4 Sealed Gas Burners:
- (I) 16,000-BTU Burner
- (2) 9,200-BTU Burners (I) 5,000-BTU Burner
- Two-Piece Cast-Iron Grates
- · Trivet Grate
- Easy Touch 800 Oven Controls
- Dual Temperature And Clock Display
- Favorite Setting
- 2 Oven Racks And I EasyRack Oven Rack











CLEAN-N-SIMPLE

- · Hidden Bake Burner
- Smooth-Gloss Porcelain Backguard
- SpillSaver[™] Upswept Cooktop Design

BASE FEATURES

- One-Piece Burner Grates
- 6 Rack Positions
- High-Performance Sealed Gas Burners
- Interior Oven Light

Bolded items indicate step-up features.



Imana



Freestanding 4.5 Cu. Ft. Gas Ranges

DESIGN

- 4.5 Cu. Ft. Capacity
- · Porcelain Steel Surface
- 2 Oven Racks
- · Counterbalanced Oven Door
- Pull-Off Control Knobs
- · LP Kit Included



AGR4400AD

- 4 Sealed Gas Burners: (I) 12,000-BTU Burner (2) 9,200-BTU Burners
- (I) 7,200-BTU Burner · Heavy Steel Grates





AGR44I2AD

- 4 Sealed Gas Burners:
- (I) 12,000-BTU Burner
- (2) 9,200-BTU Burners (I) 7.200-BTU Burner
- Easy Touch 300 Electronic Oven Controls
- Extra-Large Oven Window
- · Cast-Iron Grates



AGR5712BD

- 4 Sealed Gas Burners: (I) 12,000-BTU Burner (2) 9,200-BTU Burners (I) 7.200-BTU Burner
- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- Easy Touch 500 Electronic Oven Controls · Extra-Large Oven Window
- Temp-Assure Preheat

- · Cook & Hold Setting
- · Keep Warm Setting
- Delay-Bake Oven Control
- · Sabbath Mode · Hi/Lo Broil
- · Full-Width Storage
- Drawer · Cast-Iron Grates
- · 12-Hour Auto Shutoff
- Control Lockout









AER5845RAW

Freestanding 5.3 Cu. Ft. **Electric Ranges**

CLEAN-N-SIMPLE **DESIGN**

- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- · Smooth-Gloss Porcelain Backguard
- · Hidden Bake Element
- SpillSaver[™] Upswept Cooktop Design

BASE FEATURES

- 5.3 Cu. Ft. Capacity
- Glass-Ceramic Cooking Surface
- Extra-Large Window
- Temp-Assure[™] Preheat Cook & Hold Setting
- Keep Warm Setting
- Delay-Bake Oven Control
- 12-Hour Auto Shutoff
- Electronic Clock With Timer
- Sabbath Mode
- Control Lockout
- · Hi/Lo Broil
- Interior Oven Light
- 8 Rack Positions
- Storage Drawer

18

Bolded items indicate step-up features.



AER5725QA

- 4 Ribbon Radiant Elements: (2) 6" 1,200-Watt Elements (I) 9", 2,500-Watt Element (I) 9"/6", 2,400-/I,200-Watt Dual Element
- Element ON/HOT Indicator Light
- Easy Touch 500 Oven Controls
- I Oven Rack And I EasyRack[™] Oven Rack











AER5845RA

- TimeSavor[™] Speed Cook With Auto Conversion
- 5 Ribbon Radiant Elements: (2) 6", I,200-Watt Elements
- (I) 9"/6", 2,400-/I,200-Watt Dual Element (I) 12", 2,700-Watt Power Boost" Element
- (I) 100-Watt Warming Zone Element With Adjustable Temperature
- Element ON/HOT Indicator Light
- Easy Touch 800 Oven Controls
- · Favorite Setting
- 2 Oven Racks And I EasyRack Oven Rack









AER5511BAW

Freestanding 5.1 Cu. Ft. **Electric Ranges**

CLEAN-N-SIMPLE **DESIGN**

- Self-Cleaning Oven With Adjustable Cleaning Levels (Light, Medium, Heavy)
- Smooth-Gloss Porcelain Backguard
- SpillSaver™ Upswept Cooktop Design

BASE FEATURES

- 5.1 Cu. Ft. Capacity
- Extra-Large Window
- Temp-Assure[™] Preheat
- Cook & Hold Setting
- Keep Warm Setting Delay-Bake Oven Control
- 12-Hour Auto Shutoff
- Electronic Clock With Timer
- Sabbath Mode
- Control Lockout
- Hi/Lo Broil
- · Interior Oven Light
- Storage Drawer
- 2 Oven Racks
- 6 Rack Positions

Bolded items indicate step-up features.



- 4 Removable Coil Elements: (2) 6", 1,500-Watt Elements (2) 8", 2,350-Watt Elements
- 4 Porcelain-Enamel Drip Bowls
- Porcelain-Steel Cooking Surface
- Easy Touch 500 Oven Controls • 2 Oven Racks
- 6 Rack Positions





AER5712BA

- Glass-Ceramic Cooking Surface
- (2) 6", I,200-Watt Elements
- Element ON/HOT Indicator Light
- 2 Oven Racks







- 4 Ribbon Radiant Elements:
- (2) 9", 2,500-Watt Elements
- Easy Touch 500 Oven Controls
- 6 Rack Positions



- Glass-Ceramic Cooking Surface
- 5 Ribbon Radiant Elements: (2) 6", I,200-Watt Elements (2) 9"/6", 2,400-/1,200-Watt Dual Elements
- (I) 100-Watt Warming Zone Element
- Element ON/HOT Indicator Light
- Easy Touch 500 Oven Controls
- 2 Oven Racks • 6 Rack Positions









AER4311AAW

Freestanding 4.3 Cu. Ft. **Electric Ranges**

CLEAN-N-SIMPLE **DESIGN**

- Smooth-Gloss Porcelain Backguard
- SpillSaver[™] Upswept Cooktop Design

BASE FEATURES

- 4.3 Cu. Ft. Capacity
- Full-Width Storage Drawer
- 2 Oven Racks
- · Counterbalanced Oven Door

Bolded items indicate step-up features.



AER43IIAA

- 4 High-Performance Coil Elements: (2) 6", I,500-Watt Elements (2) 8", 2,350-Watt Elements
- Temp-Assure[™] Preheat
- Easy Touch 300 Electronic Oven Controls
- Oven Window
- Interior Oven Light
- 4 Chrome Drip Bowls
- · Four-Pass Recessed Broiler
- · Porcelain-Steel Cooking Surface
- 12-Hour Auto Shutoff
- Sabbath Mode
- Control Lockout Hi/Lo Broil
- · Towel-Bar Door Handle
- Electronic Clock With Timer

For additional feature information, see specifications chart on page 51.





AER5710BA

- · Glass-Ceramic Cooking Surface
- 4 Ribbon Radiant Elements: (2) 6", I,200-Watt Elements (2) 9", 2,500-Watt Elements
- Temp-Assure[™] Preheat
- Easy Touch 500 Electronic Oven Controls
- · Self-Cleaning Oven With Adjustable Levels (Light, Medium, Heavy)
- Element ON/HOT Indicator Light
- · Six-Pass Recessed Broiler
- Keep Warm Setting
- Cook & Hold Setting
- Delay-Bake Oven Control
- 12-Hour Auto Shutoff Sabbath Mode
- Control Lockout
- Hi/Lo Broil
- Towel-Bar Door Handle
- Electronic Clock With Timer

white with black



Easy Touch 800 Oven Controls

Easy Touch Controls

Easy Touch oven controls are available on freestanding and slide-in gas and electric ranges.

Bolded items indicate step-up features.



EASY TOUCH 300

- Electronic Clock With Timer
- Control Lockout
- 12-Hour Auto Shutoff
- · Sabbath Mode



EASY TOUCH 500

- Electronic Clock With Timer
- · Cook & Hold Setting
- Keep Warm Setting
- Delay Setting
- 12-Hour Auto Shutoff Control Lockout
- Sabbath Mode
- · Self-Clean



EASY TOUCH 700

 Electronic Clock With Timer And

Keep Warm Setting

- **Temperature Display** Favorite Setting Cook & Hold Setting
- Delay Setting12-Hour Auto Shutoff
- Control Lockout Sabbath Mode
- Self-Clean



EASY TOUCH 800

- Easy-Use Convection
- With Auto Conversion* Flectronic Clock With Timer And Temperature Display
- Favorite Setting
- Cook & Hold Setting
- Keep Warm Setting
- Delay Setting12-Hour Auto Shutoff
- Control Lockout
- Sahbath Mode
- Self-Clean

^{*} Not available on AES5730BA or AGS5730BD.





AES5730BAS

Slide-In Ranges

BASE FEATURES

- Electronic Clock With Timer
- Control Lockout
- 2 Oven Racks
- 5 Rack Positions
- Sabbath Mode
- Delay-Bake Oven Control
- Keep Warm Setting Cook & Hold Setting
- Recessed Broil Element
- (Electric Models) • Sealed-Surface Burners And Lift-Off
- Burner Caps (Gas Models)
- Heavy-Duty Cast-Iron Burner Grates (Gas Models)
- · Interior Oven Light
- Storage Drawer

22


Bolded items indicate step-up features.



AESI350BA

- 30" Electric
- 4.3 Cu. Ft. Oven Capacity • 4 Removable Coil Elements: (2) 6", I,500-Watt Elements
- Easy Touch 500 Oven Controls
- Chrome Drip Bowls







• 30" Electric

- 4.3 Cu. Ft. Oven Capacity

AES3540BA

- 4 Removable Coil Elements: (2) 6", 1,500-Watt Elements (2) 8", 2,350-Watt Elements
- Easy Touch 500 Oven Controls
- Self-Cleaning Oven
- · Delay-Clean Oven Control
- · Porcelain Drip Bowls



WHILE QUANTITIES LAST.



AES3760BA

- 30" Electric Smoothtop
- 4.3 Cu. Ft. Oven Capacity
- 4 Ribbon Radiant Elements: (2) 6", I,200-Watt Elements (2) 9", 2,500-Watt Elements
- Easy Touch 700 Oven Controls
- Element ON/HOT Indicator Light
- Self-Cleaning Oven
- Delay-Clean Oven Control
- Favorite Setting
- Extra-Large Window











AES5730BA

- 30" True-Color Electric Smoothtop
- 4.5 Cu. Ft. Oven Capacity
- 5 Ribbon Radiant Elements: (2) 6", I,200-Watt Elements
- (I) 100-Watt Warming Zone Element With Adjustable Temperature (2) 9"/6", 2,400-/1,000-Watt
- Easy Touch 800 Oven Controls
- Element ON/HOT Indicator Light
- · Hidden Bake Element
- · Self-Cleaning Oven

Dual Elements

- Delay-Clean Oven Control
- I Standard Oven Rack And I EasyRack Oven Rack
- Favorite Setting
- · Automatic Oven Light
- Extra-Large Window











AGSI740BD

- 30" Gas
- 4.5 Cu. Ft. Oven Capacity
- 4 Sealed Gas Burners: (I) 12,000-BTU Burner
- (2) 9,200-BTU Burners
- (I) 5,000-BTU Simmer Burner • Easy Touch 500 Oven Controls



AGS5730BD

• 4.5 Cu. Ft. Oven Capacity

(2) 9,200-BTU Burners

(I) 5,000-BTU Simmer Burner

Delay-Clean Oven Control

· I Standard Oven Rack And

white bisque black stainless steel

I EasyRack Oven Rack

Automatic Oven Light

• Extra-Large Window

• Easy Touch 800 Oven Controls

(I) 16,000-BTU High-Output Burner

• 4 Sealed Gas Burners:

Self-Cleaning Oven

• 30" Gas



AGS3760BD

- 30" Gas
- 4.5 Cu. Ft. Oven Capacity
- 4 Sealed Gas Burners:
- (I) 12,000-BTU Burner
- (2) 9,200-BTU Burners (I) 5,000-BTU Simmer Burner
- Easy Touch 700 Oven Controls
- Self-Cleaning Oven
- Extra-Large Window







For additional feature information, see specifications chart on page 53.








AKS3040BS (With Aftermarket Backsplash And UXT2030AS Kitchen Hood)

Gas Cooktops

BASE FEATURES

- High-Performance Sealed Gas Burners
- · Recessed Porcelain Or Stainless Steel Cooktop Surface
- Cast-Iron Burner Grates
- Infinite Burner Control Settings
- Countertop/Island/Peninsula Installation

Bolded items indicate step-up features.



AKS3040B

- 30" Gas Cooktop
- 4 Sealed Gas Burners: (I)5,000-BTU Burner With
- 650-BTU Simmer Setting (2) 9,200-BTU Burners
- (I) 12,500-BTU Burner
- One-Piece Continuous Cast-Iron Grates
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet









AKS3640

- · 36" Gas Cooktop
- 5 Sealed Gas Burners: (3) 9,200-BTU Burners
- (I) 12,500-BTU Burner
- (I) 10,500-BTU Burner
- One-Piece Continuous Cast-Iron Grates • Installs Over 30" Amana® Wall Oven Or Cabinet

For additional feature information, see specifications chart on page 56.



AKT3650W

Electric Cooktops

BASE FEATURES

- True-Color Glass-Ceramic Cooktop Surface
- Dual Element(s)
- Counter-Flush Installation Kit Available
- Countertop/Island/Peninsula Installation
- Element ON/HOT Indicator Lights

Bolded items indicate step-up features.




AKT3040

- 30" Electric Cooktop
- Amana® Designer Pattern
- 4 Ribbon Radiant Elements: (1) 6", 1,200-Watt Element (1) 7", 1,500-Watt Element
- (1) 8", 2,000-Watt Element (1) 9"/6", 2,500-/1,000-Watt Dual Element
- 2 ON, 4 HOT Indicator Lights
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet







AKT3650

- 36" Electric Cooktop
- Amana® Designer Pattern
 5 Ribbon Radiant Elements:
- (I) 6", I,200-Watt Element (I) 7", I,500-Watt Element
- (I) 8", 2,000-Watt Element
- (I) 9"/6", 2,500-/I,000-Watt Dual Element
- (I) Warming Zone Element With Adjustable Temperature
- 2 ON, 5 HOT Indicator Lights
- Right- Or Left-Hand Installation
- Installs Over 30" Amana® Wall Oven Or Cabinet









AEW4630DDS

Electric Wall Ovens

BASE FEATURES

- Easy Touch Controls
- Favorite Setting
- Cook & Hold Setting
- Electronic Clock With Timer
- Control Lockout
- Large Viewing Window • 4 Rack Positions
- · Automatic Oven Light
- Six-Pass Broiler Sabbath Mode
- · Adjustable Self-Cleaning Oven With Auto Door Lock
- · Delay-Clean Option
- Smooth-Surface Control Panel

Bolded items indicate step-up features.



AEW3530DD

- 30" Single Electric Wall Oven
- 3.8 Cu. Ft. Capacity
- 2 Oven Racks
- Under-Counter/Cooktop Installation





AEW4530DD

- 30" Single Electric Wall Oven
- 3.8 Cu. Ft. Capacity
- Easy-Use Convection With Auto Conversion
- 3 Oven Racks
- Under-Counter/Cooktop Installation





AEW3630DD

- 30" Double Electric Wall Oven
- 3.8 Cu. Ft.-Capacity Upper Oven/
- 3.8 Cu. Ft.-Capacity Lower Oven
- 2 Upper Oven Racks, 2 Lower Oven Racks





For additional feature information, see specifications chart on page 55.

AEW4630DD

- 30" Double Electric Wall Oven • 3.8 Cu. Ft.-Capacity Upper Oven/
- 3.8 Cu. Ft.-Capacity Lower Oven
- Easy-Use Convection With **Auto Conversion (Upper Oven)**
- 3 Upper Oven Racks, 2 Lower Oven Racks





AMV5206BAW

Amana[®] Radarange® Over-The-Range Microwave **Ovens**

BASE FEATURES

- 10 Power Levels
- Turntable
- Control Lockout
- Touchmatic® Control System
- Digital Clock With Kitchen Timer
- · Interior Oven Light
- External/Internal Ventilation
- · Charcoal Odor Filter
- Surface Light With Hi/Lo/Off Control
- More/Less Adjust
- 30 Seconds Pad
- Exhaust Vent

Bolded items indicate step-up features.



AMVII54BA

- 1.5 Cu. Ft. Capacity
- 1,000 Watts
- LED Display
- Auto Defrost Weight Only
- Auto Cook
- Auto Reheat
- 220-CFM,Two-Speed Vent Fan
- 5 Programmed Pads





AMV5I64BA

- 1.6 Cu. Ft. Capacity
- I,000 Watts
- · Scrolling Word-Prompt Display
- · Custom Program
- · Cooking Complete Reminder
- Turntable On/Off Control
- Wire Rack
- Auto Defrost Weight Only
- · I Lb. Rapid Defrost
- Sensor Cook
- · Sensor Reheat
- Light Delay Timer
- 220-CFM, Two-Speed Vent Fan









AMV5206BA

- · 2.0 Cu. Ft. Capacity
- 1,150 Watts
- Scrolling Word-Prompt Display
- Custom Program
- · Cooking Complete Reminder
- Turntable On/Off Control • Wire Rack
- · Halogen Interior And Exterior Lights Soften/Melt
- · Kids' Meals Snack Bar
- I Lb. Rapid Defrost
- Sensor Cook
- · Sensor Reheat
- Surface And Light Delay Timer • 300-CFM, Five-Speed Vent Fan









AMC6158BAS

Amana[®] Radarange[®] Countertop Microwave Ovens

BASE FEATURES

- Turntable
- Auto Defrost Weight Only
- 10 Power Levels
- Touchmatic® Control System Digital Clock
- Cooking Complete Reminder
- Programmed Pads

Interior Oven Light

Bolded items indicate step-up features.



AMC4080AA

- 0.8 Cu. Ft. Capacity
- 800 Watts
- 12-Hour Digital Clock
- Under-Cabinet Mounting Kit Included





AMC5101AA

- 1.0 Cu. Ft. Capacity
- I,000 Watts
- 12-Hour Digital Clock
- Kitchen Timer Sound On/Off
- Kitchen Timer
- · More/Less Adjust
- Control Lockout
- · Handy Helper
- Kids' Meals
- Snack Bar
- · Auto Reheat
- · Lbs./Kg Option









AMC5143AA

- 1.4 Cu. Ft. Capacity
- 1,100 Watts
- 24-Hour Digital Clock
- Low/Mid/Hi/Melody/Off Sound
- Kitchen Timer
- More/Less Adjust
- Control Lockout
- Able To Be Built In* · Trim Kits Available
- 8 Sensor Programmed Pads
- · Handy Helper Kids' Meals
- Snack Bar
- · Sensor Auto Reheat
- Lbs./Kg Option











AMC2206BA

- · 2.0 Cu. Ft. Capacity
- 1,100 Watts
- 12-/24-Hour Digital Clock
- Kitchen Timer
- · Scrolling Word-Prompt Display
- Sound On/Off
- · 30 Seconds Pad
- Control Lockout
- Able To Be Built In* Trim Kits Available
- Soften/Melt
- · Custom Program
- More/Less Adjust
- Kids' Meals
- Snack Bar
- Sensor Cook
- · Sensor Auto Reheat





AMC6158BA

- 1.5 Cu. Ft. Capacity
- Convection/Combination (Roast/Bake)
- I,000 Watts
- 12-/24-Hour Digital Clock
- Kitchen Timer
- Scrolling Word-Prompt Display
- Sound On/Off
- 30 Seconds Pad
- Preheat
- · Auto Roast and Bake
- Program Recall Control Lockout
- Able To Be Built In*
- Trim Kits Available
- Custom Program More/Less Adjust
- Kids' Meals
- Snack Bar
- Sensor Cook
- · Sensor Auto Reheat · Shelf Rack





28 29

^{*}Not for use above a wall oven.

For additional feature information, see specifications chart on page 58.





UXT5430AD

Kitchen Hoods

BASE FEATURES

- Multiple Speed Settings
- · Light (Not Available On Telescoping Downdraft Hoods)

Bolded items indicate step-up features.



UXT4030A

- 30" Hood
- Recirculating Ventilation With Charcoal Filter
- 2 Speed Settings
- Light







UXT4036A (NOT PICTURED)

This 36" model includes the same features and colors as UXT4030A.

UXT3030A/ UXT3036A (NOT PICTURED)

These 30" and 36" models include the same features and colors as UXT4030A with 3 $\frac{1}{4}$ " x 10" vertical or horizontal ventilation.

UXT2030A/ UXT2036A (NOT PICTURED)

These 30" and 36" models include the same features and colors as UXT4030A with 7" round vertical ventilation.



UXT5230AD

- 30" Hood
- 300-CFM Centrifugal Blower
- 3 Speed Settings
- Slide Controls
- **Dual Incandescent Lighting**
- Filterless Self-Cleaning
- **Quiet Operation**









UXT5236A (NOT PICTURED)

This 36" model includes the same features and colors as UXT5230AD.



UXT5430AD

- 30" Hood
- 400-CFM Centrifugal Blower
- 3 Speed Settings
- **Electronic Touch Controls**
- Dual Halogen Lighting With Night Light
- Filterless Self-Cleaning
- Quiet Operation
- Delay-Off









UXT5436A (NOT PICTURED)

This 36" model includes the same features and colors as UXT5430AD.



HV303

- 30" Telescoping Downdraft Hood
- 500-CFM Centrifugal Blower
- · Vertical Or Horizontal Exterior Ventilation
- · Quiet Operation



Optional White cap is available.

HV363 (NOT PICTURED)

This 36" model includes the same features and colors as HV303