



ASKO
CLEAN LIVING



QUALITY ALWAYS COMES FROM DEDICATION.

It all began in 1950 in Vara, Sweden, when Karl Erik Andersson received his first order for a washing machine from his mother. The farmer, Karl Erik, thought about it carefully and produced a washing machine that didn't look like washing machines did in those days. Word of the revolutionary model spread and nothing's been the same since. Karl Erik built a small factory on the farm and started making washing machines full time. A few years later he built his first dishwasher and tumble dryer. Business gathered momentum and more and more dishwashers, washing machines and dryers left the doors of the small factory in Vara. Today, there are around 1,000 of us employed at production plants in Sweden and Finland, and countless more in sales companies in 35 countries around the world. In 1987, we opened our office in North America. Today, ASKO products are proudly sold by the number one team of independent dealers and distributors in the appliance industry. We are well aware that we have customers all over the world, all of whom place high demands on design, function and care for the environment.



In 1999, our environmental work had advanced so far that we received environmental certification in accordance with ISO 14001. This means a great deal to us, but even more for you and the environment. Over the years, the driving force and dedication to produce and distribute the best appliances has always come from the same source, our co-workers. Their knowledge and ideas have helped us to produce some of the world's best dishwashers, washing machines and tumble dryers of the modern age. Now, we can reap the fruits of our long experience: awards and top test results from all over the world make people choose our appliances. For example, in recent years we have received the ADEX Design Award numerous times for both dishwashers and laundry products. All ASKO products carry an EnergyStar® rating denoting significant energy efficiency. Our appliances are also known for their low water consumption, among the best in the world. We have also gained attention for our environmental work, design and innovation, lowest energy consumption and best product development. Above all, we are appreciated by millions of satisfied customers all over the world. In other words, ASKO has grown from a mother's kitchen to an international brand that stands for world class design, premium performance, safety and of course durability. However, we refuse to rest on our laurels. We will continue in Karl Erik Andersson's spirit and develop our products to perfection with passionate dedication. To make your life a little easier.





IMPROVING ASKO DISHWASHERS WAS A PRETTY TALL ORDER

ASKO has always gone to great lengths to design, engineer and build the highest quality dishwashers in the world. Now, we've raised the standard again with our next generation designs. Like every ASKO dishwasher before them, our tall-tank models out-clean ordinary units while using far less water and electricity. They're super-quiet, dependable and backed by the most highly regarded warranty in the industry. No wonder ASKO dishwashers stand head and shoulders above other brands.



The Turbo Fan® Drying System blends hot, humid air inside with cool, dry air from outside, then drains the condensed moisture into the bottom of the tank. This time-saving feature virtually eliminates the need for hand-drying.

ASKO is so roomy, it'll easily accommodate 12 international place settings with room to spare. Many other dishwashers barely hold 10. The redesigned Flexi-Rack® system lets you adjust racks to make more space. Tines in most models fold down flat. And all XL models have an adjustable wine rack for different size stemware.



The exclusive PowerZone™ wash system cleans your toughest items. While one jet shoots water up directly into crusty pots and pans, another aims down at cutlery. And, our patented Super Cleaning System™ gives you noticeably cleaner dishes with no hand rinsing. With a self-cleaning triple filtration system and wash and rinse temperatures up to 170° F, no residential dishwasher zaps germs better.

ASKO lets you choose the control options you want — from unique, push-button pads with 3D symbols to sleek LCD displays that disappear when the door is closed.



Wherever possible, ASKO uses steel instead of plastic. From the 18:9 stainless steel tank, spray arms and filter system to the galvanized steel base pan, nobody uses more steel than ASKO.





There's no other brand of dishwasher on the market quieter than ASKO. The D3000 series is even 12% quieter than before. No ASKO dishwasher is louder than 50 dBA, and some models are as low as 46 dBA. Each unit is covered with sound-deadening bitumen like that used in luxury cars. In fact, 30% of the dishwashers' weight is sound-absorbing material.

NO BRAND IS
QUIETER
50 dBA OR LESS



The unique MIX™ program in the D3531XL automatically adjusts water pressure so you can safely wash your delicate crystal in the upper rack at the same time as your most heavily soiled pans below. ASKO dishwasher models D3152XL, D3251, D3251XL and D3531XL feature an exclusive Pulse Wash which varies the water pressure in the spray arm to adjust the pressure for different soil levels.

Using as little as 194 kWh per year, ASKO consumes less electricity than any other full-size dishwasher, including other EnergyStar® units. Indeed, the energy savings alone could justify buying an ASKO.

An average ASKO load uses less than 5 gallons of water compared to the 7-10 gallons used by typical dishwashers. Saving you — and the environment — over 1,000 gallons each year.

ASKO uses about half the detergent other dishwashers do — only 1-1/2 tablespoons. In fact, washing a load in an ASKO is far less expensive than doing it by hand.

ASKO may cost more initially, but with energy, water and detergent savings over a 20-year life span, it's among the most cost-efficient on the market.

ASKO's full warranty lasts longer than any other manufacturer's. But, with dishwashers built to last 20 years, you may never need it.

Click on askousa.com for complete details.

ENCORE DISHWASHERS BY ASKO, NOW THERE ARE TWO

Never again will you need to handwash your dishes. Or your crystal. Or your fine china. Or your large pans. Or your stockpots. Or anything else. Ever. Working as a companion to many ASKO dishwashers, Encore dishwashers handle all the items that used to require handwashing. In other words, at the end of the evening, cleanup consists of loading and running the dishwashers. No rinsing. No handwashing. No worries. So, when it comes to hosting your next gathering, you can kick back, have fun and enjoy the evening – all the way through the Encore.

A STANDING OVATION FOR THE END OF HANDWASHING



Two Encore Models
Now Available!



ANOTHER INNOVATIVE PRODUCT FROM ASKO

Thanks to the extra large interior capacity, its new, specialized FlexiRacks™ rack system and unique washing programs, these innovative Encores can handle any type of load. First, the tall interior and repositioned lower spray mechanism are ideal for cleaning extra large items. Second, the FlexiRack system allows you to configure numerous wash rack options for the variety of items you need to wash. This adaptability means that you can wash practically any item in your kitchen, but also that you can install another Encore in your entertainment area with both racks configured to handle your specialty glassware. Finally, Encores have specialized cleaning cycles preprogrammed to wash those items normally reserved for handwashing. These innovations are the ultimate in dishwashing technology, allowing you to wash all your large cookware, serving dishes, utensils, dinnerware and delicate glassware in any combination.



D3731XLFI, D3731XLHDSS



D3232XLFI ENCORE

Control Panels

D3112 (STANDARD TANK)

The D3112 is a standard control model that comes in white, black, bisque and TouchProof™ stainless steel. The easy-to-use control system offers one-touch access to its four programs. It remembers the last program used, so you just press Start to run it again. To change the program, just push the Program button and advance through the selections. It also has a light that shows the unit's progress through the cycles.



D3122XL (TALL TANK)

The D3122XL is a standard control model that comes in white, black and TouchProof™ stainless steel. It features the same style simple control that is used on the D3112, except that it has the added feature of the Turbo Fan™ drying system. It has four programs and a memory of the last program selected.



D3432XL (TALL TANK)

The D3432XL has a hidden control panel but a standard control panel look in black, white, or TouchProof™ stainless steel. It has six wash programs and remembers the last program used. The control has three option buttons that change temperatures, delay start and adjust drying. A convenient End-of-Program signal sounds when the wash cycle is complete.



D3152XL (TALL TANK)

The D3152XL has a sleek visible control interface with time display, a standard control panel look. It comes in white, black, or TouchProof™ stainless steel, and has five wash programs, including AutoWash. Options include temperature change, drying adjustment, delay start, express wash, and half load wash feature. It remembers the last program used, so you just press Start to run it again.



D3232XL (TALL TANK) / D3232XLFI (TALL TANK)

Available in TouchProof™ stainless steel, the D3232XL has a hidden control panel with button access to six programs. The control has three option buttons that change temperatures, delay start and adjust drying. The control remembers the last programs and options used. A convenient End-of-Program signal sounds when the wash cycle is complete. The D3232XLFI uses the same controls. It must be installed with an optional one-piece metal panel (shown here) or an owner supplied custom door panel.



D3251XLHD (TALL TANK) / D3251FI (STANDARD TANK) / D3251XLFI (TALL TANK)

All D3251 dishwashers have a hidden control panel with push-button access to six programs, including Auto Wash. This control adds two options; half-load and express wash. A convenient End-of-Program signal sounds when the wash cycle is complete. The HD model has a TouchProof™ stainless steel front with a straight towel-bar handle. FI models must be installed with an optional one-piece metal panel (shown here) or an owner supplied custom door panel.



D3531XLHD / D3531XLFI (TALL TANKS) / D3731XLHD / D3731XLFI (TALL TANKS)

The D3531XL is a hidden control model with push buttons and an LCD display. This dishwasher displays 10 wash programs, time remaining, temperature and options. It remembers the last program used and can operate in multiple languages.

The Encore, D3731XL, is a hidden control model with push buttons and an LCD display. This dishwasher displays six specialized wash programs, time remaining, temperature and options. It remembers the last program used and can operate in multiple languages.

HD models have a TouchProof™ stainless steel front with a straight towel-bar handle. FI models must be installed with an optional one-piece metal panel (shown here) or an owner supplied custom door panel.



**All FI dishwashers must be installed with a door panel. ASKO has metal panels available in white, black, bisque, and stainless steel with curved handles. A customer supplied panel can also be installed.*


XL Models = Tall Tank; Non-XL Models = Standard Tank




The Awards for Design Excellence is one of the largest and most prestigious awards program for product design of appliances, furniture, fixtures, and finishes marketed to the design trade.

Dishwasher Awards: 2003, 2004, 2007

Dishwasher Features & Specifications



D3112



D3122XL



D3432XL




D3152XL



D3232XL

D3232XLFI*



D3251XLHD

D3251FI* / XLFI*



D3531XLHD
D3731XLHD

D3531XLFI*
D3731XLFI*

TANK MODELS	D3112	ADA D3251HD	D3251FI	D3122XL
Contemporary Styling and Controls				
Hidden Controls		•	•	
Colors: White (W), Black(B), Bisque (Q) or TouchProof™ Stainless Steel (SS)	W, B, Q, SS	SS		W, B, SS
Requires Optional, One-Piece Door Panel (See "FI Dishwasher Door Options")			•	
Unique, Flexible Wash System				
Patented Super Cleaning System™	•	•	•	•
Self-Cleaning Triple Filtration System	•	•	•	•
Pulse Wash		•	•	
Patented PowerZone™ - Pots and Pans	•	•	•	•
Patented PowerZone™ - Cutlery	•	•	•	•
Separate Circulation and Drain Pumps	•	•	•	•
7- or 8Spray™ System	7	8	8	7
AquaLevel™ Sensor Monitors Wash Water		•	•	
Half Load Washing (Upper or Lower Basket)		•	•	
SensiClean™ Sensor (Auto Wash)		•	•	
Mixed Load Option (Delicates and Pots)				
Number Of Wash Temperatures	5	8	8	5
Maximum Wash and Rinse Temperature	160° F	170° F	170° F	160° F
Number Of Programs	4	6	6	4
Express Option		•	•	
Delay Start Option (Hours)		5	5	
Unique Drying Systems				
Convection Drying System	•			
Turbo Fan™ Drying System		•	•	•
SensiDry™ Sensor (Auto Dry)		•	•	
Large Capacity & Adjustable Racks				
12+ International Place Settings Capacity	•	•	•	•
Lower Basket Holds Thick, 12" Plates	•	•	•	•
FlexiRacks™ Ensure Random Loading	•	•	•	•
Adjustable Stemware Rack	•	•	•	•
Safe & Handy™ Upper Cutlery Basket		•	•	
Adjustable Tines In Upper Basket		•	•	
Adjustable Tines In Lower Basket		•	•	•
Upper Basket Holds Up To 9-1/2" Dishes				•
Removable Rack Inserts (4)				
Quality & Safety Throughout				
18:9 Stainless Steel Tank, Filter & Spray Arms	•	•	•	•
Anti-Jam, Auto-Reversing Pump	•	•	•	•
Galvanized Steel Base Pan	•	•	•	•
Balanced Door Eases Loading & Unloading	•	•	•	•
Check Valve Prevents Drain Flow Back	•	•	•	•
SteamSafe™ Controls Escaping Steam		•	•	•
KidSafe™ Prevents Changing Programs		•	•	
KidLock™ Prevents Opening Door	•			•
End-Of-Program Signal		•	•	
Interior Light Eases Loading & Unloading				
Dimensions				
Height	32-1/4" to 35-1/2"	32-1/4" to 35-1/2"	32-1/4" to 35-1/2"	34-3/8" to 37"
Width	24"	24"	23-5/8"	24"
Depth	24"	25-5/8"	22-7/8**	24"
Depth With Door Open	47-1/8"	47-1/8"	47-1/8"	48-1/4"
Fits 6" High Toe Kick Cabinets	•	•	•	
Complies With ADA Height Guidelines	•	•	•	



Every ASKO dishwasher is EnergyStar rated.

*Does not include the depth of a custom or optional door. If an ASKO optional door is used, add 2-1/2" in depth.

**Does not include the height of a custom or optional door.

TALL TANK (XL)								ENCORE		
D3432XL	D3152XL	D3232XL	D3251XLHD	D3531XLHD	D3232XLFI	D3251XLFI	D3531XLFI	D3232XLFI ENCORE	D3731XLHD	D3731XLFI
•	•	•	•	•	•	•	•	•	•	•
W, B, SS	W, B, SS	SS	SS	SS					SS	
					•	•	•	•		•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
7	7	7	8	8	7	8	8	7	7	7
•	•	•	•	•	•	•	•	•	•	•
	•		•	•		•	•		•	•
	•		•	•		•	•		•	•
8	8	8	8	9	8	8	9	8	9	9
170° F	170° F	170° F	170° F	170° F	170° F	170° F	170° F	170° F	170° F	170° F
6	5	6	6	10	6	6	10	6	6	6
	•		•	•		•	•		•	•
5	1 – 9	5	5	1/2 – 24	5	5	1/2 – 24	5	1/2 – 24	1/2 – 24
•	•	•	•	•	•	•	•	•	•	•
	•		•	•		•	•		•	•
•	•	•	•	•	•	•	•	Variable	Variable	Variable
•	•	•	•	•	•	•	•	14"	14"	14"
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•	•	•	•	•	•	•	•	•	•	•
•		•	•	•	•	•	•	•	•	•
•			•	•	•	•	•	•	•	•
34-3/8" to 37"	34-3/8" to 37"	34-3/8" to 37"	34-3/8" to 37"	34-3/8" to 37"	34" to 37"***	34" to 37"***	34" to 37"***	34" to 37"***	34-3/8" to 37"	34" to 37"***
24"	24"	24"	24"	24"	23-5/8"	23-5/8"	23-5/8"	23-5/8"	24"	23-5/8"
24"	24"	24"	25-5/8"	25-5/8"	22-7/8"*	22-7/8"*	22-7/8"*	22-7/8"*	25-5/8"	22-7/8"*
48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"	48-1/4"

ASKO retains the right to vary the model specifications at any time. All facts were accurate at time of printing. Before purchasing any appliance, read energy cost and efficiency information at your retailer.



FULLY INTEGRATED



T-BAR HANDLE
STAINLESS
TOUCHPROOF™



CURVED HANDLE
STAINLESS
TOUCHPROOF™



INT-HANDLE
STAINLESS
TOUCHPROOF™



GLASS
DOOR



CURVED HANDLE
BLACK OR
WHITE

FULLY INTEGRATED DISHWASHER DOOR OPTIONS

We are all individuals, so it is important that your kitchen matches your personality, tastes, and way of living. Therefore, on our fully integrated models, you can customize the front panel to match anything from custom cabinetry to the latest trends. With a wide range of handles and finish options, anything is possible.

DISHWASHER RACKS

The NEW ASKO FlexiRacks™ are designed around your lifestyle. They are constructed from heavy-gauge wire and have fold down tines. The lower rack is constructed to handle all types of dishes, even oversized stoneware. The upper rack has extra height on the sides to provide better support for tall glasses. Ergonomic handles make it easy to pull the baskets in and out. The cutlery basket stands firmly on four feet, yet can be moved side to side in order to make room for larger items. Certain models have a third level cutlery basket.



UPPER HANDLE



LOWER HANDLE



THIRD CUTLERY



STEMWARE



CUTLERY BASKET



STONEWARE





THE ULTRACARE™ LAUNDRY SYSTEM BY ASKO. AN ALTOGETHER NEW WAY TO DO LAUNDRY.

At the heart of an ASKO laundry room lies the UltraCare™ laundry system. The introduction of the UltraCare system is a watershed moment. Not only does it reinvent the laundry room, it reinvents the entire laundry process. The UltraCare laundry system consists of three integrated components and a fourth, free-standing unit. The primary components include a full-size, front-loading, stacked washer and dryer, integrated side-by-side with the revolutionary UltraCare drying cabinet. The fourth component is the UltraCare cold iron, the ideal way to press hard-to-iron linens.

THE WORLD'S FIRST FULLY INTEGRATED LAUNDRY

We know you have an eye for what looks good, and you leave nothing to chance. Therefore, it is important that the laundry room be easy on the eye. ASKO fully integrated laundry is the first of its kind. There are no other washers and dryers on the planet that can blend this seamlessly into their surroundings. Up until now, laundry rooms have been unable to combine functionality and style. Now, the laundry room is evolving into a pleasant and stylish environment. Whether you decide to combine your laundry room with the bathroom, walk-in closet, a craft room, or if you have a separate laundry room, there is every reason to make this room a pleasant environment. ASKO fully integrated laundry is the best kind of everyday luxury.



In European tests, ASKO washers earned the highest possible rating of "A" for overall cleaning, rinsing and energy and water efficiency. They also rinsed out almost 40% more detergent residue. And all our washers proudly bear the US EnergyStar® label identifying highly efficient products and superior energy performance. Better cleaning, better rinsing, better conservation of precious resources.



ASKO holds up to 14 lbs of clothes — twice the average American's wash load. That translates to about 14 full-sized bath towels or seven pairs of jeans. And since ASKO washers have no space-stealing central agitator, they'll even hold the large blankets and bedspreads that choke top-loaders.

ASKO holds more, yet is smaller on the outside than conventional machines. That makes for easy installation in compact locations. And, ASKO units are stackable, so you can store them in closets, under stairs — just about anywhere that's handy.



ASKO's line concept control is groundbreaking technology. Programs are set logically and easily — from left to right. The clean and uncluttered interface is easy to use and understand. Programming has never been this simple, yet remained so sophisticated.



ASKO works as fast as you need it. Small load? The Quick Wash program can run in just 35 minutes. More laundry than time? Choose the Normal Wash program that can wash a full-sized load in only 45 minutes and still produce cleaner clothes than a top-load washer.

An ASKO washer can rinse up to seven times and remove virtually all detergent and soil residue, yet still use just 20 gallons of water. A typical top-load washer rinses no more than twice, many front-loaders only three times, and all leave lots of residue. The ASKO is great for people with sensitive skin, allergies, or just an aversion to itchy, smelly residue.



An ASKO washer can precisely match the optimal temperature for any garment or stain. From cold (85°F) to warm (120°F), or as hot as 205°F for maximum germ-killing effectiveness, ASKO can handle it. Since ASKO connects only to cold water and heats internally, you have plenty left in your hot water tank for a relaxing bubble bath.



Most washers use about 44 gallons of water per normal load. ASKO washers use only about 15. An ASKO pair can wash and dry a typical load for about 28¢—a fraction of what other machines cost. That's because ASKO uses up to 75% less water and electricity for a normal load. ASKO washers clean so efficiently, you need only one-third the detergent and no chlorine bleach.

ASKO's exclusive Butterfly Drying System™ tumbles clothes in a figure eight to reduce wrinkling potentially cutting ironing time in half.



Click on askousa.com for complete details.

THE ULTRACARE™ WASHER

Major appliances are major investments for your family. We understand that. That's why the UltraCare system is built to last – with stainless steel components throughout. That's why we cover each unit in the system with a three-year worry-free warranty and a five-year limited warranty, the best protection in the industry. That's why we make sure the UltraCare washer not only cleans better than virtually every washing machine on the planet, it does so while using less electricity, less water and less detergent. That's why we provide unique features like the ultra-gentle hand-wash and wool-wash programs, the AquaBlock™ leak protection system and a better rinse cycle to prevent the skin irritation caused by detergent residues commonly left by other washers. And, because the UltraCare washer extracts more water than others during the spin cycle, the UltraCare dryer is able to do its job better than other dryers while operating at lower temperatures. This extends the life of your clothing and keeps your family looking great. We understand that your family is investing in our appliances, so we build the UltraCare system like an investment in your family. One that will help you take care of them for years on end.





THE ULTRACARE™ DRYER

Taking care of your family includes making sure they look their best. No wrinkled, creased or shrunken clothes allowed. Thanks to the UltraCare dryer, you'll avoid all that and still cut down on your ironing. The built-in SensiDry™ system includes temperature and humidity sensors that interact to prevent overdrying, shrinking and creasing. With its large drying chamber and specially designed paddles, the UltraCare dryer circulates your clothing in a figure eight – instead of round and round – to prevent clothes from bundling and, in many cases, wrinkling. This action also creates an airy tumble for gentler drying, even drying among your garments and less wear on the dryer motor for longer life. Another innovative option is ventless, condenser operation. With an UltraCare ventless dryer, there's no need for dryer duct work or outside venting. That means you can put your laundry center in places you'd never considered before. A laundry room without a laundry room. How's that for a reinvention?



THE ULTRACARE™ DRYING CABINET

You've seen the care instructions a thousand times: "Hang dry" or "Dry flat." And of course, some items need to be dried without having been washed, like wet hats, gloves, umbrellas, workwear or your kids' snow gear. Sure to become your favorite appliance, ASKO offers two UltraCare™ Drying Cabinets, the solution for neat organized drying of your family's sweaters, shirts, coats, shoes, gloves and more. Whatever can't be dried in the dryer goes into the drying cabinet where a gentle heat speeds the drying process. Never again will you have clothes drying on doorknobs, shower rods, countertops or even on the floor. With the UltraCare drying cabinet, they all get tucked away nicely to dry gently and faster than the old-fashioned way. It's a great way to take care of your family's clothes while keeping the house in order.

WCAM 1812

When the floor space is really limited — too tight for an UltraCare™ washer and dryer — you still have a solid laundry solution with the ASKO Combination Washer/Dryer. It automatically transitions from a wash cycle to a dry cycle, allowing you to equip the smallest of spaces with a start-to-finish laundry system in one compact machine. The WCAM1812 uses a condenser to eliminate the need for exterior venting. Perfect for tight quarters, or other places such as a bath house or second floor closet, this efficient combo means the end of shelling out quarters at the laundromat.





THE ULTRACARE™ COLD IRON

Nobody likes to iron. It can seem like a never-ending chore, particularly when you'd rather spend that time with your family. The UltraCare cold iron can go a long way to minimize your ironing time. Ideal for tablecloths, napkins, curtains, bed linens and more, the UltraCare cold iron makes short work of a variety of difficult-to-press items. Just feed the fabric into the cold iron and the rollers do all the work. In no time flat, you'll be out of the laundry room and back in the family room.

LAUNDRY CARE HIDDENHELPERS™

All of our washers and dryers can be supplemented with a range of practical accessories to make life easier in the laundry room. One simple solution is the HiddenHelpers ironing board. It is always readily available, yet easy to hide away when not in use. A side-mounting ironing board arm is available — the perfect accessory for shirt sleeves. The laundry care double shelf has a removable wire basket and pull-out shelf that can be used as a general purpose surface or additional folding space. The laundry care single shelf makes loading and unloading much easier. Ironing board arm accessory available.





INDIVIDUAL DOORS

How would you like to have the world's best looking couple — in your laundry room? With ASKO fully integrated washers and dryers, you can customize the front panel to match any setting. White, black, TouchProof™ stainless steel, even custom wood panels will transform an ordinary laundry room into a pleasant and stylish environment. All individual doors are available with either an A-bar or T-bar handle.



A -
B A R
H A N D L E S




T -
B A R
H A N D L E S

Control Panels

EasyControl™ / Line Concept Washers

The most sophisticated, yet easiest-to-use washers around. The W6903 is available in white and TouchProof™ stainless steel. The W6903FI is available with optional white, black, TouchProof™ stainless steel panel, or user supplied custom panels. The Line Concept control system is an LCD display that programs in a simple, easy to understand, left to right sequence. The W6903 has 13 adjustable programs with spin speeds up to 2000 RPM.



W6903 / W6903FI



W6903

EasyControl™ / Smooth Dial Washer

The W6222 washer uses a new electronic control with smooth dial technology. Indicator lights around the controls identify cycle and options selected. The wash cycles are printed on the control panel and remaining time is displayed in the LED window. This model is available in white or titanium.




W6222



W6222

EasyControl™ / Line Concept Dryers

The T793 dryers use the new Line Concept control system — an LCD display that is easy to understand and simple to program. Designed to be paired with a W6903 washer, the T793 and T793C are available in white and TouchProof™ stainless steel. The T793FI is available with optional white, black, TouchProof™ stainless steel panel, or user supplied custom panels. The T793C includes an internal moisture condenser for ventless dryer applications.



T793 / T793C / T793FI



T793 / T793C

EasyControl™ / Smooth Dial Dryers

The T712 and T712C dryers use a new electronic control with smooth dial technology. Indicator lights around the controls identify cycle and options selected. The sensor controlled dry cycles are printed on the control panel and remaining time is displayed in the LED window. These models pair with the W6222 washer. The T712C has an internal moisture condenser and requires no external venting. This model is available in white or titanium.



T712 / T712C



T712 / T712C

EasyControl™ Combination Washer/Dryer

This ADA height-compliant washer / dryer combination has 6 wash programs and dry times of 40–140 minutes. A convenient end-of-program light notifies the user when the programs are complete. The WCAM1812 is available in white and titanium.



WCAM1812



WCAM1812

EasyControl™ Drying Cabinets

The DC7171 and DC7181 are both available in white and titanium. The DC7181 is a taller model, designed to be used when HiddenHelpers™ are used with the washer and dryer. Dry cycles range from 30 minutes to 4 hours. There are 3 temperature options as well as folding, pull-out hangers that give you the equivalent of more than 50 feet of clothesline.



DC7171 / DC7181



DC7171



The Awards for Design Excellence is one of the largest and most prestigious awards program for product design of appliances, furniture, fixtures, and finishes marketed to the design trade.

Laundry Awards: 2005, 2006

Features & Specifications

Washers

	W6222	W6903	W6903FI
Minimum Water Consumption (Gallons)	5.7	5.7	5.7
Automatic Load Balancing System	•	•	•
Spin Speeds	800/1200	400-2000	400-2000
Sensor Level Control™ System	•	•	•
Internal Water Heater	•	•	•
Wash Temperature Options	Cold, 85-205	Cold, 85-205	Cold, 85-205
Maximum Number of Rinses	7	7	7
Six-Way, Aqua Block Water Containment System	•	•	•
Stainless Steel Inner and Outer Tank	•	•	•
Solid Rubber SmartSeal™ Door Gasket	•	•	•
Quattro™ Suspension	•	•	•
Electronic Door Latch	•	•	•
Finger Guard Between Inner and Outer Cases	•	•	•
Drop-Down Outer Door	•		
Side Swing Door		•	•
No-Spin Option	•	•	•
EasyControl™ / SmoothDial Controls	•		
EasyControl™ / Line Concept Controls		•	•
Adjustable Programs	10	13	13
Program Interrupt, Add An Item	•	•	•
Delay Start		1-24 Hours	1-24 Hours
Quick Wash Program (Typically 35 Minutes)	•	•	•
Anti-Crease Program		•	•
Easy-To-Reach, Out-Front Controls	•	•	•
Complies With ADA Height Accessibility Guidelines	•	•	•
220 V, 20 Amp Cord and Plug Included	•	•	•
Every Unit Factory Tested	•	•	•
Colors: White, Black, Titanium or TouchProof™ Stainless Steel	W, B, T	W, SS	
Requires Optional, One-Piece Door Panel (see "Individual Doors")			•
Height	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"
Width	23-7/16"	23-1/2"	23-1/2"
Depth with Door Open	42-17/32"	46-1/8"	47-7/8"
Depth with Door Closed	24-7/16"	23-13/16"	23-1/16"

Dryers

	T712	T712C	T793	T793C	T793FI
Butterfly Drying™ System	•	•	•	•	•
Internal Moisture Condenser/Collector (Ventless)		•		•	
Three-Way Venting	•		•		•
Reversible Door	•	•	•	•	•
Cool Down	•	•	•	•	•
Drying Temperatures (Air, Low and Normal)	•	•	•	•	•
SensiDry™	•	•	•	•	•
Anti-Crease Program	•	•	•	•	•
Four-Way Water Containment System		•		•	
Stainless Steel Drum	•	•	•	•	•
Double Lint Filter	•	•	•	•	•
Cleanable Fan	•	•	•	•	•
Stacking Kit Included	•	•	•	•	•
End-Of-Cycle Tone	•	•	•	•	•
EasyControl™ / SmoothDial Controls	•	•			
EasyControl™ / Line Concept Controls			•	•	•
Number Of Programs	6	6	6	6	6
Timed Dry Program (Minutes)	60	60	5-180	5-180	5-180
Air (Fluff) Drying Program	•	•	•	•	•
Delay Start	5 Hrs	5 Hrs	1-24 Hrs	1-24 Hrs	1-24 Hrs
Includes 220 V, 20 Amp Receptacle For ASKO Washer	•	•	•	•	•
Every Unit Factory Tested	•	•	•	•	•
Colors: White, Black, Titanium or TouchProof™ Stainless Steel	W, B, T	W, T	W, SS	W	
Requires Optional, One-Piece Door Panel (See "Individual Doors")					•
Height	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"	33-1/2" to 34-1/2"
Width	23-7/16"	23-7/16"	23-1/2"	23-1/2"	23-1/2"
Depth with Door Open	46-1/16"	46-1/16"	46-1/8"	46-1/8"	47-7/8"
Depth with Door Closed	24-7/16"	24-7/16"	23-13/16"	23-13/16"	23-1/8"

Drying Cabinet

	DC7171	DC7181
Capacity	7-1/2 lbs	7-1/2 lbs
Total Drying Length	52-1/2'	52-1/2'
Drying Time, Normal	150 min	150 min
Dehumidification	.56 oz/min	.56 oz/min
Programs	Normal, Medium, Low	Normal, Medium, Low
Timer	Up to 4 hrs	Up to 4 hrs
Element Effect	1200 W	1200 W
CFM	26	26
Voltage	120V/60 Hz	120V/60 Hz
Bar for Hangers	•	•
Door Hanger	•	•
Glove Hanger	•	•
Colors	White, Titanium	White, Titanium
Shoe Rack (Accessory)	Optional	Optional
Height	67" to 69"	71-3/8" to 73-3/8"
Width	23-7/16"	23-7/16"
Depth	25-1/4"	25-1/4"
Depth with Door Open	46-1/4"	46-1/4"
Weight	132 lbs	143 lbs

Cold Iron

	C1700
Roller Cloth	21-5/8" X 55-1/8"
Roller Pressure	750 lbs - 882 lbs
Motor Output	90 Watt
Colors	White, Titanium
Height	11-3/8"
Height with Safety Guard Raised	16-5/8"
Width	28-3/4"
Depth	13-1/2"
Weight	44 lbs

Cold Iron Stand

Height	27-5/8"
Width	28-3/4"
Depth	25-1/4"

Combination Washer/Dryer

	WCAM 1812
WASHER	
Average Water Consumption (Gallons)	18.4
Low Discharge Rate (GPM)	4.5 (1 DFU)
Spin Speeds	550/800/1200
Detergent & Fabric Softener Dispenser	•
Overfill Protection	•
Pre-Wash Option	•
Maximum Number of Rinses	5
DRYER	
Drying Times (Minutes)	40-140
Cool Down Cycle	•
Wrinkle-Reducing Auto-Reversing Action	•
End-of-Program Light	•
Internal Moisture-Condensing Drying	•
Regular Program: Heavy Stain, White, Colorfast, Color	•
Synthetic Program: Heavy Stain, Colorfast, Color	•
Delicate Program: Wool/Hand Wash, Quick Wash	•
Stainless Steel Inner and Outer Tanks	•
Four-Shock Suspension	•
Dryer Heating Element	1300 Watt
Washer Heating Element	1200 Watt
Internal Water Heater Temperature Boost	To 140° F
ADA Height Compliant	•
Large Capacity Drum	•
Every Unit Factory Tested	•
Colors	White, Titanium
Height	33-1/4" to 34"
Width	23-1/2"
Depth with Door Open	39"
Depth with Door Closed	23-5/8"
Weight	195 lbs

HiddenHelpers™

	IRONING BOARD
8080704 - W, T (W6903)	
8080705 - W, T, SS (W6903FI, W6222)	
Height	5-15/16"
Width	23-7/16"
Depth	23-1/4"
Depth at Max. Reach	62-1/2"
Ironing Board Dimensions	36-1/2" long X 12-5/8" wide
Sleeve Insert Width (Optional)	16-3/4" added to width when installed
DOUBLE SHELF	
8080443 - W, T (W6903)	
8080407 - W, T, SS (W6903FI, W6222)	
Height	5-15/16"
Width	23-7/16"
Depth	23-1/4"
Depth at Max. Reach	51-1/4"
Shelf Working Surface	29" long X 21" wide
Basket Work Area	18-9/16" long X 19-3/16" wide
SINGLE SHELF	
8079977 - W, T (W6903, W6903FI)	
8061907 - W, B, T (W6222)	
Height	5-15/16"
Width	23-7/16"
Depth	23-1/4"
Depth at Max. Reach	8-1/2"
Shelf Working Surface	14-1/2" long X 21" wide



P.O. BOX 851805 • RICHARDSON, TEXAS 75081
800-898-1879 • www.askousa.com