

Use & Care EpicureTM 2-Zone Under the Counter Wine Cooler

For Use With Models: EF24LWCZ2SS, EF24RWCZ2SS



TABLE OF CONTENTS

MPORTANT SAFETY INSTRUCTIONS	1-2
GETTING TO KNOW YOUR WINE COOLER	3
OPERATING YOUR WINE COOLER	4-6
CLEANING AND MAINTENANCE	7-8
Before You Call for Service	9
Notes	10-11
Warranty & Service	12
Narranty Card	BACK COVER



Congratulations on your purchase of the very latest in Dacor products! Our unique combination of features, style and To Our Valued Customer: performance make us The Life of the Kitchen, and a great addition to your home.

In order to familiarize yourself with the controls, functions, and full potential of your new distinctive appliance, we suggest that you thoroughly read this use & care manual, beginning with the Important Safety Instructions Section.

All Dacor appliances are designed and manufactured with quality and pride, while working within the framework of our company value. Should you ever experience a problem with your product, please first check the Before You Call for Service section of this manual for guidance. It provides useful suggestions and remedies prior to calling for service.

Valuable customer input helps us to continuously improve our products and services, so please feel free to contact our Customer Service Team for assistance with any of your product support needs.

Dacor Customer Service 1440 Bridge Gate Drive Diamond Bar, CA 91765

(800) 793-0093 (626) 403-3130 Telephone: Fax:

Monday through Friday Hours of Operation:

6:00 A.M. to 5:00 P.M. Pacific Time

Thank you for choosing Dacor for your home. We are a company built by families for families and we are dedicated to serving yours. We are confident that your new Dacor product will deliver a high level of performance and Web Site: enjoyment for many years to come.

Tarl (I Sincerely

Cheryl Crowe

Director, Customer Satisfaction

IMPORTANT SAFETY INSTRUCTIONS

INSTALLER: LEAVE THIS GUIDE WITH THIS APPLIANCE.

CUSTOMER: READ THIS USE & CARE MANUAL <u>COMPLETELY</u> BEFORE USE AND KEEP IT FOR FUTURE REFERENCE. THIS GUIDE PROVIDES PROPER USE AND MAINTENANCE INFORMATION. KEEP THIS GUIDE AND THE SALES RECEIPT AND/OR THE CANCELED CHECK IN A SAFE PLACE FOR FUTURE REFERENCE. PROOF OF ORIGINAL PURCHASE DATE IS NEEDED FOR WARRANTY SERVICE.

If you have any questions, call:

Dacor Customer Service 1-800-793-0093 (U.S.A. and Canada) Monday — Friday 6:00 am to 5:00 pm Pacific Time

website: www.dacor.com

Have the complete model and serial number identification of your wine cooler ready. These numbers are found on the serial number plate located inside the door on the left side. Record these numbers below for easy access.

Model Number	
Serial Number	
Date of Purchase	

For warranty and service information, see page 12.

In our continuing effort to improve the quality and performance of our appliances, it may be necessary to make changes to the appliance without revising this guide.

What You Need to Know About Safety Instructions

Warnings and Important Safety Instructions appearing in this guide are not meant to cover all possible conditions and situations that may occur. Common sense, caution, and care must be exercised when installing, maintaining, or operating an appliance.

Always contact the manufacturer about problems or conditions you do not understand.

Safety Symbols, Words, and Labels

▼ DANGER

DANGER – Immediate hazards which **WILL** result in severe personal injury or death.

WARNING

WARNING – Hazards or unsafe practices which **COULD** result in severe personal injury or death.

▼ CAUTION

CAUTION – Hazards or unsafe practices which **COULD** result in minor personal injury or property damage.

▼ DANGER

To reduce the risk of injury or death, follow basic safety precautions, including the following:


IMPORTANT: Child entrapment and suffocation are not problems of the past. Junked or abandoned appliances are still dangerous, even if they sit out for "just a few days." If you are getting rid of your old appliance, please follow the instructions below to help prevent accidents.

Before you throw away your old appliance:

- · Take off the door.
- Leave the racks in place so children cannot easily climb inside.
- Cut the prongs off the power cable plug and discard them.
- Cut the power cable off and discard it separately from the old appliance.

IMPORTANT: The interior lights emit class 1M laser radiation. To avoid severe eye injury or electric shock, <u>do not</u> remove the light covers or attempt to change the light bulbs. Only a qualified service technician should replace the light bulbs.

IMPORTANT: This appliance is equipped with a three-prong grounding plug for your protection against possible electric shock hazards. It must be plugged into a grounding receptacle. Where a standard two-prong wall receptacle is encountered, it is the personal responsibility and obligation of the customer to have it replaced with a properly grounded three-prong wall receptacle. Do not under any circumstances, cut or remove the third (ground) prong from the power cord. Do not use an adapter plug. Do not use an extension cord. Do not use a power cord that is frayed or damaged. Use of a ground fault circuit interrupter is not recommended.



SAVE THESE INSTRUCTIONS

IMPORTANT SAFETY INSTRUCTIONS

▼ WARNING

To reduce the risk of fire, electric shock, serious injury, or death when installing and using your wine cooler, follow basic safety precautions, including the following:


- 1. If you receive a damaged product, immediately contact your dealer or builder. Do not install or use a damaged appliance.
- 2. To prevent personal injury, property damage, or damage to the unit, this appliance should only be unpacked and set up by two people according to the accompanying installation instructions.
- 3. Keep packaging materials away from children. Plastic sheets and bags can cause suffocation.
- 4. The wine cooler must be installed in a cabinet or counter before it is used. Make sure that the wine cooler has been properly installed by a qualified installer according to the accompanying installation instructions.
- 5. Connect this appliance to a 110-120 VAC, 10 amp (15 Amp for side-by-side installations) circuit that is controlled by a circuit breaker or fuse. This appliance should have its own separate grounded circuit.
- Do not install, repair, or replace any part of the wine cooler unless specifically recommended in the literature accompanying it. A qualified service technician should perform all other service.
- 7. Before performing any type of service, disconnect the wine cooler from electric power.
- 8. Use this appliance only for its intended purpose, the storage of wine and beverage products. This wine cooler is not intended for commercial use.
- 9. Never allow anyone, including children to sit, stand, or climb on any part of the wine cooler, including the door. Doing so may cause, damage, serious injury, or death.
- 10. Do not tamper with the controls.
- 11. Do not operate the wine cooler in the presence of explosive materials or fumes, such as gasoline.
- 12. If "F0" or "F1" appears on the display, a fault has occurred. Unplug the appliance and contact Dacor customer service.

▼ CAUTION

- 1. To protect the wine cooler from possible damage, allow it to stand in place 1/2 to 1 hour after moving before turning the electricity on. Doing so allows the refrigerant and system lubrication to reach equilibrium.
- 2. In the event of a power outage, minimize opening the door.
- 3. Do not allow the ventilation grill below the door to become obstructed. Make sure there is always good ventilation in front of the appliance.
- 4. When disconnecting the power cord, do not pull on the cable. Instead, grasp the plug and pull it out of the electrical outlet.

GETTING TO KNOW YOUR WINE COOLER

Model Identification



Features

The right environment for your wines

A vine is an extremely sensitive plant. Grape quality is dependent on three factors: light, air humidity, and ambient temperature. This sensitivity continues even after the wine is bottled. To allow a wine's flavor to fully develop and to preserve the excellent aroma, it has to be properly stored. Your wine cooler offers the best storage environment:

- ❖ 2 Temperature Zones: Your wine cooler has two compartments (or zones). The upper and lower compartments can be set to different temperatures. Doing so allows you to keep different wines at different storage and/or serving temperatures. Each compartment can be set between 41 to 64°F (5 to 18°C).
- Wine Cellar Simulation: The fan on your wine cooler allows you to simulate the humid conditions inside a wine cellar. High humidity prevents bottle corks from drying out.
- High Storage Capacity: Your wine cooler can store up to 44 750mL bottles of wine. It allows you to preserve the flavor of your favorite wines and keep them ready to serve.

Additional Features:

- · User-friendly electronic controls
- · Electronic display
- · Adjustable lighting
- Door open alarm
- · Child-resistant lock on the control panel
- Easy to clean
- · Low energy consumption
- CFC-free

Safety Features


- The refrigerant system on this appliance has been tested for leaks.
- This appliance also complies with current safety regulations and EC directives 73/23/EEC and 89/336/EEC.
- In addition, this appliance complies with UL250 and is designed to cool and store wine and beverages.
- Your wine cooler can operate within the room temperature limits listed below. These temperature limits should not be exceeded.

ROOM TEMPERATURE REQUIREMENTS FOR PROPER OPERATION

61°F to 90°F (16°C to 32°C)

IMPORTANT: All Dacor appliances are subject to continuous improvement. The manufacturer reserves the right to make modifications in the shape, equipment, and technology.

OPERATING YOUR WINE COOLER



Getting to Know the Control Panel

- 1. ON/OFF button
- 2. FAN button
- 3. Interior LIGHT on/off button
- 4. ALARM on/off button
- Child-resistant lock indicator
- 6. Fan Indicator
- 7. Upper compartment temperature display
- 8. Lower compartment temperature display
- 9. **LOWER** compartment temperature selection button
- 10. Temperature setting buttons
- 11. UPPER compartment temperature selection button

▼ CAUTION


 To prevent possible damage to the cooling system: Allow the wine cooler to stand in place 1/2 to 1 hour after delivery before turning the electricity on. Doing so allows the refrigerant and system lubrication to reach equilibrium.

Turning Your Wine Cooler ON and OFF


- Clean your wine cooler before turning it on for the first time. See the Cleaning and Maintenance section.
- Connect the power cord to the electrical outlet. The wine cooler will come on.
- The alarm will sound and the temperature display will flash because the wine cooler is warm when you first turn it on (see the Alarm section for details). Push the ALARM button to turn the alarm off while your wine cooler is cooling down to operating temperature. The temperature display will continue to flash until the interior has cooled.
- To turn the wine cooler off: Push and hold the ON/OFF button for about three seconds. The display will turn off to indicate that the wine cooler is off.
- To turn it on: Push the ON/OFF button until the display lights up.

Setting the Temperature

 Push the LOWER or UPPER button to select the upper or lower compartment. The temperature setting will flash on the display.



• Push the **UP** or **DOWN** button to raise or lower the temperature. You can change the settings in increments of 1°F (or 1°C).



• While you are setting the temperature, the display will flash. After 5 seconds the display will stop flashing and the actual temperature of the compartment will be displayed.

OPERATING YOUR WINE COOLER


Loading Your Wine Cooler

Your wine cooler is equipped with slide out racks. All of the racks slide out, except for the bottom shelf of each compartment.

- Each rack holds up to seven 750mL Bordeaux bottles, except for the bottom shelf of each compartment. The bottom shelf of the upper compartment can hold five bottles. The bottom shelf of the lower compartment can hold 11 bottles.
- For maximum capacity on the slide out racks and the bottom shelf on the lower compartment, reverse the position of every other bottle as shown below.



Labeling Your Wines



- The front of each slide out rack has a slot for attaching wine labels. Labeling the front of the rack allows you to find the bottle of wine you are looking for without having to pull the racks out and look at the bottle labels.
- You can obtain additional labels from your Dacor dealer or part distributor.



Put Labels in Slot


Setting Up the Display (Set-up Mode)

In set-up mode you can turn the child-resistant lock on and off (see page 6 for details), set the temperature scale to Fahrenheit or Celsius, and adjust the brightness of the display.

Changing the temperature scale (°F or °C)

You can select the temperature scale that the wine cooler uses to display the temperature settings:

- Push and hold the FAN button for about five seconds to enter set-up mode. The display will begin to flash.
- Push the UP button until the degree symbol " o " flashes on the display.



Push the FAN button. °F or °C will flash on the display.



- Push the UP or DOWN button until the desired temperature scale flashes on the display. Push the FAN button to select the desired temperature scale.
- Push the **ON/OFF** button to exit set-up mode.

Within about two minutes, the wine cooler will change the temperature scale on the display.

To change the display brightness

- Push and hold the **FAN** button for about five seconds to enter set-up mode. The display will begin to flash.
- Push the UP button until an "h" flashes on the display. Push the FAN button. The current display brightness level, from 1 to 5 will flash on the display. h1 is the lowest level. h5 is the highest level.



- Push the UP or DOWN button until the desired brightness level flashes on the display. Push the FAN button to select the desired brightness level.
- Push the **ON/OFF** button to exit set-up mode.

OPERATING YOUR WINE COOLER

Turning on the Fan

When storing wine for long periods of time, turn on the fan. The fan will increase the humidity level, which prevents bottle corks from drying out. The fan runs continuously until it is turned off.



- To turn on the fan, push the **FAN** button. The fan indicator will appear on the display.
- When the fan is on, pushing the **FAN** button turns it off.

Alarm

The alarm helps to protect your wines against excessive temperature fluctuations. The alarm sounds when the door is open for longer than about 60 seconds. It also sounds when the interior gets too warm or too cold. The temperature display will also flash. It will continue to flash until the temperature problem has been fixed, even if the alarm has been muted.



• To mute the alarm, push the ALARM button.

Interior Lighting

You can adjust the interior lighting on your wine cooler so that it is on all the time, or so that it comes on only when the door is open. You can also adjust the brightness level.

To make the light stay on (or turn off) when the door is closed:

· Push the light button.

To adjust the brightness level:

- · Push and hold the light button.
- While holding the light button down, push the UP or DOWN button to change the brightness.





• When done adjusting the level, release the light button.

Child-Resistant Lock

Your wine cooler has a child-resistant lock feature that makes it more difficult for a child to tamper with the controls. The child-resistant lock indicator appears on the display when the lock is on.



To lock (or unlock) the control panel:

- Push and hold the FAN button for about five seconds to enter set-up mode. The display will begin to flash.
- Push the **UP** button until " **c** " flashes on the display.



- Push the FAN button. c0 or c1 will flash on the display.
 - c0 means that the lock is off.
 - **c1** means that the lock is on.



- Push the UP button to select the desired mode. Push the FAN button to select that mode.
- Push the **ON/OFF** button to exit set-up mode.

CLEANING AND MAINTENANCE

WARNING

To avoid possible injury due to electric shock, disconnect the power cord or turn off the circuit breaker before cleaning the appliance.

- Clean only the parts of the wine cooler listed in this manual.
 Clean them only in the manner specified.
- Do not use a steam cleaner to clean the wine cooler. Steam could penetrate the electrical components and cause a short circuit.
- Do not allow water or cleaning fluids to penetrate into the electrical components or ventilation grill.

▼ CAUTION

To avoid damage to your wine cooler's surfaces and accessories during cleaning:

- Use <u>only</u> the types of cleaning solutions specified in this manual.
- Do not use abrasives such as steel wool, scouring pads, rough sponges, or scrub brushes.

<u>Defrosting</u>

Both compartments of your wine cooler defrost automatically. Water may form on the rear wall as part of the defrost process. It drains into a reservoir at the back of the appliance and is heated so that it evaporates.

Cleaning the surfaces

Stainless Steel Surfaces

- Clean stainless steel surfaces with a mild solution of detergent and warm water. Rinse and dry with a soft, lint-free cloth.
- You may also use Dacor Stainless Steel Cleaner on the stainless steel surfaces. Use it according to the directions on the package.
- Stainless steel that is exposed to chlorine gas and moisture may have some discoloration. This discoloration is normal. If your unit is used in this type of environment, clean and polish your stainless steel more often.
- If the surface discolors or rust appears, clean it quickly with a non-abrasive cloth and protect it.

▼ CAUTION

 Always wipe stainless steel (silver colored) surfaces with the grain.

Glass Surfaces

 To remove finger prints on glass surfaces, use a mild glass cleaner with a soft damp rag.

Other Surfaces

 Clean all other surfaces with a soft damp rag. You may soak the rag with a mild detergent solution.

Replacing the Activated Carbon Filters

Air quality is an important part of preserving and maturing good wine. To maintain good air quality, your Dacor wine cooler is equipped with an activated charcoal filter inside each compartment. They are located on the rear wall.


Dacor recommends that you replace both filters at least once a year. Filters can be obtained from your Dacor dealer or part distributor.

To remove the old filters:

- Disconnect the power cord from the electrical outlet or turn off power at the circuit breaker or fuse box.
- Hold the top filter by the handle in the center.
- Turn it 90° to the left or right. Pull it out.
- · Remove the bottom filter the same way.

To install the new filters:

- Insert the top filter with the handle in the vertical position.
- Turn it 90° to the left or right until it clicks into place.
- · Replace the bottom filter the same way.
- · Reconnect the power.



CLEANING AND MAINTENANCE

The Lights


V DANGER

IMPORTANT: The interior lights emit class 1M laser radiation. To avoid severe eye injury or electric shock, <u>do not</u> remove the light covers or attempt to change the light bulbs. Only a qualified service technician should replace the light bulbs. The location of the lights is shown below only so that the customer can determine if they are working.

If one of the lights is not working, call your dealer or Dacor Customer Service to have it replaced.

Light fixture locations:

Upper Compartment: Mounted in the ceiling toward the front. **Lower Compartment:** Mounted underneath the control panel toward the front.



BEFORE YOU CALL FOR SERVICE

PROBLEM SOLUTION GUIDE

<u>PROBLEM</u>	MAY BE CAUSED BY	WHAT TO DO		
Nothing works. Wine cooler does not cool, control panel display is	Wine cooler not connected to electrical power.	Make sure Wine Cooler is plugged in.		
off, and lights do not work.	Electricity to power outlet is off.	Turn power on at junction box. Check for tripped circuit breaker or blown fuse.		
	Wine cooler is turned off.	See Turning the Wine Cooler On and Off on page 4.		
	Power outage.	Contact power company.		
Light does not come on.	No power.	See nothing works, above.		
	Lights are turned off.	See Interior Lighting on page 6.		
	Light bulb burned out.	Call for service to have it replaced. See "Getting Help" on page 12 for details.		
Loud running noise.	Bottles vibrating.	Adjust bottles and racks to minimize vibration.		
	Appliance not standing firmly on floor.	Make sure that wine cooler is level according to installation instructions. If the problem persists, contact installer. Have installer level appliance or modify installation.		
Wine cooler runs constantly.	Room temperature too hot.	Make sure room temperature is between limits on room temperature chart on page 3. Adjust ventilation system if necessary.		
	Door has been left ajar.	Make sure door is firmly shut.		
	Wine cooler mounted too close to heat source.	Have a technician or installer modify the appliance installation or the heat source.		
	A lot of bottles added to cooler.	The wine cooler will run until it has had a chance to cool all the bottles.		
Temperature not cold enough.	Temperature not set properly.	See Setting the Temperature on page 4.		
	See "Wine cooler runs constantly", above.			
F0 or F1 appears on the display.	Wine cooler has a fault.	Disconnect the power cord. Call for service. See "Getting Help" on page 12 for details.		

Notes

Notes

WARRANTY & SERVICE

Product Maintenance

Do not perform any maintenance other than that instructed in the **CLEANING AND MAINTENANCE** section of this manual. A qualified service technician should perform all other service.

Getting Help

Before you obtain service, please review the Before You Call for Service section of this manual starting on page 9. If you have performed the checks in the Problem Solution Guide and the problem has not yet been remedied, please visit our website or contact our Customer Service Team for a listing of Dacor authorized service agents. Prior to requesting service, it is helpful to be familiar with the warranty terms and conditions on this page.

Contact us through our web site at:

www.dacor.com

Dacor Customer Service: Tel: (800) 793-0093 Fax: (626) 403-3130

Business Hours: 6:00 a.m. - 5:00 p.m. Pacific Time

You may also write us at:

Dacor Customer Service 1440 Bridge Gate Drive Diamond Bar, CA 91765

At Dacor, we believe that our quality of service equals that of our product. Should your experience with our service network or product be different, please contact our Customer Service Team and share your encounter with us. We will do our utmost to resolve the situation for you and deliver on our Dacor promise.

If you need anything clarified, just let us know.

What Is Covered

CERTIFICATE OF WARRANTIES DACOR WINE COOLERS

WITHIN THE FIFTY STATES OF THE U.S.A., THE DISTRICT OF COLUMBIA, AND CANADA*:

FULL TWO-YEAR WARRANTY

If your DACOR product fails to function within two years of the original date of purchase, due to a defect in material or workmanship, DACOR will remedy the defect without charge to you or subsequent users. The owner must provide proof of purchase upon request, and have the appliance accessible for service.

* Warranty is null and void if non-CSA approved product is transported from the U.S.

FULL FIVE-YEAR WARRANTY

For five years from the date of original purchase, your DACOR warranty covers all parts and labor to repair or replace any components that prove to be defective in materials or workmanship in the sealed system. The "sealed system" means only the compressor, condenser, evaporator, drier, and all connecting tubing.

LIMITED 6TH THROUGH 12TH YEAR WARRANTY

From the 6th through 12th year from the date of original purchase, your DACOR warranty covers all parts that prove to be defective in materials or workmanship in the sealed system (parts only).

OUTSIDE THE FIFTY STATES OF THE U.S.A., THE DISTRICT OF COLUMBIA, AND CANADA:

LIMITED TWO YEAR WARRANTY

If your DACOR product fails to function within two years of the original date of purchase, due to a defect in material or workmanship, DACOR will furnish a new part, F.O.B. factory, to replace the defective part. All delivery, installation, and labor costs are the responsibility of the purchaser. The owner must provide proof of purchase, upon request, and have the appliance accessible for service.

LIMITED TWELVE YEAR WARRANTY

If your DACOR product fails to function within twelve years of the original date of purchase, due to a defect in material or workmanship of any components in the sealed system, DACOR will furnish a new part, F.O.B. factory, to replace the defective part. All delivery, installation, and labor costs are the responsibility of the purchaser. The owner must provide proof of purchase, upon request, and have the appliance accessible for service. The "sealed system" means only the compressor, condenser, evaporator, drier, and all connecting tubing.

What Is Not Covered

- Service calls to educate the customer in the proper use and care of the product.
- Failure of the product when used for commercial, business, rental, or any application other than for residential consumer use
- Replacement of house fuses or fuse boxes, or resetting of circuit breakers.
- Damage to the product caused by accident, fire, flood, or other acts of God.
- Breakage, discoloration or damage to glass, metal surfaces, plastic components, trim, paint, or other cosmetic finish, caused by improper usage or care, abuse, or neglect.

THE REMEDIES PROVIDED FOR IN THE ABOVE EXPRESS WARRANTIES ARE THE SOLE AND EXCLUSIVE REMEDIES. THEREFORE, NO OTHER EXPRESS WARRANTIES ARE MADE, AND OUTSIDE THE FIFTY STATES OF THE UNITED STATES, THE DISTRICT OF COLUMBIA, AND CANADA, ALL IMPLIED WARRANTIES, INCLUDING BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR USE OR PURPOSE, ARE LIMITED IN DURATION TO ONE YEAR FROM THE DATE OF ORIGINAL PURCHASE. IN NO EVENT SHALL DACOR BE LIABLE FOR INCIDENTAL EXPENSE OR CONSEQUENTIAL DAMAGES. NO WARRANTIES, EXPRESS OR IMPLIED, ARE MADE TO ANY BUYER FOR RESALE.

Some states do not allow limitations on how long an implied warranty lasts, or do not allow the exclusion or limitation of inconsequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from state to state.

fold here



BUSINESS REPLY MAIL

FIRST-CLASS MAIL

PERMIT NO. 4507

DIAMOND BAR CA

POSTAGE WILL BE PAID BY ADDRESSEE

DACOR, INC. ATTN: WARRANTY PROCESSING DEPT 1440 BRIDGE GATE DR STE 200 PO BOX 6532 DIAMOND BAR CA 91765-9861 NO POSTAGE NECESSARY IF MAILED IN THE UNITED STATES





Please visit www.dacor.com to activate your warranty online.

WARRANTY INFORMATION



IMPORTANT:

Your warranty for this product CANNOT BE ACTIVATED until this form has been returned to Dacor. If you have purchased more than one Dacor product, please return all forms in one envelope.

Please rest assured that under no conditions will Dacor sell your name or any of the information on this form for mailing list purposes. We are very grateful that you have chosen Dacor products for your home and do not consider the sale of such information to be a proper way of expressing our gratitude!

	9	,	3				
Owner's N	Nam	e:	(0)				
Street: _			Last (Please Print or Type)			First	Middle
City:						State:	Zip:
Purchase	Dat	e: .	Email:			Telephone:	
Dealer: _							
City:						State:	Zip:
Your willin	ngne	ss to	take a few seconds to fill in the secti	on below wil	l be s	sincerely appreciated. Thank y	/ou.
1. How we	ere y	ou f	irst exposed to Dacor products? (Ple	ase check o	ne or	nly.)	
			T.V. Cooking Show		F	Builder	
		B.	Magazine		G.	Architect/Designer	
		C.	Appliance Dealer Showroom		Н.	Another Dacor Owner	
		D.	Kitchen Dealer Showroom		I.	Model Home	
		E.	Home Show		J.	Other —	
2. Where	did y	you l	ouy your Dacor appliances?				
		A.	Appliance Dealer		D.	Builder	
		B.	Kitchen Dealer		E.	Other	
		C.	Builder Supplier				
3. For what	at pu	ırpos	se was the product purchased?				
		A.	Replacement <i>only</i>		C.		
		B.	Part of a Remodel		D.	Other	
4. What is	s you	ır ho	usehold income?				
			Under \$75,000			\$150,000 - \$200,000	
			\$75,000 – \$100,000			\$200,000 - \$250,000	
		C.	\$100,000 – \$150,000		F.	Over \$250,000	
			nds of appliances do you have in your				
			top ————				
	B. C)ven		D. I	Refri	gerator	
			or recommend another Dacor produc				
					No		
	Con	nmei	nts: ————				
			uch for your assistance. The informati				
			tremely valuable in helping us plan for support you deserve.	or the luture			
ana giving	y yuu	ı ıııc	support you deserve.			i	
						Dloco C	erial Number Label Here
						; Fiduce S	CHALINUHIDEL LADEL FIELE
		J					
\M	www c	acor	com			1	

Web Site: www.dacor.com Corporate Phone: (800) 793-0093