



Kitchen Ventilation Systems

 elica

## Breathing New Life into the Kitchen


All over the world, Elica is helping redefine the kitchen space and elevating the essential function of ventilation through extraordinary design. The hallmarks of the Elica philosophy are dramatic elegance, flawless performance and exceptional convenience.

The range hoods presented in this brochure draw inspiration from the Elica Collection, our ultimate expression of function ascending to the realm of art. Elica excels at great design, executed with variety to meet the aesthetic and functional aspirations of any kitchen. And every Elica product has gained UL and CUL approvals. In addition, each product must pass fifty tests that certify safety, durability and reliability before it's worthy of installation in your home.

From simple "workshop" beginnings in Fabriano, Italy in 1970, Elica has grown to be the #1 manufacturer of kitchen ventilation hoods in the world, producing over 5 million units per year in factories throughout Italy, Poland, Germany, China, India, Japan, and the Americas. No other manufacturer combines such an inspired choice of materials, with an unparalleled dedication to design, innovation and quality. Many of the world's leading appliance brands have chosen the excellence of range hoods made by Elica to compliment their stoves and cooktops.

Beautiful, distinctive and stylish, Elica products transcend the simple category of "range hoods." Each has a unique personality that contributes to the homeowner's vision for the kitchen.





### Advanced Electronic Touch Controls

Standard on most Elica models, state-of-the-art electronics deliver maximum user convenience and control, in perfect harmony with the aesthetics of the product. An LCD function display with elegant blue illumination combined with low-profile, easy-to-clean touchpads is your interface with a multi-function control system, including...




### Perimeter Ventilation Creates 40% More Power without Using More Energy


Our Puccini and Umbria hoods feature an innovative “face board” placed over the filter and blower. Airflow into the ventilation system is intentionally restricted...directed around the perimeter of the face board. This actually increases suction power by 40% without increasing blower speed, which would increase energy consumption. And the aerodynamic shape and position of the face board produces less turbulence and noise than traditional ventilation systems.



## Ducted and Recirculating Systems



Most Elica kitchen ventilation products are designed as Ducted Systems, in which, dirty air from the stove top is pulled through a grease filter and then vented through a duct, directly into the outside air. This is the most powerful and effective ventilation method. Our one-way no-return valve, standard on all models, eliminates outside air drafts.



When installation of a ducted system is not possible or cost-effective, most Elica models can also operate as a Recirculating System, in which, dirty air is pulled through grease and charcoal filters, which remove grease, moisture, smoke and odors. The “purified” air is then recirculated back into the kitchen, instead of being vented outside.


## Filter Options



Most Elica Ventilation Systems are equipped with dishwasher-safe Anodized Aluminum Mesh Filters to capture grease particles flowing into the unit.



Stainless Steel Mesh Filters are available as an upgrade. These filters are more durable than traditional aluminum mesh filters. Plus the stainless steel frame and grid matches the finish of most Elica hoods.



If your kitchen is high use or your cooking habits require removal of higher levels of grease, consider Elica’s Patented Stainless Steel Micro Hole or Stainless Steel Baffle Slot Filters, which are standard equipment or available as an accessory on most models. The Patented micro hole technology within holds larger quantities of grease and captures with higher efficiency, without affecting blower performance or noise levels. The filters are more durable and the lever latches make filter removal and cleaning a snap. The shiny decorative micro hole pattern or semi-pro slot design enhance hood appearance.

Professional baffle filters featuring angled grease collection channels are available on Calabria and Cervinia (pages 12 & 13).

## Elica Technology Meets the Highest Expectations

Optimum ventilating performance, noise reduction and exceptional user convenience are at the heart of every Elica ventilation system. Elica technological innovation and rigorous testing throughout the product development process ensure that every customer’s cooking environment can be served by the right combination of blower size, control system, filter media and sound reduction technique.

## Wall Mount CHIMNEY HOODS

Elica offers a particularly broad selection of wall mount chimney hoods and we should, since we invented the design back in 1987. From contemporary design splashes to simple classics, Elica has the style, features and performance to complement any kitchen.

Striking designs like Puccini and Tiziano provide a centerpiece for the contemporary kitchen and at the same time perform at a very high level. Como and Siracusa both incorporate an element of glass, which resemble wings and provide a light and airy breeze in the kitchen. Minimalist, low profile tapered shapes found in Mezzano and Lugano are both artistic and loaded with valuable features. And if traditional is on the menu, the choices are wide ranging, from the classic chimneys of Varna and Pilato to the bold lines of Rimini and Calabria.




### Tiziano

#### FEATURES

- 36" Wide, Wall-Mounted, Stainless Steel & Glass, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 8' 4" to 10'4" (Ducted)
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

#### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	150	1.3 Sones
2	240	2.5 Sones
3	340	4.3 Sones
4	600	6.6 Sones


MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ETZ636SS	Stainless Steel & Glass	5 <sup>1/4"</sup>	19 <sup>11/16"</sup>	36"



### Rimini

#### FEATURES

- 30", 36" or 42" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Mechanical Push-Button Controls
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 1 Light Intensity with 30" (Bulbs Included)
- 4, 50W Halogen Lamps, with 1 Light Intensity with 36" and 42" (Bulbs Included)
- Dishwasher-Safe, Stainless Steel Baffle Slot Filters (2 with 30" Unit, 3 with 36" and 42" Unit)
- Ducted Installation Only
- Telescopic Chimney Extension – 7' 6" to 9'2"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	310	3.2 Sones
2	475	6.0 Sones
3	535	7.1 Sones
4	600	8.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ERM630SS	Stainless Steel	10"	24"	30"
ERM636SS	Stainless Steel	10"	24"	36"
ERM642SS	Stainless Steel	10"	24"	42"



# Puccini WALL-MOUNT CHIMNEY HOOD

## FEATURES

- 32" Wide, Wall-Mounted, Stainless Steel & Glass, Chimney Hood
- Perimeter Ventilation Generates More Power, Less Noise, with No Increase in Energy Usage (See Page 4)
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 8' 8" to 10' 3"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	150	1.0 Sones
2	260	2.8 Sones
3	470	5.4 Sones
4	600	7.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EPC632SS	Stainless Steel & Glass	20 1/2"	15 1/4"	32"



## ACCESSORIES (See Pages 26-27)

- Recirculating Kit






## Mezzano

### FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 w/ 30", 3 w/ 36")
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 5" to 10'
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Micro Hole Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.4 Sones
2	280	3.2 Sones
3	475	6.0 Sones
4	600	8.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EMZ630SS	Stainless Steel	19 <sup>1/16"</sup>	19 <sup>11/16"</sup>	30"
EMZ636SS	Stainless Steel	19 <sup>1/16"</sup>	19 <sup>11/16"</sup>	36"




## Pilato

### FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 w/ 30", 3 w/ 36")
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 5" to 9' 2"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Micro Hole Filter
- Stainless Steel Baffle Slot Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.7 Sones
2	280	3.3 Sones
3	475	6.0 Sones
4	600	8.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EPL630SS	Stainless Steel	10 <sup>1/4"</sup>	22 <sup>5/8"</sup>	30"
EPL636SS	Stainless Steel	10 <sup>1/4"</sup>	22 <sup>5/8"</sup>	36"





# Varna

WALL-MOUNT CHIMNEY HOOD

## FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 w/ 30", 3 w/ 36")
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 5" to 9' 2"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

## ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Micro Hole Filter
- Stainless Steel Baffle Slot Filter

BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.7 Sones
2	280	3.3 Sones
3	475	6.0 Sones
4	600	8.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EVR630SS	Stainless Steel	10-1/4"	19-11/16"	30"
EVR636SS	Stainless Steel	10-1/4"	19-11/16"	36"






## Lugano

### FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 1" to 9' 1"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Micro Hole Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.4 Sones
2	280	3.2 Sones
3	475	6.0 Sones
4	600	8.2 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ELG630SS	Stainless Steel	5"	19 <sup>11/16"</sup>	30"
ELG636SS	Stainless Steel	5"	19 <sup>11/16"</sup>	36"




## Foglia

### FEATURES

- 30" or 36" Wide, Wall-Mounted, Stainless Steel, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 1" to 9' 0"
- Duct Transition: 6" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	210	1.9 Sones
2	340	4.5 Sones
3	500	7.9 Sones
4	600	10.3 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EFG630SS	Stainless Steel	10"	20"	30"
EFG636SS	Stainless Steel	10"	20"	36"



# Como WALL-MOUNT CHIMNEY HOOD

## FEATURES


- 30" or 36" Wide, Wall-Mounted, Stainless Steel & Glass, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 5" to 10'
- Duct Transition: 6" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

## ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter

BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.6 Sones
2	280	3.5 Sones
3	470	6.5 Sones
4	600	8.7 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ECM630SS	Stainless Steel & Glass	1 <sup>15/16"</sup>	19 <sup>11/16"</sup>	30"
ECM636SS	Stainless Steel & Glass	1 <sup>15/16"</sup>	19 <sup>11/16"</sup>	36"






## Siracusa

### FEATURES

- 36" Wide, Wall-Mounted, Stainless Steel & Glass, Chimney Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 4" to 9' 4" (Ducted)
- Duct Transition: 10" Round
- AC Input: 120V - 60Hz, AC Power Max.: 490W at 4.1 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.6 Sones
2	280	3.5 Sones
3	470	6.5 Sones
4	600	8.7 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ESC636SS	Stainless Steel & Glass	1 <sup>9/16"</sup>	20"	36"



## Calabria

### FEATURES

- 30", 36", 42", or 48" Wide, Wall-Mounted, Stainless Steel, Wall Mount Hood
- Mechanical Rotating Knob Controls
- 600 CFM, 4-Speed Internal Blower on 30", 36", and 42" Models
- 1200 CFM, 4-Speed Internal Blower on 48" Model
- 2, 50W Halogen Lamps, with 3 Light Intensities (Bulbs Included) with 30" and 36"
- 3, 50W Halogen Lamps, with 3 Light Intensities (Bulbs Included) with 42" and 48"
- Dishwasher-Safe, Stainless Steel Baffle Filters (2 with 30" Unit, 3 with 36" & 42" Units, 4 with 48" Unit)
- Ducted Installation Only
- Duct Transition: 10" Round
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps (600CFM Blower)
- AC Input: 120V - 60Hz, AC Power Max.: 900W at 8.7 Amps (1200CFM Blower)

### ACCESSORIES (See Pages 26-27)

- Chimney Extension Kits
- Heat Lamp Kits

MODEL NUMBER	FINISH	BLOWER SPEED	CFM LEVEL		SOUND LEVEL	
			600	1200	600 CFM	1200 CFM
ECL630SS	Stainless Steel	1	205	375	1.9 Sones	2.1 Sones
		2	350	640	3.4 Sones	4.7 Sones
		3	510	340	6.0 Sones	8.1 Sones
		4	600	1200	8.0 Sones	10.3 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ECL630SS	Stainless Steel	18"	23"	30"
ECL636SS	Stainless Steel	18"	23"	36"
ECL642SS	Stainless Steel	18"	23"	42"
ECL148SS	Stainless Steel	18"	23"	48"




# Cervinia WALL-MOUNT/UNDER CABINET HOOD

## FEATURES

- 30" or 36" Wide, Wall-Mounted/Under Cabinet, Stainless Steel Hood
- Professional Style, Slide Controls
- 600 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Stainless Steel Baffle Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted Installation Only
- Duct Transition: 3<sup>1/4</sup>" x 10" (Top or Rear)
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	170	1.6 Sones
2	280	4.0 Sones
3	440	7.0 Sones
4	600	8.6 Sones



## ACCESSORIES (See Pages 26-27)

- Transition Kit
- Chimney Extension Kits

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ECV630SS	Stainless Steel	10"	23"	30"
ECV636SS	Stainless Steel	10"	23"	36"



## Island CHIMNEY HOODS

Island cooking is the equivalent of center stage and Elica helps you put your best foot forward with elegant designs, low silhouette shapes and above all, top performance for the toughest area of the kitchen to ventilate.

Cingoli with its transparent glass wings offer a fresh and airy design element and at the same time provides exceptional air capture performance. The micro thin Maggiore and low profile chimney of Salice add style to the kitchen without obstructing the conversation. While, Egadis is designed for Pro Style Cooking and the entertaining gourmet who enjoys Cooking-Up-A-Storm.




## Maggiore

### FEATURES

- 42" Wide, Stainless Steel, Island Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 4, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- 3, Dishwasher-Safe, Anodized Aluminum Mesh Filters
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 6" to 9'6"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 530W at 4.4 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	180	1.6 Sones
2	300	3.5 Sones
3	470	6.5 Sones
4	600	8.7 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EMG642SS	Stainless Steel & Glass	2 <sup>3</sup> / <sub>8</sub> "	27"	42"




## Cingoli

### FEATURES

- 36" or 42" Wide, Stainless Steel & Glass, Island Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 4, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filter
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 6" to 9'5"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 530W at 4.4 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	160	1.6 Sones
2	280	3.5 Sones
3	470	6.6 Sones
4	600	8.7 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ECN636SS	Stainless Steel & Glass	1 <sup>15</sup> / <sub>16</sub> "	25 <sup>3</sup> / <sub>16</sub> "	36"
ECN642SS	Stainless Steel & Glass	1 <sup>15</sup> / <sub>16</sub> "	25 <sup>3</sup> / <sub>16</sub> "	42"



## Maggiore ISLAND HOOD

With a “minimalist” hood design that’s only 2 3/8” high, the stainless steel Maggiore Island is in-step with today’s world of flat-panel TVs and other futuristic products with clean, architectural lines. Maggiore features a powerful 600 CFM blower and 27” depth, for excellent ventilating performance, while state of the art high-tech multi-function LCD controls deliver convenience and safety. Halogen lighting with 2 light intensities elegantly illuminate the work space and dishwasher-safe anodized aluminum mesh filters ensure efficient grease capture and easy clean up. Designed for standard ducted installation, Maggiore can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.

**elica**




## Salice

### FEATURES

- 36" or 42" Wide, Stainless Steel, Island Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 600 CFM, 4-Speed Internal Blower
- 4, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- 3, Dishwasher-Safe, Anodized Aluminum Mesh Filters
- Ducted or Recirculating Installation
- Telescopic Chimney Extension – 7' 9" to 9'8"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 530W at 4.4 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	180	1.6 Sones
2	300	3.5 Sones
3	470	6.5 Sones
4	600	8.7 Sones


MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ESL636SS	Stainless Steel	5"	27"	36"
ESL642SS	Stainless Steel	5"	27"	42"



## Egadis

### FEATURES

- 36" or 42" Wide, Stainless Steel, Island Hood
- Mechanical Push-Button Controls
- 600 CFM, 4-Speed Internal Blower
- 4, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- 3, Dishwasher-Safe, Stainless Steel Baffle Slot Filters
- Ducted Installation Only
- Telescopic Chimney Extension – 7' 7" to 9'5"
- Duct Transition: 8" Round
- AC Input: 120V - 60Hz, AC Power Max.: 530W at 4.4 Amps



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	310	3.5 Sones
2	470	6.5 Sones
3	530	7.6 Sones
4	600	8.7 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EEG636SS	Stainless Steel	10"	27"	36"
EEG642SS	Stainless Steel	10"	27"	42"






## Salice ISLAND HOOD

Salice conveys understated elegance with a gently tapered canopy that measures only 5" tall that opens up the kitchen for entertainment and conversation. Available in 36" and 42" widths, Salice features a powerful 600 CFM blower, halogen lighting with 2 light intensities, dishwasher-safe, anodized aluminum mesh filters and high-tech multi-functional LCD controls that deliver convenience and safety. Designed for ducted installation, Salice can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.

# Insert

Designed to be completely Out-of-Sight, Elica inserts protect the life and appearance of your cabinetwork and discreetly provides high performance ventilation.

Cirrus's 11" depth and 21" width is ideal for smaller kitchens and mounts comfortably within standard 12" cabinets. Umbria, also with 11" depth, comes upgraded with Elica's Perimeter Ventilation technology, which provides higher efficiency and reduced energy usage. Halogen lighting and heavy duty push button controls make this unit a real value. While, Orvieto is designed for professional cooking with extra power, larger sizes, high capacity baffle slot filters and other features that guarantee the job gets done.




## Cirrus

### FEATURES

- 21" Wide, Stainless Steel, Insert
- Mechanical Push-Button Controls
- 400 CFM, 3-Speed Internal Blower
- 2, 50W Halogen Lamps, with 1 Light Intensity (Bulbs Included)
- 2, Dishwasher-Safe Anodized Aluminum Mesh Filters
- Ducted Installation Only
- Duct Transition: 3<sup>1</sup>/<sub>4</sub>" x 10" (Top Only)
- AC Input: 120V - 60Hz, AC Power Max.: 360W at 3.0 Amps

### ACCESSORIES (See Pages 26-27)

- Stainless Steel Baffle Slot Filter
- Stainless Steel Hood Liner



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	240	3.1 Sones
2	310	4.9 Sones
3	400	7.1 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
ECR421SS	Stainless Steel	10"	11 <sup>1</sup> / <sub>4</sub> "	21"




## Umbria

### FEATURES

- 27" or 33" Wide, Stainless Steel, Insert
- Perimeter Ventilation Generates More Power, Less Noise, with No Increase in Energy Usage (See Page 4)
- Mechanical Push-Button Controls
- 600 CFM, 3-Speed Internal Blower
- 2, 50W Halogen Lamps, with 1 Light Intensity (Bulbs Included)
- Dishwasher-Safe Aluminum Mesh Filters (3 with 27" Unit, 4 with 33" Unit)
- Ducted Installation Only
- Duct Transition: 3<sup>1</sup>/<sub>4</sub>" x 10" (Top Only)
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps

### ACCESSORIES (See Pages 26-27)

- Stainless Steel Hood Liners



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	350	3.1 Sones
2	510	4.9 Sones
3	600	8.1 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EUM627SS	Stainless Steel	10"	11 <sup>1</sup> / <sub>4</sub> "	27 <sup>3</sup> / <sub>4</sub> "
EUM633SS	Stainless Steel	10"	11 <sup>1</sup> / <sub>4</sub> "	33 <sup>3</sup> / <sub>4</sub> "



# Orvieto INSERT

## FEATURES

- 27", 33", 39" or 45" Wide, Stainless Steel Insert
- Mechanical Push-Button Controls
- 600 CFM, 4-Speed Internal Blower on 27", 33" and 39"
- 1200 CFM, 4-Speed Internal Blower on 45"
- 2, 50W Halogen Lamps, with 1 Light Intensity (Bulbs Included)
- Dishwasher-Safe, Stainless Steel Baffle Slot Filters (2 with 27" & 33" Units, 3 with 39" & 45" Units)
- Ducted Installation Only
- Duct Transition: 10" Round (Top Only)
- AC Input: 120V - 60Hz, AC Power Max.: 550W at 4.6 Amps (600 CFM)
- AC Input: 120V - 60Hz, AC Power Max.: 1000W at 8.3 Amps (1200 CFM)

## ACCESSORIES (See Pages 26-27)

- Stainless Steel Hood Liners

BLOWER SPEED	CFM LEVEL		SOUND LEVEL	
	600	1200	600 CFM	1200CFM
1	350	640	3.4 Sones	2.4 Sones
2	510	940	6.0 Sones	5.2 Sones
3	600	1100	8.0 Sones	8.1 Sones
4	600	1200	8.0 Sones	10.3 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EOR627SS	Stainless Steel	11"	18 <sup>7/16"</sup>	27 <sup>3/4"</sup>
EOR633SS	Stainless Steel	11"	18 <sup>7/16"</sup>	33 <sup>3/4"</sup>
EOR639SS	Stainless Steel	11"	18 <sup>7/16"</sup>	39 <sup>3/4"</sup>
EOR145SS	Stainless Steel	11"	18 <sup>7/16"</sup>	45 <sup>3/4"</sup>



## Under-Cabinet RANGE HOODS

For kitchens where storage space is premium, Elica offers a complete selection of compact ventilation units designed for under-cabinet mounting. Modena and Bellagio are equipped with Elica's advanced electronic control system with LCD display. The Modena is equipped with a 520 CFM internal blower, while the Bellagio has a 430 CFM blower, which provides adequate ventilation power for smaller kitchens. Treviso is designed for high grease cooking conditions requiring maximum power and grease collection.




### Bellagio

#### FEATURES

- 30" or 36" Wide, Under-Cabinet Hood
- Available in Stainless Steel, Black or White
- Multi-Function Electronic Touch Controls (See Page 4)
- 430 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Not Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted or Recirculating Installation
- Duct Transition: 3<sup>1/4</sup>" x 10" (Top or Rear), 7" Round (Top)
- AC Input: 120V, 60Hz - Max Power: 445W at 3.6 Amps

#### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Stainless Steel Mesh Filter


	BLOWER SPEED	CFM LEVEL	SOUND LEVEL
	1	160	1.4 Sones
	2	240	3.1 Sones
	3	310	4.9 Sones
	4	430	7.1 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EBL430SS	Stainless Steel	4 <sup>3/4</sup> "	20"	30"
EBL430WT	White	4 <sup>3/4</sup> "	20"	30"
EBL430BL	Black	4 <sup>3/4</sup> "	20"	30"
EBL436SS	Stainless Steel	4 <sup>3/4</sup> "	20"	36"
EBL436WT	White	4 <sup>3/4</sup> "	20"	36"
EBL436BL	Black	4 <sup>3/4</sup> "	20"	36"

### Treviso

#### FEATURES

- 30" or 36" Wide, Under-Cabinet, Stainless Steel Hood
- Available in Stainless Steel, Black or White
- Mechanical Push-Button Controls
- 850 CFM, 3-Speed Internal Blower
- 1, 40W Incandescent Lamp (Bulb Included)
- 1, Grease Tray
- Ducted Installation Only
- Duct Transition: 3<sup>1/4</sup>" x 10" (Top and Rear), 6" Round (Top)
- AC Input: 120V - 60Hz, AC Power Max.: 300W at 2.5 Amps

	BLOWER SPEED	CFM LEVEL	SOUND LEVEL
	1	340	4.2 Sones
	2	605	6.5 Sones
	3	850	8.0 Sones

MODEL NUMBER	FINISH	DIMENSIONS			
		H1	H2	D	W
ETR830SS	Stainless Steel	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	30"
ETR830WT	White	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	30"
ETR830BL	Black	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	30"
ETR836SS	Stainless Steel	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	36"
ETR836WT	White	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	36"
ETR836BL	Black	7 <sup>7/8</sup> "	11 <sup>7/16</sup> "	22"	36"



## Bellagio UNDER-CABINET HOOD

With a compact 4<sup>3/4</sup>" height, Bellagio is an ideal choice where under-cabinet space is limited, with an upgraded 4-speed, 430 CFM internal blower that provides sufficient ventilating power for most kitchens. Bellagio also offers the luxury and convenience of halogen lighting with 2 light intensities, dishwasher-safe anodized aluminum mesh filters and multi-function LCD controls. Available in 30" or 36" width, Bellagio is designed for standard ducted installation, and can also be installed as a recirculating system using the Recirculating Kit, available as an accessory. For design versatility to suit almost any kitchen, Bellagio is available in a choice of stainless steel, white or black finishes.






## Modena

### FEATURES

- 30" or 36" Wide, Under-Cabinet, Stainless Steel Hood
- Multi-Function Electronic Touch Controls (See Page 4)
- 520 CFM, 4-Speed Internal Blower
- 2, 50W Halogen Lamps, with 2 Light Intensities (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted or Recirculating Installation
- Duct Transition: 3<sup>1</sup>/<sub>4</sub>" x 10" (Top or Rear)
- AC Input: 120V, 60Hz - Max Power: 550W at 4.6 Amps

### ACCESSORIES (See Pages 26-27)

- Recirculating Kit
- Transition Kit
- Stainless Steel Micro Hole Filter



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	170	1.3 Sones
2	280	2.7 Sones
3	430	4.9 Sones
4	520	7.3 Sones


MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EMD530SS	Stainless Steel	9"	20"	30"
EMD536SS	Stainless Steel	9"	20"	36"



## Elislim

### FEATURES

- 30" or 36" Wide, Under-Cabinet, Stainless Steel with Ultra-Slim Glass Pullout Hood
- Slide Controls
- 400 CFM, 4-Speed Internal Blower
- 2, 9W Fluorescent Lamps (Bulbs Included)
- Dishwasher-Safe, Anodized Aluminum Mesh Filters (2 with 30" Unit, 3 with 36" Unit)
- Ducted Installation Only
- Product height, exposed portion of hood only, 1<sup>5</sup>/<sub>8</sub>"
- Product depth, pullout extended, 17<sup>3</sup>/<sub>4</sub>"
- Duct Transition: 6" Round (Top Only)
- AC Input: 120V, 60Hz - Max Power: 550W at 4.6 Amps



BLOWER SPEED	CFM LEVEL	SOUND LEVEL
1	155	1.4 Sones
2	220	3.1 Sones
3	310	4.9 Sones
4	400	7.1 Sones

MODEL NUMBER	FINISH	DIMENSIONS		
		H	D	W
EEL430SS	Stainless Steel, Glass	15 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	30"
EEL436SS	Stainless Steel, Glass	15 <sup>5</sup> / <sub>8</sub> "	11 <sup>5</sup> / <sub>8</sub> "	36"



## Modena UNDER-CABINET HOOD

Modena offers a classic designer chimney appearance for under-cabinet installations, with a striking 9" high pyramid shape. Modena also provides high-end features not commonly found in under-cabinet hoods, including halogen lighting with 2 light intensities, dishwasher-safe anodized aluminum mesh filters and easy-to-use multi-function LCD controls. Available in 30" or 36" width, and designed for standard ducted installation, Modena can also be installed as a recirculating system using the Recirculating Kit, available as an accessory.

## Professional Style Cooking RANGE HOODS

For those Top Chefs who are passionate about the culinary arts or simply take their cooking a bit more seriously, Elica now offers a full range of "Professional Grade" stainless steel ventilation units to meet virtually every installation type, plus offers a wide array of sizes and performance needs.

The new Rimini and Egadis hoods offer a stylish chimney design for either wall or island mounting. For smaller kitchens, the Cervinia will tuck nicely under cabinetwork. While the Orvieto insert is completely hidden within cabinetwork and still provides extreme power and protection for the kitchen. Topping out the line is the traditional Calabria with its bold lines, 18" height and professional performance, which will perfectly compliment that powerful gas stove.



### Rimini

PROFESSIONAL STYLE, WALL-MOUNT, CHIMNEY HOOD  
ADDITIONAL INFORMATION PAGE 6

- 30", 36" or 42" Wide, Wall-Mounted, Stainless Steel Chimney Hood
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe, Stainless Steel Baffle Slot Filters



### Calabria

PROFESSIONAL STYLE, WALL-MOUNT, CHIMNEY HOOD  
ADDITIONAL INFORMATION PAGE 12

- 30", 36", 42", or 48" Wide, Wall-Mounted, Stainless Steel Hood
- 600 CFM, 4-Speed Internal Blower on 30", 36", and 42" Models,
- 1200 CFM, 4-Speed Internal Blower on 48" Model
- Dishwasher-Safe, Professional Baffle Filters



### Cervinia

PROFESSIONAL STYLE, WALL-MOUNT, CHIMNEY HOOD  
ADDITIONAL INFORMATION PAGE 13

- 30" or 36" Wide, Wall-Mounted, Stainless Steel Hood
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe, Professional Baffle Filters



### Egadis

PROFESSIONAL STYLE, ISLAND HOOD  
ADDITIONAL INFORMATION PAGE 16

- 36" or 42" Wide, Stainless Steel Island Hood
- 600 CFM, 4-Speed Internal Blower
- Dishwasher-Safe, Stainless Steel Baffle Slot Filters



### Orvieto

PROFESSIONAL STYLE, INSERT  
ADDITIONAL INFORMATION PAGE 19

- 27", 33", 39" or 45" Wide Insert
- 600 CFM, 3-Speed Internal Blower on 27", 33" and 39"
- 1100 CFM, 3-Speed Internal Blower on 45"
- Dishwasher-Safe, Stainless Steel Baffle Slot Filters
- Stainless Steel Hood Liners available as an accessory (Page 27)





## Rimini

PROFESSIONAL STYLE, WALL-MOUNT, CHIMNEY HOOD

Bold lines, paired with stainless steel and classic Italian chimney design, dominate the look of Rimini. The 24" depth enables it to mount perfectly over professional stoves and will properly capture the highest volume of grease, moisture, smoke and cooking odors with Elica's patented stainless steel baffle slot filters. Italian craftsmanship and performance are found throughout this hood with heavy duty stainless steel push button controls that are designed to withstand the extra high temperatures generated by gas stoves plus halogen lighting that safely illuminates the cooking area below and provides elegant mood lighting when entertaining. Available in 30", 36" and 42" widths.

**elica**

# Elica Optional Accessories



**Recirculating Kits** – Converts a standard ducted ventilation system into a recirculating system, which first pulls air from the kitchen through a grease filter, and second through a charcoal filter, and finally returns the purified air back into the kitchen.

Model Number	For Use With...
EXXRCK01	Modena 30" and 36" Under-Cabinet Hood
EBLRCK02	Bellagio 30" Under-Cabinet Hood
EBLRCK03	Bellagio 36" Under-Cabinet Hood
EXXRCK04	Cingoli 36" and 42" Island Hood Maggiore 42" Island Hood Salice 36" and 42" Island Hood
EXXRCK05	Lugano 30" and 36" Chimney Hood Mezzano 30" and 36" Chimney Hood Como 30" and 36" Chimney Hood
EXXRCK06	Varna 30" and 36" Chimney Hood Pilato 30" and 36" Chimney Hood Puccini 32" Chimney Hood
ETZRCK09	Tiziano 36" Chimney Hood
EFGRCCK10	Foglia 30" and 36" Chimney Hood
ESCRCK11	Siracusa 30" and 36" Chimney Hood



**Stainless Steel Mesh Filter** – This filter is more durable than traditional aluminum mesh filters, plus the stainless steel frame and grid more closely matches the finish of Elica hoods. Lever handles make filter removal a snap for easy cleaning.

Model Number	For Use With...
EBLGFK30	Bellagio 30" Under-Cabinet Hood
EBLGFK36	Bellagio 36" Under-Cabinet Hood
EXXGFKSS	Como 30" and 36" Chimney Hood Cingoli 30" and 36" Island Chimney Hood Maggiore 42" Island Hood Salice 36" and 42" Island Hood Tiziano 36" Chimney Hood



**Stainless Steel Micro Hole Filter** – The patented innovative design captures and holds larger quantities of grease than mesh filters, without affecting performance or increasing noise levels. The shiny steel finish more closely matches Elica hoods, and the decorative hole pattern gives the hood an enhanced higher-quality appearance. Lever handles make filter removal a snap for easy cleaning.

Model Number	For Use With...
EXXGFKMH	Modena 30" and 36" Under-Cabinet Hood Varna 30" and 36" Chimney Hood Pilato 30" and 36" Chimney Hood Lugano 30" and 36" Chimney Hood Mezzano 30" and 36" Chimney Hood




**Stainless Steel Baffle Slot Filter** – The patented innovative design captures and holds larger quantities of grease than mesh filters, without affecting performance or increasing noise levels. The baffled channels provide a professional look and the shiny steel finish more closely matches Elica hoods. Lever handles make filter removal a snap for easy cleaning.

Model Number	For Use With...
EXXGFKBS	Varna 30" and 36" Chimney Hood Pilato 30" and 36" Chimney Hood
ECRGGFKBS	Cirrus 21" Insert



Transition Kit – 8" Round (Top)	
Model Number	For Use With...
EXXTRK08	Modena 30" and 36" Under-Cabinet Hood Cervinia 30" and 36" Wall-Mount Hood

# Elica Optional Accessories



**Chimney Extension Kits** – At Elica, NO ceiling is too high! Chimney extensions can be safely and attractively stacked on each other to reach your kitchen ceiling height or duct outlet. The extensions are finely machined, so appearance is almost seamless and the steel finish perfectly matches Elica hoods.

Model Number	For Use With...
EXXCEK01	Cervinia 6" Tall Kit for 30" Wall-Mount Hood Calabria 6" Tall Kit for 30" Wall-Mount Hood
EXXCEK02	Cervinia 6" Tall Kit for 36" Wall-Mount Hood Calabria 6" Tall Kit for 36" Wall-Mount Hood
EXXCEK03	Cervinia 12" Tall Kit for 30" Wall-Mount Hood Calabria 12" Tall Kit for 30" Wall-Mount Hood
EXXCEK04	Cervinia 12" Tall Kit for 36" Wall-Mount Hood Calabria 12" Tall Kit for 36" Wall-Mount Hood
ECLCEK07	Calabria 6" Tall Kit for 42" Wall-Mount Hood
EXXCEK08	Calabria 12" Tall Kit for 42" Wall-Mount Hood
ECLCEK05	Calabria 6" Tall Kit for 48" Wall-Mount Hood
ECLCEK06	Calabria 12" Tall Kit for 48" Wall-Mount Hood



**Heat Lamp Kits** – With the flip of a switch, Elica Heat Lamps allow you to cook like a pro and keep food dishes warm while you finish cooking. Includes 2 175W bulbs.

Model Number	For Use With...
ECLHLK30	Calabria 30" Wall-Mount Hood
ECLHLK36	Calabria 36" Wall-Mount Hood
ECLHLK42	Calabria 42" Wall-Mount Hood
ECLHLK48	Calabria 48" Wall-Mount Hood



## Stainless Steel Backsplash and Warming Racks

Finish off that professional kitchen with adjustable height backsplashes that cover the entire wall behind your stove. Includes wall-mounted warming racks for use with the heat lamps.

Model Number	For Use With...
EXXBSK30	Calabria 30" Wall-Mount Hood
EXXBSK36	Calabria 36" Wall-Mount Hood
ECLBSK42	Calabria 42" Wall-Mount Hood
ECLBSK48	Calabria 48" Wall-Mount Hood



**Stainless Steel Hood Liners** – Protect your cabinets from heat, grease and moisture damage, plus make cleaning easy with adjustable hood liners for use with Elica Power Packs.

Model Number	For Use With...	H	D	W
ECRHDL21	Cirrus 21" Insert	4"	15" or 18"	22 <sup>3/8"</sup>
ECRHDL27	Umbria 27" Insert	4"	17" or 20"	28 <sup>3/8"</sup>
ECRHDL33	Umbria 33" Insert	4"	17" or 20"	34 <sup>3/8"</sup>
ESTHDL27	Orvieto 27" Insert	4"	22 <sup>1/2"</sup> or 25 <sup>1/2"</sup>	28 <sup>3/8"</sup>
ESTHDL33	Orvieto 33" Insert	4"	22 <sup>1/2"</sup> or 25 <sup>1/2"</sup>	34 <sup>3/8"</sup>
EORHDL39	Orvieto 39" Insert	4"	22 <sup>1/2"</sup> or 25 <sup>1/2"</sup>	40 <sup>3/8"</sup>
EORHDL45	Orvieto 45" Insert	4"	22 <sup>1/2"</sup> or 25 <sup>1/2"</sup>	46 <sup>3/8"</sup>

## Elica Optional Accessories

For maximum flexibility in installation, performance and user convenience, Elica offers this comprehensive selection of accessories for its kitchen ventilation products. From recirculating kits for most models to upgrade filter options, we make sure that every Elica installation meets the homeowner's needs.





222 Merchandise Mart Plaza, #947  
Chicago, IL 60654  
866-570-6401  
[www.elica.com](http://www.elica.com)