







Legacy

For classic looks with modern features, look no further than the AGA Legacy. Unique gleaming spiral handles set off the curvaceous doors to satisfy the design conscious. A versatile cooktop and flexible electric ovens indulge those with the highest culinary standards. With this bold appearance and contemporary features, it's easy to see why this AGA out looks and out cooks other pro-style ranges.





36" Dual Fuel Legacy in
Stainless Steel



Stainless Steel Redefined

This Legacy redefines the stainless steel range. It fuses a commercial style finish with the elegant contoured AGA design to produce a range like no other. The high grade stainless exterior provides a durable, attractive and easy to maintain finish. And the interior is equipped with the Legacy amenities you have come to expect from AGA.

The stainless steel Legacy model is available in 36" and 44" sizes and both dual fuel and electric.



Electric Legacy



Control Knobs

Large, chrome accented knobs with childproof, push-to-turn safety feature.

Broiling Oven

This oven may look unassuming, but it features a powerful 8-pass, 2300 watt broiler that's heated and ready to cook in just 5 minutes! The Full Broil mode provides complete coverage using the full eight passes. The Half Broil mode uses the four right-hand passes and is perfect when cooking for one.

7-Mode Multifunction™ Oven


Offers the ultimate flexibility with 7 different cooking modes: Convection defrost - fan forced air without heat; Convection bake - rear convection element with fan forced air; Convection broil - top element with fan forced air; Fan assist bake - top and base element with fan forced air; Conventional bake - top and base element heat; Top brown - top element heat only; Base heat - bottom element heat only.

HandyRack™

A signature Legacy feature. No more pulling out hot, heavy racks to check foods. The HandyRack™ is a removable shelf located in the door. Fitted in one of its two positions, this rack provides safety and convenience allowing you to place dishes where they are easiest to access.



36" Electric Legacy in Black



Electric Cooktop

This sleek ceramic cooktop is equipped with rapid response ribbon elements that heat in seconds. Hot surface indicator lights alert you when the cooktop is in use or warm to the touch for extra safety, even after it has been turned off.

Minute Minder

This integral clock has a timer with a delayed baking feature, allowing you to program when the oven turns on and off. Plus, the key lock prevents little hands from accidentally starting ovens.

Vertical Convection Oven

This programmable oven uses true convection, a cooking method that continuously circulates hot air through the cavity, for faster more even cooking. With 1.8 cu. ft. of capacity in the 36" model and 2.4 cu. ft. in the 44", this oven is large enough to prepare a whole meal, but small enough to heat up quickly and efficiently. The 36" model features four heavy duty oven racks and a removable plate warmer while the 44" includes three oven racks and a roasting tin.

Plate Warming Rack



44" Electric Legacy with optional cathedral windows in Cream

No other pro-style range has this much to offer

Control Knobs

Large, chrome accented knobs with childproof, push-to-turn safety feature.

7-Mode Multifunction™ Oven

This incredibly versatile programmable oven provides so much flexibility. Turn the convection off, leave it on or go somewhere in between - you tailor the oven's performance to your needs by selecting from the convection bake, convection broil, fan assist bake, conventional bake, top brown or base heat modes.

Glide-Out™ Broiler System

The smooth action Glide-Out™ broiler system uses a sliding runner to move the broiler pan in and out of the oven safely and easily.



36" Dual Fuel Legacy with optional cathedral window in Black

44" Dual Fuel Legacy in All White

Dual Fuel Legacy



Gas Cooktop

This versatile cooktop is equipped with sealed gas burners, featuring an integral wok burner. Available in both Natural Gas and Liquid Propane fuel types. Note: Grates are matte porcelain enamel finish on All White and Stainless Steel and gloss on all other color options.

Minute Minder

This integral clock has a timer with a delayed baking feature, allowing you to program when the oven turns on and off. Plus, the key lock prevents little hands from accidentally starting ovens.

Convection Oven


This programmable oven features an impressive 2.4 cu. ft. of cooking capacity in the 44" model and 1.9 cu. ft. in the 36". The 44" model is accompanied by three heavy duty oven racks and roasting tin while the 36" includes four racks and a removable plate warmer.

Storage Drawer

The 44" model features a convenient storage drawer which is the perfect place to store baking trays, saucepans or kitchen towels so they are always close by.



The Legacy Suite - featuring the 44" Dual Fuel Legacy in All White, and the Legacy Dishwasher, 36" Legacy Refrigerator and 48" Legacy Vent Hood in White.





Simple Style

For over eighty years AGA has hand crafted ranges of superior performance and classic design. Now, we proudly offer a collection of coordinating products so you can create the kitchen of your dreams.





Style choices are usually limited with your dishwasher. Pick a standard color, or integrate it with a cabinet panel. Our Legacy Dishwasher is the perfect blend of function and style with our trademark contour design. Engineered to fit beautifully into your AGA kitchen, our quiet and Energy Star® rated Dishwasher is available in every Legacy color.*

*NOTE: Not available in Stainless Steel.

This 36-inch wide, ENERGY STAR® rated Refrigerator fuses classic AGA design with state of the art features like electronic touch temperature controls, and thoughtful amenities like the internal water dispenser and smart storage solutions.





You can't have a range without a hood. Our Legacy hood inspired by the classic AGA design, coordinates perfectly with any AGA range.



Bottom Mount Refrigerator (AFHR-36)

- 20 cu. ft.: Fresh food capacity 14.4 cu. ft.; Freezer capacity 5.5 cu. ft.
- Factory-installed ice maker
- Internal filtered water dispenser for fresh chilled water
- Water filter easy to access and change
- Adjustable Spillsaver™ glass shelves
- Gallon door storage with temperature control
- Temperature controlled pantry drawer with an easy close rolling drawer track system
- Humidity-controlled crisper drawers keep fruits and veggies market fresh
- Adjustable door buckets keep your condiments in clear sight
- Beverage storage rack
- Electronic, easy-to-use touch temperature controls
- ENERGY STAR® compliant

Fully Integrated Dishwasher (ADW-24)

- Durable stainless steel tall tub
- Culinary tool rack for hard to place items
- Super sound insulation technology, rated to 50 dBA
- 4 blade food disposer eliminates the need for pre-rinsing
- 14 place settings for maximum flexibility when loading
- Optimum wash sensor adjusts the wash cycle for specific water conditions
- ENERGY STAR® compliant

Dishwasher Panel (ADWP-24)

- Durable enameled steel construction
- Easy installation
- Fits most integrated dishwashers

Range Hood (ARHD-36/ARHD-48)

- Two size options: 36" and 48"
- 3 speed fan
- 2 50-watt halogen bulbs
- High heat sensor
- Stainless steel baffle filters
- Enclosed stainless steel liner
- Top or rear discharge included with a 10 inch square to round transition for venting
- 36" Model - 600 CFM
- 48" Model - 1200 CFM

NOTE: Suite appliances not available in Stainless Steel.

Colors

The AGA Legacy is available in 7 stunning colors to compliment any decor*. Our signature enameling process creates a rich finish, providing the appearance you want and the quality you deserve.

*Please note side panels on all Legacy ranges are black with the exception of the Stainless Steel and All White models. Due to limitations of the printing process colors may vary from those shown.

**The All White model is only available in Dual Fuel.

NOTE: Suite appliances not available in Stainless Steel.



BLACK



CREAM



COBALT



BRICK



WHITE



STAINLESS STEEL



ALL WHITE**



Options

Replace the solid door with a Cathedral door. The Cathedral door includes a beveled door with an arched window on the Multifunction™ oven of the 36" Legacy and a window door on both the Multifunction™ and the Convection ovens of the 44" Legacy.

Cathedral Doors



44" LEGACY
Electric Cooktop
Cathedral Doors




36" LEGACY
Electric Cooktop
Cathedral Door

Handles



SPIRAL HANDLE
(Standard on Black, Brick, Cobalt,
Cream and White models)



CLASSIC HANDLE
(Standard on All White and
Stainless Steel models)

NOTE: Cathedral Doors not available on Stainless Steel models

LEGACY RANGE PRODUCT SPECIFICATIONS

	ALEG-36	ALEG-44
Overall Width	35 1/2"	43 1/4"
Overall Depth	25 5/8"***	25 5/8"*
Overall Height	35 3/8"	35 3/8"
Electrical Requirements-Dual Fuel	7.4kw @240 Volts	7.4kw @240 Volts
Electrical Requirements-Electric Models	15.5kw @240 Volts†	16.7kw @240 Volts†
Gas Requirements-Dual Fuel only	Shipped natural gas standard; field convert to LP with included kit; accepts standard residential 1/2" (1.3 CM) ID gas service line. Natural gas 4 W.C. (10 Millibar) or liquid gas 10 W.C. (25 Millibar)	
Approximate Shipping Weight	300 lbs.	341 lbs.
COOKTOP SPECIFICATIONS		
Dual Fuel Models (in BTU's)	Left & Right Rear 9,200 NG/8,000 LP; Left Front 5,000 NG/4,200 LP; Center (Wok) 15,000 NG & LP, Right Front 12,000 NG & LP	Left and Right (Wok) 15,000 NG & LP; Left and Right Center 9,200 NG/8,000 LP; Left Front 5,000 NG/ 4,200 LP; Right Front 12,000 NG & LP
Electric Models (in watts)	Left Rear 1800w; Left Front & Right Rear 1200w; Front Right 1700w; Far Right 2200w. 1 Hot Surface Indicator Light	Left 1200w with 230w warming area; Left Rear 1700w; Left Front & Right Rear 1200w; Front Right 1800w; Right 2200w. 2 Hot Surface Indicator Lights
OVEN SPECIFICATIONS		
Total Cubic Capacity	4.5 cu. ft.	5.1 cu. ft.
Oven Lights	1	2
Storage Drawer	No	Yes
Backguard Included	Yes	
MULTIFUNCTION OVEN		
Dimensions	17"w x 15 1/4"d x 14 3/4"h	
Capacity	2.2 cu. ft.	
Convection Rating	2500 watts	
Bake Rating	2200 watts (top & bottom elements)	
Brown Rating	inner-1150 watts outer-1200 watts	
Base Heat	1000 watts	
Shelf Positions	5	
Oven Racks	3, plus HandyRack™ and roasting tin in door	
CONVECTION OVEN		
Dimensions	9 1/2"w x 15 1/4"d x 22 1/4"h	17"w x 15 1/4"d x 16"h
Capacity	1.8 cu. ft.	2.4 cu. ft.
Convection Rating	2500 watts	
Shelf Positions	9	5
Oven Racks	4, plus removable plate warming rack	3
BROILING OVEN		
Dimensions	15 3/4"w x 13"d x 4 1/2"h	
Capacity	.5 cu. ft.	
Broiler Rating	8 pass, 2300 watts	
Shelf Positions	2	
Oven Racks	1 broiling tray	

*Excluding handles but including rear extension. Excluding handles AND rear extension the depth is 23 3/8"

**Excluding handles (rear extension MUST be fitted to Legacy 36)

†Electrician must consult local codes to determine actual electrical requirements.

BOTTOM MOUNT REFRIGERATOR SPECIFICATIONS

Model AFHR-36	
Dimensions	36" w x 69.5" h x 23.5" d (depth including handle: 29 5/8")
Electrical Requirements	120 volts, 60hz, 10 amps (on separate circuit)
Plumbing Requirements	1/4" O.D. copper tubing
Capacity	Total: 20 cu. ft. Refrigerator: 14.4 cu. ft. Freezer: 5.5 cu. ft.
Shelves	4 adjustable glass shelves 5 adjustable door shelves 2 wire baskets (freezer)
Accessories	Can Rack
Approximate Shipping Weight	365 lbs



DISHWASHER SPECIFICATIONS

Model ADW-24	
Dimensions	23 3/4" w x 33 7/8" h x 24 7/8" d
Electrical Requirements	120 volts, 60 hz, 12 amps
Plumbing Requirements	3/8" O.D. copper tubing
Approximate Shipping Weight	128 lbs



DISHWASHER PANEL SPECIFICATIONS

Model ADWP-24	
Dimensions	23 7/8" w x 29 7/8" h x 3/4" d
Approximate Shipping Weight	14 lbs

Intended for use on fully integrated dishwashers. Reference the dishwasher manufacturers specifications to ensure compatibility. Mounting hardware is not supplied with this panel. It is supplied by the dishwasher manufacturer and can be located in the installation materials supplied with your dishwasher.

HOOD SPECIFICATIONS

Model ARHD - 36 ARHD - 48	36" Model	48" Model
Dimensions	36" w x 24" d x 18" h	48" w x 24" d x 18" h
Electrical Requirements	120 volts, 60hz, 3.8 amps (600 CFM) 8.0 amps (1200 CFM)	
Lights	2, 50 watt halogen (Type R20)	
Filters	Stainless Steel Baffle	
CFM	600 CFM	1200 CFM
Recommended Duct Size (round)	10"	10"
Approximate Shipping Weight	190 lbs	

Optional duct covers are available in heights of 12, 18, and 24 inches for all of our Legacy ranges. Covers are sized to your kitchen. Please provide height requirements when ordering.



Griddle Kit



Wok Ring

ACCESSORIES

Model	Part #
Griddle Kit	AG-P028773
Wok Ring	3389
Side Panel Extension Kit	AG-A037154



Form and function working together

Dual Fuel Cooktop



36" LEGACY



44" LEGACY

Form: Our signature cooktop design makes the range seem to arc toward you.

Function: The continuous porcelainized cast-iron burner grates provide commercial style ease for moving pans from burner to burner.

Electric Cooktop



36" LEGACY



44" LEGACY

Form: The black ceramic cooktop provides a sleek, clean look.

Function: The cooktop houses ribbon elements which heat within seconds.

Warranty

RANGE - One (1) year warranty on parts and labor with the exception of cosmetic damage to painted porcelain enamel finish or plated surfaces. Second and third year limited warranty on heating elements.

REFRIGERATOR - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces. Second through fifth year warranty on any part of the sealed refrigeration system (consisting of compressor, evaporator, condenser, drier and connection tubing) and the cabinet liner (exclusive to the door liner) which fail in normal home use.

DISHWASHER - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces. Second through fifth year limited warranty on nylon dish racks, wash and drain motor, electronic controls and heating element if defective in materials or workmanship. Lifetime limited warranty on stainless steel tub and inner door.

VENT HOOD - One (1) year limited warranty on all parts and labor with the exception of cosmetic damage to painted finish or plated surfaces.

Warranties apply to product only in the country in which it was purchased. Product is not intended for commercial installations. Warranty is void in any commercial-type application. Changes to the product may have occurred from the time this brochure was printed. Please obtain a current installation manual for your purchased model before beginning installation or rough-ins. Local authorities govern installation codes. In most areas, a licensed gas fitter or plumber is required.

If the product is installed outside the normal service area, any cost of transportation expenses (tolls, ferry trip charges, or mileage expenses, etc.) involved in the repair of the product, or the replacement of a defective part, shall be borne by the customer (owner).

AGA MARVEL



Where hot meets cold.

www.agamarvel.com

AGA MARVEL

Tel. 877.650.5775 Fax. 800.327.5609
www.agamarvel.com

© AGA MARVEL 2010, all rights reserved.
Printed 07/10
AG-A4200

The information presented herein is based on the best data available at time of printing and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Specifications are subject to change without notice.

ISO 9001:2008
ISO 14001:2004

For more information on our family of brands, please visit their corresponding websites:



www.heartlandapp.com



www.marvelrefrigeration.com



www.marvelscientific.com



www.northlandnka.com



www.aga-ranges.com