



U-LINE

RIGHT PRODUCT. RIGHT PLACE. RIGHT TEMPERATURE. SINCE 1962.



Brochure



1000 Series



Modular 3000 Series



2000 Series



Outdoor Series



Marine Series



Modular 3000 Series



U-LINE HISTORY

Building on Three Generations of Innovation	5
---	---

REIMAGINE REFRIGERATION

Modular: Right Product. Right Place. Right Temperature.	7
Point-of-Use Refrigeration	9
Designed and Engineered in America, Built for the World	11
Integration: Built-In to Stand Out	13

PRODUCTS

Product Collection by Series	16
Product Categories & Applications	18
Wine Captain® Models	21
Beverage Centers	29
Clear Ice Machines	37
Crescent Ice Makers	41
Glass Door Refrigerators	45
Solid Door Refrigerators	53
Drawer Models	61
Freezers	65
Combo® Models	69
ADA Series	73
Outdoor Series	75
Marine Series	77
36" Custom Models	78

SUSTAINABILITY

Engineered for Efficiency	81
---------------------------	----

TECHNICAL DATA

Product Matrix	83
Models at a Glance	84



Chip, Henry, Philip and Richard Uihlein



U-Line, Milwaukee, Wisconsin, USA



Henry Uihlein, Founder 1921 - 2011

History: Building on Three Generations of Innovation

For over five decades and through three generations, we continue to be the leader in innovation, quality, and value in the premium modular ice making, refrigeration, and wine preservation market.

The Uihlein family traces its roots back to southern Germany. In the mid-1800's several family members immigrated to the U.S. and were an instrumental part of a substantial brewery. In 1962, Henry Uihlein founded U-Line Corporation as an outgrowth of Ben-Hur Freezer Company and was the first to develop and patent an automatic stand-alone undercounter residential ice maker. His foresight and determination to develop new ideas and to succeed when there were no clear guidelines or solutions are evident today. The newest Uihlein generation continues to build upon the family's innovative legacy by providing continuity and vision from which new designs and technology continue to be born.

We have captivated those with an appreciation for the finer things with exceptional functionality, style, inspired innovations, and attention to even the smallest details. We are known and respected for our unwavering dedication to product design, quality, and selection.

Our corporate headquarters have been based in Milwaukee since 1962, a West Coast office was established in Laguna Beach, California in 2006, and European support is located in Dublin, Ireland. We have shipped modular refrigeration products worldwide for several decades and continue to provide premium modular refrigeration products throughout North America, Asia, Africa, Oceania, Europe, Latin America, and the Middle East. Design, engineering, and final assembly of all products is completed in Milwaukee, Wisconsin, USA.





Modular: Right Product. Right Place. Right Temperature.

Modular refrigeration allows you to reimagine your space by organizing the right products in the right place at the right temperature. This is accomplished through our vast product collection, which provides preservation and organization. By thoughtfully placing products throughout your space, you will discover the perfect choreography that fits your lifestyle.



2000 Series



Modular 3000 Series



1000 Series



Outdoor Series



Modular 3000 Series



Modular 3000 Series



2000 Series



Point-of-Use Refrigeration

We give you the freedom to install our units anywhere you please. Our front ventilation system is engineered to circumvent the need for additional airflow, providing the flexibility to integrate and install our products undercounter, in island applications, kitchens, wet bars, offices, gyms, bathrooms, or wherever you need them most.





Designed and Engineered in America, Built for the World

Our modular products are designed and developed on a universal platform. We have shipped our modular refrigeration products worldwide for several decades. We continue to provide premium modular refrigeration products throughout North America, Asia, Africa, Oceania, Europe, Latin America, and the Middle East. Design, engineering, and final assembly of all products is completed in Milwaukee, Wisconsin, USA.



Seamlessly Integrated
Modular 3000 Series

Fully Integrated
2000 Series

Integrated
1000 Series

Integration: Built-In to Stand Out

Our modular refrigeration provides the best premium design aesthetic and the most function by offering varying levels of integration, lighting, and installation application options. Designed and engineered in America, but built for the world, our products integrate into a standard 24" cabinet depth and are offered in the following standard widths: 15", 18", 24", and 36".

Our front ventilation system is engineered to circumvent the need for additional airflow, providing the flexibility to integrate and install our products undercounter, in island applications, or wherever you need them most. All integrated models maintain zero clearance, ensuring performance and hinge clearance with the panel/frame installed.

Integrated finishes are offered in most models through each of our series: 1000, 2000, and Modular 3000 Series, allowing for installation of a ¾" custom overlay panel/frame of your choice; no kits or accessories needed. All integrated models offer black interiors that essentially disappear into your cabinetry, ensuring an elegant installation. Our 2000 Series and Modular 3000 Series grilles can accept a custom overlay toe-kick; or can accept a continuous custom toe-kick that extends the full cabinet length to create a design that seamlessly integrates with your surrounding cabinetry.



Modular 3000 Series



Modular 3000 Series



2000 Series



2000 Series



1000 Series



1000 Series



Modular 3000 Series

Seamlessly Integrated

Modular 3000 Series

The Modular 3000 Series seamlessly integrates into virtually any environment and are offered in the following widths: 18", 24", and 36". All models are available in our integrated finish, allowing for simple installation of a ¾" custom overlay panel of your choice; no kits or accessories needed. Adjustable grille allows for front ventilation, ensuring your model can be installed in a variety of applications, including islands. Grilles can be shifted front-to-back and up-and-down to ensure alignment with adjacent cabinetry toe-kicks. Grilles can accept a custom overlay toe-kick; or run your continuous custom overlay toe-kick that extends the full cabinet length to create a design that seamlessly integrates with your surrounding cabinetry. Additionally, models offer concealed and covered hinges with built-in doorstop(s), four independently adjustable leveling legs, rear legs that are accessible and adjustable from the front, and doors that simplify fine-tuning and alignment during installation.



2000 Series

Fully Integrated

2000 Series

The 2000 Series fully integrates into virtually any environment and are offered in the following widths: 18" and 24". All models are available in our integrated finish, allowing for simple installation of a ¾" custom overlay panel of your choice; no kits or accessories needed. Fixed grille allows for front ventilation, ensuring your model can be installed in a variety of applications, including islands. Grilles can accept a custom overlay toe-kick, creating a design that fully integrates with your surrounding cabinetry. If your model's toe-kick aligns with adjacent cabinetry toe-kicks, grilles can accept a continuous custom overlay toe-kick that extends the full cabinet length to create a design that fully integrates with your surrounding cabinetry. Additionally, models offer concealed and covered hinges with built-in doorstop(s), and four independently adjustable leveling legs.



1000 Series

Integrated

1000 Series

The 1000 Series integrates into various environments and are offered in the following widths: 15" and 24". Many models are available in our integrated finish, allowing for simple installation of a ¾" custom overlay panel of your choice; no kits or accessories needed. Fixed grille allows for front ventilation, ensuring your model can be installed in a variety of applications, including islands. Additionally, models offer low-profile, reversible pivot hinges and four independently adjustable leveling legs.

Product Collection by Series

Modular 3000 Series

The Modular 3000 Series is comprised of our ultra-premium product offering and is designed to provide the ultimate in point-of-use flexibility. These models are the most innovative, highly featured refrigeration and ice making products in the modular appliance industry. In addition to timeless design, the Modular 3000 Series models are equipped with our U-Select® Control, providing the ability to choose pre-programmed modes that properly preserve your food and beverages. Models seamlessly integrate into surrounding cabinetry and are available in the following finishes: Stainless or Integrated. The Modular 3000 Series spans seven product categories – Wine Captain® Models, Beverage Centers, Clear Ice Machines, Glass Door Refrigerators, Solid Door Refrigerators, Drawer Models, and Freezers.



Modular 3000 Series

2000 Series

The 2000 Series is comprised of our super-premium product offering and is designed to integrate beautifully into any application, while actively maintaining temperatures to ensure extended preservation of your food and beverages. Pristine lines, spacious interiors, and our Digital Touch Pad Control provide an elegant and universal aesthetic. The 2000 Series offers upscale features, advanced technology, and specialized product families. Models fully integrate into surrounding cabinetry and are available in the following finishes: Stainless or Integrated. The 2000 Series spans four product categories – Wine Captain® Models, Beverage Centers, Glass Door Refrigerators, and Solid Door Refrigerators.



2000 Series

1000 Series

The 1000 Series is comprised of our premium product offering, based on over fifty years of innovations, design patents, and world firsts. Now with a completely redesigned style including upgraded features and technology, it is the most diverse line in the industry. The 1000 Series features clean lines, elegant interior spaces, and offers either our Digital Touch Pad Control or Mechanical Dial Control. The 1000 Series offers more targeted priced products with impressive features. Models integrate into surrounding cabinetry and are available in the following finishes: Stainless, Integrated, Black, or White. The 1000 Series spans seven product categories – Wine Captain® Models, Beverage Centers, Clear Ice Machines, Crescent Ice Makers, Solid Door Refrigerators, Drawer Models, and Combo® Models.



1000 Series



ADA Series

ADA Series

The ADA Series is designed to install under the federally mandated requirement of a 34" high countertop. Controls are easily accessible and allow for single-hand operation. These models are a perfect solution where ADA height compliancy is required. Models are available in the following finishes: Stainless or Black. The ADA Series spans four product categories – Crescent Ice Makers, Glass Door Refrigerators, Solid Door Refrigerators, and Combo® Models.



Outdoor Series

Outdoor Series

Today's entertaining environments extend far beyond the boundaries of the traditional home. For over 50 years, our products have been used in outdoor applications and continue to be amongst our most popular models. Our outdoor models are fully wrapped in stainless steel to protect from harsh outdoor elements. These durable outdoor products are UL (Underwriters Laboratory) rated and deemed suitable for outdoor use. Models are available in the our Stainless finish. The Outdoor Series spans three product categories – Clear Ice Machines, Crescent Ice Makers, and Solid Door Refrigerators.



Marine Series

Marine Series

We take ice making and refrigeration to yet another environment, the sea. Our Marine Series feature durability and aesthetics, as well as exceptional ice production and refrigeration capacity, for use above and below deck. Corrosive-resistant, stainless steel hinges and fasteners on the UV resistant cabinet and doors, combine maximum convenience with durability and good looks. Models are available in the following finishes: Stainless, Black, or White. The Marine Series spans two product categories – Crescent Ice Makers and Combo® Models.

Product Categories



Wine Captain®
Models



Beverage
Centers



Clear Ice
Machines



Crescent Ice
Makers

Application Categories



Residential



Marine



Outdoor



Office/Boardroom



Glass & Solid Door Refrigerators



Drawer Models



Freezers



Combo® Models



Hospitality



Arena/Stadium



Installed: 3018WCINT



Wine Captain® Models

As the first North American appliance manufacturer to develop a residential wine preservation model, we understand that wine requires proper storage. As opposed to simply chilling wine, we attend to every detail in our Wine Captain® Models to protect and maintain wine during storage. Our wide range of models with advanced temperature management systems best accommodate your wine preservation requirements and personal taste—in wine, as well as décor.

All Wine Captain® Models offer the following optimal environment features:

Models maintain temperature to within 1°F of the set point to maximize preservation. LowE coated, argon gas filled thermopane glass provides protection from harmful UV light. Additionally, its insulating qualities help maintain temperature stability and increase energy efficiency. Relative humidity inside the unit is approximately 50%, while the rubber mounted compressor virtually eliminates vibration.



Wine Captain® Models

Modular 3000 Series

Optimal Environment

The 3018WC and 3036WCWC are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. The 3024ZWC and 3036WCWC offers two independently controlled compartments, ensuring your collection will be preserved to perfection. The U-Select® Control makes it quick and simple to choose from one of the 3 pre-programmed modes: Sparkling, White, and Red wine mode, each designed to provide cellar-like conditions. The Sparkling and White wine modes are equipped with our Quick Chill Feature, which rapidly chills your wines to the lowest temperature setting, perfect for unexpected guests. You also have the option to simply adjust the temperature within the modes based on your personal preference, ranging from 38°F - 65°F. Additionally, the 3024ZWC and the 3036WCWC are equipped with Beverage mode, reaching temperatures as low as 34°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Theater Lighting

Black interiors gently illuminate with LED theater lighting, then softly dim off when the door is closed, or can be set to stay on for 3, 6, or 24 hours. Light brightness can be set to low, medium, or high.

Flexible Storage

Wine racks are designed to accommodate a variety of bottle shapes and sizes. The fourth and fifth racks on the 3018WC and 3036WCWC and the third and sixth racks on the 3024ZWC allow for larger diameter wine and champagne bottles, providing optimal storage flexibility for your collection.



Wine Racks

Robust, full-extension black vinyl coated wine racks with graphite finished beech wood fronts, and smooth glide design integrate seamlessly, allow for easy access, and prevent bottles from shifting.

- 3018WC: up to 31 wine bottles (750 ml)
- 3024ZWC: up to 43 wine bottles (750 ml)
- 3036WCWC: up to 62 wine bottles (750 ml)

Optional Door Lock



All Modular 3000 Series Wine Captain® Models are offered with a door lock in our stainless finish.





Wine Captain® Models

2000 Series



Optimal Environment

The 2218WC is equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. The 2224ZWC offers two independently controlled compartments, ensuring your collection will be preserved to perfection. Our Digital Touch Pad Control allows you to easily set the temperature, ranging from 38°F - 65°F. Additionally, the 2224ZWC can reach temperatures as low as 34°F to keep your craft beer crisp and cold. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

Black interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Wine racks are designed to accommodate a variety of bottle shapes and sizes. The fourth and fifth racks on the 2218WC, and the third and sixth racks on the 2224ZWC, allow for larger diameter wine and champagne bottles, providing optimal storage flexibility for your collection.

Wine Racks

Full-extension black vinyl coated wine racks allow for easy access and prevent bottles from shifting. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 2218WC: up to 31 wine bottles (750 ml)
- 2224ZWC: up to 43 wine bottles (750 ml)

Optional Door Lock

The 2224ZWC is offered with a door lock in our stainless finish.



Wine Captain® Models

1000 Series

Optimal Environment

The 1215WC and 1224WC offer our Digital Touch Pad Control, allowing you to easily set the temperature, ranging from 38°F - 65°F. Models respond to temperature fluctuations within 1°F of the set point.

LED Lighting

Black interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Wine racks are designed to accommodate a variety of bottle shapes and sizes, while the fourth and fifth racks allow for larger diameter wine and champagne bottles, providing optimal storage flexibility for your collection.

Wine Racks

Three-quarter extension black vinyl coated wine racks allow for easy access and prevent bottles from shifting. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 1215WC: up to 24 wine bottles (750 ml)
- 1224WC: up to 48 wine bottles (750 ml)

Chilled Environment

The 1024WC offers our Mechanical Dial Control, allowing you to keep your wine chilled and accessible for all your entertaining needs.



Lighting

White interiors are illuminated with recessed incandescent lighting that automatically turns off when the door is closed or can be turned on indefinitely with the on/off switch.

Wine Racks

Equipped with three-quarter extension zinc coated wine racks. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 1024WC: up to 48 wine bottles (750 ml)







Beverage Centers

Our Beverage Centers are the perfect accompaniment to any room, making entertaining easier and life more enjoyable, while putting convenience within arm's reach. Unlike similar products on the market and simply stated, our Beverage Centers keep your beverages cold; down to 34°F cold. Adjustable glass shelves accommodate a wide range of beverage sizes- perfect for your soda, juice, craft beer, and wine. A combination of glass shelves and wine racks, in addition to ease of installation, make our Beverage Centers ideal to integrate into any application: in the kitchen, office, gym, or bathroom.

All Beverage Centers offer the following optimal environment features:

Models maintain temperature to within 1°F of the set point to maximize preservation. LowE coated, argon gas filled thermopane glass provides protection from harmful UV light. Additionally, its insulating qualities help maintain temperature stability and increase energy efficiency. A rubber mounted compressor virtually eliminates vibration.



Beverage Centers

Modular 3000 Series



Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your desired temperature. The U-Select® Control makes it quick and simple to choose from one of the 5 pre-programmed modes: Deli, Market, Root Cellar, Pantry, and Beverage mode. The left side of the 3036BVWC is equipped with 3 pre-programmed modes: Sparkling, White, and Red wine mode, each designed to provide cellar-like conditions. You also have the option to simply adjust the temperature based on your personal preference. The 3024BEV ranges from 34°F - 70°F. The left side of the 3036BVWC ranges from 38°F - 65°F and the right side ranges from 34°F - 70°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Theater Lighting

Black interiors gently illuminate with LED theater lighting, then softly dim off when the door is closed, or can be set to stay on for 3, 6, or 24 hours. Light brightness can be set to low, medium, or high.

Flexible Storage

The 3024BEV is equipped with three adjustable tempered glass shelves with 7 varying height positions; the 3036BVWC is equipped with four adjustable tempered glass shelves with 11 varying height positions, providing optimal storage flexibility for your food and beverages. Full-extension, slide-out crisper drawer in the 3036BVWC is removable for easy cleaning.

- 3024BEV: up to 79 bottles (12 oz) or up to 123 cans (12 oz)
- 3036BVWC: up to 79 bottles (12 oz) or up to 123 cans (12 oz)

Wine Racks

Robust, full-extension black vinyl coated wine racks with graphite finished beech wood fronts, and smooth glide design integrate seamlessly, allow for easy access, and prevent bottles from shifting.

- 3024BEV: up to 10 wine bottles (750 ml)
- 3036BVWC: up to 31 wine bottles (750 ml)

Optional Door Lock

All Modular 3000 Series Beverage Centers are offered with a door lock in our stainless finish.



Beverage Centers

2000 Series



Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. Our Digital Touch Pad Control allows you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

Black interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Three adjustable tempered glass shelves with 7 varying height positions provide optimal storage flexibility for your food and beverages.

- 2224BEV: up to 79 bottles (12 oz) or up to 123 cans (12 oz)

Wine Racks

Full-extension black vinyl coated wine racks allow for easy access and prevent bottles from shifting. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 2224BEV: up to 10 wine bottles (750 ml)

Optional Door Lock

The 2224BEV is offered with a door lock in our stainless finish.



Beverage Centers

1000 Series

Optimal Environment

The 1224BEV offers our Digital Touch Pad Control, allowing you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

Black interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Two removable tempered glass shelves.

- 1224BEV: up to 85 bottles (12 oz) or up to 105 cans (12 oz)

Wine Racks

Three-quarter extension black vinyl coated wine racks allow for easy access and prevent bottles from shifting. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 1224BEV: up to 16 wine bottles (750 ml)

Chilled Environment

The 1024BEV offers our Mechanical Dial Control, allowing you to keep your wine and beverages chilled and accessible for all your entertaining needs.

Lighting

White interiors are illuminated with recessed incandescent lighting that automatically turns off when the door is closed.

Flexible Storage


Equipped with two removable tempered glass shelves.

- 1024BEV: up to 85 bottles (12 oz) or up to 105 cans (12 oz)

Wine Racks

Equipped with three-quarter extension zinc coated wine racks. Solid natural beech wood fronts on wine racks can easily be stained to match surrounding cabinetry.

- 1024BEV: up to 16 wine bottles (750 ml)







Clear Ice Machines

Combining superior performance with stylish design, we enlisted America's #1 selling commercial ice machine company to co-develop our Clear Ice Machine in 1998. Today, our patented clear ice making process provides the ideal balance of high ice production, quiet operation, and easy cleaning by not allowing air bubbles, gas, particulate, and chlorine to freeze in the cubes. The result is clean and clear restaurant quality ice in the comfort of your home.



Installed: 36" Custom Model (3018RGLINT & 3018CLRINT with Ice Flange Kit)

Clear Ice Machines

Modular 3000 Series & 1000 Series



3018CLR
18" Clear Ice Machine

Stainless
Solid

Integrated
Solid



CLR1215
15" Clear Ice Machine

Stainless
Solid

Integrated
Solid

White
Solid

Black
Solid

Ice Production, Capacity, and Thickness

Models boast a high daily ice production of up to 60 lbs and have a capacity of up to 30 lbs of crystal clear ice cubes, ensuring your party will always have ice on hand. Models also offer the option to customize the fullness of your clear ice cubes. Clear ice cube dimensions are: 7/8" W x 7/8" H x 7/8" L.

Drain Required, Pump Optional

All Clear Ice Machines require a drain. If you do not have access to a gravity drain, we strongly recommend you order your model with our sealed and permanently lubricated P60 drain pump factory installed. All Clear Ice Machines ship with a factory installed water and drain line to ensure proper installation and optimal performance.

Silent Mode

Models offer a silent mode, which temporarily suspends ice making for 3 hours.

Durable Ice Scoop

Models are equipped with a clear and durable ice scoop.

Easy Clean System

Models are equipped with a clean indicator alert, notifying you when cleaning is needed. A 45-minute cleaning cycle helps maintain proper performance. Visit u-line.com to purchase clear ice cleaner.

LED Lighting

The 3018CLR has a black interior and LED theater lighting, which delicately illuminates your crystal clear ice cubes beautifully. Light brightness can be set to low, medium, or high. The CLR1215 offers a white interior illuminated with LED lighting.

For Outdoor Series Clear Ice Machine data, see page 75.





Crescent Ice Makers

When Henry Uihlein founded the U-Line Corporation in 1962 as an outgrowth of the Ben-Hur Freezer Company, the initial product manufactured was the industry's first undercounter ice maker. Today, our Crescent Ice Maker continues to be the leader in its class. Given the limited ice production of full size refrigerators, our Crescent Ice Makers ensure you always have enough ice to accommodate daily use as well as special occasions.



Crescent Ice Makers

1000 Series & ADA Series

Crescent Ice Cube Production

Models use less than 3 gallons of water to produce up to 25 lbs of crescent ice cubes daily, a rate that is approximately four times greater than what the average household refrigerator produces. Crescent ice cube dimensions are: 1/2" W x 3/4" H x 2 1/2" L.

No Drain Required

There is no drain required in our crescent ice makers, ensuring a quick and easy installation.


ADA Height Compliant

The BI95, BI98, and ADA15IM are designed to install under the federally mandated requirement of a 34" high countertop.

For Outdoor Series Crescent Ice Maker data, see page 75.



BI95
14" Crescent Ice Maker



BI98
15" Crescent Ice Maker



BI1215
15" Crescent Ice Maker



ADA15IM
15" Crescent Ice Maker







Glass Door Refrigerators

Having pioneered the residential undercounter glass door refrigerator, we know how to preserve food and beverages. All our Glass Door Refrigerators utilize our convection cooling system, providing the ability to rapidly cool items down to 34°F. Thoughtful design, including varying shelving options that adjust as your storage needs shift, make the most of your refrigerator capacity.


All Glass Door Refrigerators offer the following optimal environment features:

Models maintain temperature to within 1°F of the set point to maximize preservation. LowE coated, argon gas filled thermopane glass provides protection from harmful UV light. Additionally, its insulating qualities help maintain temperature stability and increase energy efficiency. A rubber mounted compressor virtually eliminates vibration.



Glass Door Refrigerators


Modular 3000 Series



3018RGL
18" Glass Door Refrigerator



3024RGL
24" Glass Door Refrigerator



3036RRGL
36" Glass Door Refrigerator

Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. The U-Select® Control makes it quick and simple to choose from one of the 5 pre-programmed modes: Deli, Market, Root Cellar, Pantry, and Beverage mode, or you can simply adjust the temperature based on your personal preference, ranging from 34°F - 70°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Theater Lighting

Black interiors gently illuminate with LED theater lighting, then softly dim off when the door is closed, or can be set to stay on for 3, 6, or 24 hours. Light brightness can be set to low, medium, or high.

Flexible Storage

Four adjustable tempered glass shelves with 11 varying height positions provide optimal storage flexibility for your food and beverages. Full-extension, slide-out crisper drawer(s) are removable for easy cleaning.

- 3018RGL: up to 79 bottles (12 oz) or up to 123 cans (12 oz)
- 3024RGL: up to 114 bottles (12 oz) or up to 172 cans (12 oz)
- 3036RRGL: up to 158 bottles (12 oz) or up to 246 cans (12 oz)


Optional Door Lock

All Modular 3000 Series Glass Door Refrigerators are offered with a door lock in our stainless finish.




Glass Door Refrigerators

2000 Series



2218RGL
18" Glass Door Refrigerator



2224RGL
24" Glass Door Refrigerator

Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. Our Digital Touch Pad Control allows you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

Black interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Four adjustable tempered glass shelves with 11 varying height positions provide optimal storage flexibility for your food and beverages. Full-extension, slide-out crisper drawer(s) are removable for easy cleaning.

- 2218RGL: up to 79 bottles (12 oz) or up to 123 cans (12 oz)
- 2224RGL: up to 114 bottles (12 oz) or up to 172 cans (12 oz)


Optional Door Lock

The 2224RGL is offered with a door lock in our stainless finish.



Glass Door Refrigerators

ADA Series



Optimal Environment

The ADA24RGL is equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. Our Digital Touch Pad Control allows you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

White interiors are illuminated with LED lighting that automatically turns off when the door is closed, or can be set to stay on for 3 hours.

Flexible Storage

Four removable, chrome plated durable wire shelves provide optimal storage for your food and beverages.

- ADA24RGL: up to 70 bottles (12 oz) or up to 140 cans (12 oz)

Standard Door Lock

The ADA24RGL is equipped with a standard door lock to ensure contents are always protected.

ADA Height Compliant

Designed to install under the federally mandated requirement of a 34" high countertop.





Solid Door Refrigerators

Featuring the widest selection of undercounter solid door refrigerators available, we offer the most usable refrigeration capacity, bright and open interiors, an array of adjustable shelving and storage bin options, and crisper drawers. Committed to efficiency in design and performance, we offer a wide selection of ENERGY STAR® efficient solid door refrigerators. Reference the Models at a Glance tables in the back for ENERGY STAR® ratings for all models.

All Solid Door Refrigerators offer the following optimal environment features:

Models maintain temperature to within 1°F of the set point to maximize preservation. A rubber mounted compressor virtually eliminates vibration.



Solid Door Refrigerators

Modular 3000 Series

Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. The U-Select® Control makes it quick and simple to choose from one of the 5 pre-programmed modes: Deli, Market, Root Cellar, Pantry, and Beverage mode, or you can simply adjust the temperature based on your personal preference, ranging from 34°F - 70°F. Models maintain temperature to within 1°F of the set point to maximize preservation.




LED Theater Lighting

Black interiors gently illuminate with LED theater lighting, then softly dim off when the door is closed. Light brightness can be set to low, medium, or high.

Flexible Storage

Three full-extension, slide-out drawer bins are removable for easy cleaning. The middle bin has two possible positions and comes with a removable glass shelf to keep products stable and provide optimal storage flexibility for your food and beverages. The lower bin is large enough to fit 2 one-gallon containers with additional space for more storage.

- 3018R: up to 68 bottles (12 oz) or up to 104 cans (12 oz)
- 3024R: up to 100 bottles (12 oz) or up to 141 cans (12 oz)
- 3036RR: up to 136 bottles (12 oz) or up to 208 cans (12 oz)





Solid Door Refrigerators

2000 Series

Optimal Environment

Models are equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. Our Digital Touch Pad Control allows you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.



LED Lighting

Black interiors and LED lighting delicately illuminate your contents beautifully.

Flexible Storage

Three adjustable tempered glass shelves with 11 varying height positions provide optimal storage flexibility for your food and beverages. Full-extension, slide-out crisper drawer(s) are removable for easy cleaning.

- 2218R: up to 79 bottles (12 oz) or up to 123 cans (12 oz)
- 2224R: up to 114 bottles (12 oz) or up to 172 cans (12 oz)





Solid Door Refrigerators

1000 Series & ADA Series

Optimal Environment

The ADA24R is equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. The 1215R, 1224R, and ADA24R offer our Digital Touch Pad Control, allowing you to easily set the temperature, ranging from 34°F - 45°F. The 29R offers our Mechanical Dial Control, allowing you to keep your contents chilled and accessible for all your entertaining needs.

LED Lighting

The 1215R, 1224R, and ADA24R offer white interiors and LED lighting, which delicately illuminate your contents beautifully.



Flexible Storage

The 1215R, 1224R, and 29R offer three removable tempered glass shelves. The ADA24R offers four removable, chrome plated durable wire shelves, providing optimal storage for your food and beverages.

Door Lock

The ADA24R is equipped with a standard door lock to ensure contents are always protected. The 29R is offered with an optional door lock in our black and white finishes, and must be ordered hinge specific when ordered with a lock.

For Outdoor Series Solid Door Refrigerator data, see page 75.







Drawer Models

Our Refrigerator Drawer Models offer premium performance to ensure your food and beverages are preserved in the optimal environment with enhanced accessibility, large capacities, and flawless integration capabilities. Offered in both the 1000 Series and Modular 3000 Series, our Drawer Models are engineered to be installed in a variety of applications, including kitchen islands.


All Drawer Models offer the following optimal environment features:

Models maintain temperature to within 1°F of the set point to maximize preservation.



Drawer Models

Modular 3000 Series & 1000 Series



Optimal Environment

The 3024DWR is equipped with our convection cooling system, rapidly and efficiently taking items to your set temperature. It also offers our U-Select® Control, making it quick and simple to choose from one of the 5 pre-programmed modes: Deli, Market, Root Cellar, Pantry, and Beverage mode, or you can simply adjust the temperature based on your personal preference, ranging from 34°F - 70°F. Two independently controlled drawers ensure all your contents will be preserved to perfection. Models maintain temperature to within 1°F of the set point to maximize preservation.


LED Theater Lighting

The 3024DWR offers black interiors that gently illuminate with LED theater lighting, then softly dim off when the door is closed. Light brightness can be set to low, medium, or high.

Flexible Storage

Upper bin includes Slide and Divide bin organizer, which adjusts to hold tall items securely and ensures optimal organization for all your contents.

- 3024DWR: up to 90 bottles (12 oz) or up to 142 cans (12 oz)



Optimal Environment

The 1224DWR offers our Digital Touch Pad Control, allowing you to easily set the temperature, ranging from 34°F - 45°F. Models maintain temperature to within 1°F of the set point to maximize preservation.

LED Lighting

The 1224DWR offers black interiors and LED lighting that illuminates your contents beautifully.

Flexible Storage

- 1224DWR: up to 98 bottles (12 oz) or up to 150 cans (12 oz)






Freezers

With the addition of our residential Freezer, you now have the ability to create a truly modular kitchen. Our frost-free freezers provide consumers and designers alike with premium performance and the ability to install in a variety of applications, even in kitchen islands.



Freezers

Modular 3000 Series



Optimal Environment

Models are equipped with our convection cooling system, keeping your frozen products preserved to perfection. The U-Select® Control allows you to quickly set your model to our pre-programmed Polar mode; or you can simply adjust the temperature based on your personal preference, ranging from -5°F to 5°F.

LED Theater Lighting

Black interiors gently illuminate with LED theater lighting, then softly dim off when the door is closed. Light brightness can be set to low, medium, or high.

Flexible Storage

Three full-extension, durable vinyl coated freezer baskets are removable for easy cleaning and can accommodate large pizza boxes and one-gallon containers, with additional space for more storage.





Combo® Models

Our Combo® Models combine refrigeration and crescent ice makers, or refrigeration and freezer capabilities, into single compact, space-saving models. Varying sizes and configurations offer many options—whether you're looking for an all-in-one unit to serve your extended-stay guests or to be the refreshment center when entertaining. Combo® Models give you the option to bring together refrigeration with either an abundant ice supply or with freezer capabilities, all in the convenience of a single unit.

All Combo® Models offer the following features:

Optimal Environment

Models maintain temperature to within 1°F of the set point to maximize preservation.

Patented Frost-Free Technology

Patented frost-free technology ensures your product will stay free of interior frost build-up.



Combo® Models 1000 Series & ADA Series

Optimal Environment

The CO1224F and 1224RF offer our passive cooling system and our Digital Touch Pad Control, allowing you to easily set the refrigerator temperature, ranging from 34°F - 45°F. The freezer compartment in the 1224RF maintains a temperature ranging from 0°F - 5°F. The CO29F offers our Mechanical Dial Control, allowing you to keep your contents preserved and accessible for all your entertaining needs. Models maintain temperature to within 1°F of the set point to maximize preservation.

Ice Production and Capacity

The CO1224F and CO29F provide a daily ice production of up to 8 lbs, and stores up to 8 lbs of crescent ice cubes, ensuring you will always have ice readily available. Crescent ice cube dimensions are: 1/2" W x 3/4" H x 2 1/2" L.

ADA Height Compliant

The CO29F is designed to install under the federally mandated requirement of a 34" high countertop.


LED Lighting

The CO1224F and 1224RF offer white interiors and LED lighting that illuminates your contents beautifully.






ADA Series



For ADA Series Glass Door Refrigerator data, see page 51.



For ADA Series Crescent Ice Maker data, see page 43.



For ADA Series Solid Door Refrigerator data, see page 59.



For ADA Series Crescent Ice Maker data, see page 43.




For ADA Series Solid Door Refrigerator data, see page 59.



For ADA Series Crescent Ice Maker data, see page 43.



Outdoor Series



Optimal Environment

The 1215RSOD and 1224RSOD offer our Digital Touch Pad Control, allowing you to easily set the refrigerator temperature, ranging from 34°F - 45°F. The CLR1215SOD also offers our Digital Touch Pad Control, and the BI1215SOD offers an On/Off switch for easy control.

LED Lighting

The 1215RSOD, 1224RSOD, and CLR1215SOD offer white interiors and LED lighting illuminating your food, beverages, and ice for easy access after the sun sets and the party continues.

Easy Installation

The BI1215SOD does not require a drain, making for a quick and easy installation. Because the CLR1215SOD requires a drain, they are shipped with a factory installed drain line to ensure proper installation and optimal performance. If you do not have access to a gravity drain, we strongly recommend you order your CLR1215SOD with our sealed and permanently lubricated P60 drain pump factory installed. All Clear Ice Machines ship with a factory installed water and drain line to ensure proper installation and optimal performance.

Durable Outdoor Design

All Outdoor Series models are fully wrapped in stainless steel to protect from harsh outdoor elements and are UL rated and deemed suitable for outdoor use. Models are equipped with our robust professional door handle (diameter: 1 1/4") to match outdoor design and style.



Marine Series



BI95FC
14" Marine Crescent Ice Maker



Black Solid



SP18FC
15" Marine Crescent Ice Maker



Stainless Solid



Black Solid



White Solid



WH95FC
14" Marine Crescent Ice Maker



White Solid



SS98NF
15" Marine Crescent Ice Maker



Stainless Solid



SS1095
14" Marine Crescent Ice Maker




Stainless Solid
(Flush to Cabinet Flange)



Stainless Solid
(Flush to Door Flange)




Stainless Solid
(No Flange)



CO29
21" Marine Combo® Model



Black Solid



White Solid



36" Glass Door Refrigerator / Clear Ice Machine
 A 3018RGL Glass Door Refrigerator with a 3018CLR Clear Ice Machine is the perfect combination for entertaining friends and family.



36" Solid Door Refrigerator / Clear Ice Machine
 A 3018R Solid Door Refrigerator is a perfect companion to a 3018CLR Clear Ice Machine.



36" Wine Captain® Model / Solid Door Refrigerator
 The perfect centerpiece of any kitchen is a 3018WC Wine Captain® Model matched with a 3018R Solid Door Refrigerator.



36" Wine Captain® Model / Clear Ice Machine
 Combine a 3018WC Wine Captain® Model when it's time to uncork that perfect cabernet with a 3018CLR Clear Ice Machine for cocktail hour.



36" Glass Door Refrigerator / Solid Door Refrigerator
 Pair a 3018RGL Glass Door Refrigerator with a 3018R Solid Door Refrigerator for the best of both worlds.



Installed: 36" Custom Model (3018WCINT & 3018CLRINT with Ice Flange Kit)

36" Custom Models

Modular 3000 Series

Expand the possibilities with our Modular 3000 Series 36" Custom Models. The Custom Flange Kits allow for the creation of a personalized configuration of two Modular 3000 Series 18" units with a seamless installation. The Custom Ice Flange Kits allow you to combine a Modular 3000 Series 18" Clear Ice Machine with any other Modular 3000 Series 18" unit for a truly customized 36" application. This allows for a greater degree of personalized application. Our Modular 3000 Series 36" Custom Models provide the ultimate in personalized point-of-use refrigeration. View all 36" Custom Model configurations on the left.





Engineered for Efficiency

We are the leading energy efficiency innovator, setting the standard for the premium appliance industry. Where applicable, many of our products meet, and in many cases exceed, the current ENERGY STAR® standards. To receive an ENERGY STAR® rating, a refrigerator must operate 10% more efficiently than the Federal standard. ENERGY STAR® is a joint program of the U.S. Environmental Protection Agency and the U.S. Department of Energy helping us all save money to protect the environment through energy efficient products and practices.

Sustainability is a priority at U-Line. We continue to work on minimizing our carbon footprint by recycling and reusing plastics, shipping containers, mixed metals, cardboard, paper, hydraulic oil, batteries, bulbs, and refrigerants at our factory.



Product Matrix

	Modular 3000 Series	2000 Series	1000 Series	ADA Series	Outdoor Series	Marine Series
Wine Captain® Models	●	●	●			
Beverage Centers	●	●	●			
Clear Ice Machines	●		●		●	
Crescent Ice Makers			●	●	●	●
Glass Door Refrigerators	●	●		●		
Solid Door Refrigerators	●	●	●	●	●	
Drawer Models	●		●			
Freezers	●					
Combo® Models			●	●		●

Models at a Glance



	Wine Captain® Models							
	1024WC	1215WC	1224WC	2218WC	2224ZWC	3018WC	3024ZWC	3036WCWC
	1000 Series			2000 Series		3000 Series		
Capacity: Bottle (12 oz)	na	na	na	na	na	na	na	na
Capacity: Can (12 oz)	na	na	na	na	na	na	na	na
Capacity: Wine Bottle (750 ml)	48	24	48	31	43	31	43	62
Capacity: Volume (cu ft)	5.2	2.9	5.2	3.6	4.7	3.6	4.7	7.0
Control Type	Mechanical Dial	Digital Touch Pad	Digital Touch Pad	Digital Touch Pad	Digital Touch Pad	U-Select®	U-Select®	U-Select®
Dimensions: Product Depth	23 ¼" / 591 mm	23 ¼" / 591 mm	23 ¼" / 591 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm
Dimensions: Product Height	34 ½" / 867 mm	34 ½" / 867 mm	34 ½" / 867 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm
Dimensions: Product Width	24" / 610 mm	14 15/16" / 379 mm	24" / 610 mm	17 ¾" / 450 mm	23 5/8" / 600 mm	17 ¾" / 450 mm	23 5/8" / 600 mm	35 7/16" / 900 mm
Door Swing	Field Reversible	Field Reversible	Field Reversible	Right or Left	Right or Left	Right or Left	Right or Left	Double Doors
Energy Consumption: Avg. Per Year	250 kWh	250 kWh	250 kWh	250 kWh	250 kWh	250 kWh	250 kWh	250 kWh
ENERGY STAR	na	na	na	na	na	na	na	na
Finishes	S	S, INT, B	S, INT, B	S, INT	S, INT	S, INT	S, INT	S, INT
Ice Production Per Day	na	na	na	na	na	na	na	na
Ice Storage	na	na	na	na	na	na	na	na
Lock Model Available	No	No	Yes	No	Yes	Yes	Yes	Yes
Sabbath (Star K Certified)	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Temperature Range	40°F - 60°F	38°F - 65°F	38°F - 65°F	38°F - 65°F	34°F - 65°F	38°F - 65°F	34°F - 65°F	38°F - 65°F
UL Listing	Residential	Residential / Commercial	Residential / Commercial	Residential	Residential	Residential	Residential	Residential

Specifications subject to change without notice. Sizes are for reference only. For safety, installation, integration, operation, maintenance, and service details please visit u-line.com and view the User Guides listed under 'Documentation'.



Beverage Centers					Clear Ice Machines		Crescent Ice Makers			
1024BEV	1224BEV	2224BEV	3024BEV	3036BWWC	CLR1215	3018CLR	BI95	BI98	ADA15IM	BI1215
1000 Series		2000 Series	3000 Series		1000 Series	3000 Series	ADA Series			1000 Series
85	85	79	79	79	na	na	na	na	na	na
105	105	123	123	123	na	na	na	na	na	na
16	16	10	10	31	na	na	na	na	na	na
5.4	5.4	4.9	4.8	7.0	na	na	na	na	na	na
Mechanical Dial	Digital Touch Pad	Digital Touch Pad	U-Select®	U-Select®	Digital Touch Pad	U-Select®	On/Off Switch	On/Off Switch	On/Off Switch	On/Off Switch
23 ¼" / 591 mm	23 ¼" / 591 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	24" / 610 mm	24" / 610 mm	17" / 432 mm	20" / 508 mm	23" / 584 mm	23 ¼" / 591 mm
34 ⅛" / 867 mm	34 ⅛" / 867 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	34 ⅛" / 867 mm	33 11/16" / 856 mm	25 1/16" / 637 mm	27 3/8" / 695 mm	32" / 813 mm	34 ⅛" / 867 mm
24" / 610 mm	24" / 610 mm	23 5/8" / 600 mm	23 5/8" / 600 mm	35 7/16" / 900 mm	14 15/16" / 379 mm	17 ¾" / 450 mm	13 15/16" / 354 mm	14 15/16" / 379 mm	14 15/16" / 379 mm	14 15/16" / 379 mm
Field Reversible	Field Reversible	Right or Left	Right or Left	Double Doors	Field Reversible	Right or Left	Field Reversible	Field Reversible	Field Reversible	Field Reversible
305 kWh	305 kWh	300 kWh	300 kWh	321.5 kWh	na	na	na	na	na	na
No	No	No	No	No	na	na	na	na	na	na
S	S, INT	S, INT	S, INT	S, INT	S, INT, B, W	S, INT	B, W	B, W	S, B	S, INT, B, W
na	na	na	na	na	60 lbs	60 lbs	23 lbs	25 lbs	25 lbs	25 lbs
na	na	na	na	na	30 lbs	30 lbs	12 lbs	25 lbs	25 lbs	25 lbs
No	Yes	Yes	Yes	Yes	No	No	No	No	No	No
No	Yes	Yes	Yes	Yes	Yes	Yes	No	No	No	No
34°F - 45°F	34°F - 45°F	34°F - 45°F	34°F - 70°F	38°F - 65°F / 34°F - 70°F	na	na	na	na	na	na
Residential	Residential / Commercial	Residential	Residential	Residential	Yes	Yes	Yes	Yes	Yes	Yes

Models at a Glance



	Glass Door Refrigerators					Solid Door Refrigerators		
	2218RGL	2224RGL	3018RGL	3024RGL	3036RRGL	1215R	1224R	2218R
	2000 Series		3000 Series			1000 Series		2000 Series
Capacity: Bottle (12 oz)	79	114	79	114	158	57	123	79
Capacity: Can (12 oz)	123	172	123	172	246	92	185	123
Capacity: Wine Bottle (750 ml)	na	na	na	na	na	na	na	na
Capacity: Volume (cu ft)	3.6	4.9	3.6	4.9	6.9	2.9	5.2	3.4
Control Type	Digital Touch Pad	Digital Touch Pad	U-Select®	U-Select®	U-Select®	Digital Touch Pad	Digital Touch Pad	Digital Touch Pad
Dimensions: Product Depth	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 1/4" / 591 mm	23 1/4" / 591 mm	23 7/16" / 590 mm
Dimensions: Product Height	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	34 1/8" / 867 mm	34 1/8" / 867 mm	33 11/16" / 856 mm
Dimensions: Product Width	17 3/4" / 450 mm	23 5/8" / 600 mm	17 3/4" / 450 mm	23 5/8" / 600 mm	35 7/16" / 900 mm	14 15/16" / 379 mm	24" / 610 mm	17 3/4" / 450 mm
Door Swing	Right or Left	Right or Left	Right or Left	Right or Left	Double Doors	Field Reversible	Field Reversible	Right or Left
Energy Consumption: Avg. Per Year	290 kWh	300 kWh	290 kWh	300 kWh	320 kWh	225 kWh	240 kWh	230 kWh
ENERGY STAR	No	No	No	No	No	ENERGY STAR	ENERGY STAR	ENERGY STAR
Finishes	S, INT	S, INT	S, INT	S, INT	S, INT	S, INT, B	S, INT, B, W	S, INT
Ice Production Per Day	na	na	na	na	na	na	na	na
Ice Storage	na	na	na	na	na	na	na	na
Lock Model Available	No	Yes	Yes	Yes	Yes	No	No	No
Sabbath (Star K Certified)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Temperature Range	34°F - 45°F	34°F - 45°F	34°F - 70°F	34°F - 70°F	34°F - 70°F	34°F - 45°F	34°F - 45°F	34°F - 45°F
UL Listing	Residential	Residential	Residential	Residential	Residential	Residential / Commercial	Residential / Commercial	Residential

Specifications subject to change without notice. Sizes are for reference only. For safety, installation, integration, operation, maintenance, and service details please visit u-line.com and view the User Guides listed under 'Documentation'.



Solid Door Refrigerators				Drawer Models		Freezers	Combo® Models	
2224R	3018R	3024R	3036RR	1224DWR	3024DWR	3024FZR	CO1224F	1224RF
2000 Series	3000 Series			1000 Series	3000 Series	3000 Series	1000 Series	
114	68	100	136	98	90	na	61	61
172	104	141	208	150	142	na	114	114
na	na	na	na	na	na	na	na	na
4.9	3.4	4.9	6.9	5.4	4.5	4.5	4.2	Ref: 4.2 Fzr: 1.5
Digital Touch Pad	U-Select®	U-Select®	U-Select®	Digital Touch Pad	U-Select®	U-Select®	Digital Touch Pad	Digital Touch Pad
23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 7/16" / 590 mm	23 1/4" / 591 mm	23 7/16" / 590 mm	24" / 610 mm	23 1/4" / 591 mm	23 1/4" / 591 mm
33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	34 1/8" / 867 mm	33 11/16" / 856 mm	33 11/16" / 856 mm	34 1/8" / 867 mm	34 1/8" / 867 mm
23 5/8" / 600 mm	17 3/4" / 450 mm	23 5/8" / 600 mm	35 7/16" / 900 mm	24" / 610 mm	23 5/8" / 600 mm	23 5/8" / 600 mm	24" / 610 mm	24" / 610 mm
Right or Left	Right or Left	Right or Left	Double Doors	Drawers	Drawers	Right or Left	Field Reversible	Field Reversible
240 kWh	245 kWh	240 kWh	320 kWh	305 kWh	300 kWh	430 kWh	580 kWh	496 kWh
ENERGY STAR	ENERGY STAR	ENERGY STAR	No	No	No	No	No	No
S, INT	S, INT	S, INT	S, INT	S, INT	S, INT	S, INT	S, INT, B, W	S, INT, B, W
na	na	na	na	na	na	na	8 lbs	na
na	na	na	na	na	na	na	8 lbs	na
No	No	No	No	No	No	No	No	No
Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
34°F - 45°F	34°F - 70°F	34°F - 70°F	34°F - 70°F	34°F - 45°F	34°F - 70°F	-5°F - 5°F	34°F - 45°F	Ref: 34°F - 45°F Freezer: 0°F - 5°F
Residential	Residential	Residential	Residential	Residential / Commercial	Residential	Residential	Residential	Residential

Models at a Glance



	ADA Series							Outdoor Series	
	BI95	BI98	ADA15IM	29R	CO29F	ADA24R	ADA24RGL	BI1215SOD	CLR1215SOD
	ADA Series							Outdoor Series	
Capacity: Bottle (12 oz)	na	na	na	35	24	70	70	na	na
Capacity: Can (12 oz)	na	na	na	48	44	140	140	na	na
Capacity: Wine Bottle (750 ml)	na	na	na	na	na	na	na	na	na
Capacity: Volume (cu ft)	na	na	na	3.3	2.1	5.3	5.4	na	na
Control Type	On/Off Switch	On/Off Switch	On/Off Switch	Mechanical Dial	Mechanical Dial	Digital Touch Pad	Digital Touch Pad	On/Off Switch	Digital Touch Pad
Dimensions: Product Depth	17" / 432 mm	20" / 508 mm	23" / 584 mm	23" / 584 mm	23" / 584 mm	23 ¼" / 591 mm	23 ¼" / 591 mm	23 ¼" / 591 mm	24" / 610 mm
Dimensions: Product Height	25 ¼" / 637 mm	27 ¾" / 695 mm	32" / 813 mm	28 ½" / 724 mm	28 ½" / 724 mm	32" / 813 mm	32" / 813 mm	34 ⅛" / 867 mm	34 ⅛" / 867 mm
Dimensions: Product Width	13 ⅝" / 354 mm	14 ⅝" / 379 mm	14 ⅝" / 379 mm	20 ⅞" / 530 mm	20 ⅞" / 530 mm	24" / 610 mm	24" / 610 mm	14 ⅝" / 379 mm	14 ⅝" / 379 mm
Door Swing	Field Reversible	Field Reversible	Field Reversible	Field Reversible*	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible
Energy Consumption: Avg. Per Year	na	na	na	230 kWh	567 kWh	240 kWh	300 kWh	na	na
ENERGY STAR	na	na	na	ENERGY STAR	No	ENERGY STAR	No	na	na
Finishes	B, W	B, W	S, B	B, W	B, W	S, B	S, B	S	S
Ice Production Per Day	23 lbs	25 lbs	25 lbs	na	8 lbs	na	na	25 lbs	60 lbs
Ice Storage	12 lbs	25 lbs	25 lbs	na	8 lbs	na	na	25 lbs	30 lbs
Lock Model Available	No	No	No	Yes	No	Standard	Standard	No	No
Sabbath (Star K Certified)	No	No	No	No	No	Yes	Yes	No	Yes
Temperature Range	na	na	na	34°F - 45°F	34°F - 45°F	34°F - 45°F	34°F - 45°F	na	na
UL Listing	Yes	Yes	Yes	Residential / Commercial	Residential	Residential / Commercial	Residential / Commercial	Yes**	Yes**

Specifications subject to change without notice. Sizes are for reference only. For safety, installation, integration, operation, maintenance, and service details please visit u-line.com and view the User Guides listed under 'Documentation'.



Outdoor Series		Marine Series							
1215RSOD	1224RSOD	BI95FC	WH95FC	SS1095NF	SS1095FC	SS1095FD	SS98NF	SP18FC	CO29
Outdoor Series		Marine Series							
57	123	na	na	na	na	na	na	na	24
92	185	na	na	na	na	na	na	na	44
na	na	na	na	na	na	na	na	na	na
2.9	5.2	na	na	na	na	na	na	na	2.1
Digital Touch Pad	Digital Touch Pad	On/Off Switch	On/Off Switch	On/Off Switch	On/Off Switch	On/Off Switch	On/Off Switch	On/Off Switch	Mechanical Dial
23 1/4" / 591 mm	23 1/4" / 591 mm	17" / 432 mm	17" / 432 mm	17" / 432 mm	17" / 432 mm	17" / 432 mm	20" / 508 mm	24 1/2" / 622 mm	23" / 584 mm
34 1/8" / 867 mm	34 1/8" / 867 mm	25 1/16" / 637 mm	25 1/16" / 637 mm	25 1/16" / 637 mm	25 1/8" / 638 mm	26 1/16" / 662 mm	27 3/8" / 695 mm	18 7/8" / 479 mm	28 1/2" / 724 mm
14 15/16" / 379 mm	24" / 610 mm	14" / 356 mm	14" / 356 mm	14" / 356 mm	15 1/8" / 384 mm	15 15/16" / 405 mm	14 15/16" / 379 mm	15 1/8" / 384 mm	20 7/8" / 530 mm
Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible	Field Reversible
225 kWh	240 kWh	na	na	na	na	na	na	na	na
ENERGY STAR	ENERGY STAR	na	na	na	na	na	na	na	na
S	S	B	W	S	S	S	S	S, B, W	B, W
na	na	23 lbs	23 lbs	23 lbs	23 lbs	23 lbs	25 lbs	23 lbs	25 lbs
na	na	12 lbs	12 lbs	12 lbs	12 lbs	12 lbs	25 lbs	12 lbs	13 lbs
Standard	Standard	No	No	No	No	No	No	No	No
Yes	Yes	No	No	No	No	No	No	No	No
34°F - 45°F	34°F - 45°F	na	na	na	na	na	na	na	34°F - 45°F
Residential / Commercial**	Residential / Commercial**	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Residential

*Models with a lock option must be ordered hinge specific.

**Deemed suitable for outdoor use by UL.

UL Listing only applies to 115 v models.



U-LINE

CORPORATE HEADQUARTERS

CUSTOMER CARE

With over 125 combined years of U-Line product experience, our Customer Care group is equipped with the knowledge and skills to find a solution for you, and fast. Our sophisticated facility is equipped to handle any service request. With live products readily available for diagnostics, our Customer Care group can walk you through a solution while doing it themselves on the same model. Our efficient call center management system ensures minimal wait time for consumers. We believe product support should be quick, simple, and frustration-free.

CUSTOMER CARE & PARTS ASSISTANCE

Monday - Friday 8:00 am to 5:30 pm CST

T: +1.800.779.2547

F: +1.414.354.5696

Customer Care Email: onlineservice@u-line.com

Parts Email: onlineparts@u-line.com

SERIAL NUMBER FORMAT

15 14862 - 05 - 0527



U-LINE GENERAL INQUIRIES

Monday - Friday 8:00 am to 4:30 pm CST

8900 North 55th Street

Milwaukee, Wisconsin 53223 USA

T: +1.414.354.0300

F: +1.414.354.7905

Email: sales@u-line.com

u-line.com

WARRANTY INFORMATION

FULL ONE YEAR WARRANTY

(TWO YEARS ON MODULAR 3000 SERIES)

From the date of purchase, U-Line covers all parts and labor to repair or replace any product, sold and serviced within the United State and Canada, which proves to be defective in materials or workmanship.

FULL FIVE YEAR WARRANTY

From the date of purchase, U-Line covers all parts and labor to repair or replace any components that prove to be defective in the sealed system (consisting of the compressor, condenser, evaporator, bypass valve, dryer, and connecting tube) for all products sold and serviced within the United States and Canada. Visit u-line.com for complete warranty details.



U-LINE

RIGHT PRODUCT. RIGHT PLACE. RIGHT TEMPERATURE. SINCE 1962.

Wine Captain® Models • Beverage Centers • Clear Ice Machines • Crescent Ice Makers • Refrigerators • Freezers • Combo® Models

8900 North 55th Street • Milwaukee, Wisconsin 53223 USA • Phone +1.414.354.0300 • Fax +1.414.354.7905 • u-line.com