Full Size Built-In Refrigeration







Your custom refrigeration specialists for over 80 years

Our heritage began with Ranney ice box production in the 1890's, making us the oldest refrigeration company in North America. The MARVEL name was established in 1932, when the company began creating undercounter ice boxes, and our leadership has continued through the years with innovations like:

The first premium undercounter wine storage and beverage center
The first stainless steel interior and glass door built-in refrigerator for residential use
The 72-inch wide built-in refrigerator/freezer combination, the world's largest capacity home use system

Today, MARVEL brings you the widest selection of built-in refrigeration sizes and configurations, including all-refrigerators, all-freezers, refrigerator/freezers (both side-by-side and top mount models), wine cellars and beverage centers. Models are available in 6 inch increments from 18 to 72 inches.

Our full-size integrated solutions are never mass produced, made just for you with years of experience, craftsmanship, and the highest quality components. Let MARVEL give your kitchen the individual touch only a custom-designed refrigerator can bring.

CONTENTS

Side-by-Side Models	4
The Anatomy of a MARVEL Refrigerator	6
All Refrigerator and All Freezer Columns	9
Wine Storage Models	1
Top Freezer Models	12
Installation Specifications	14

SIDE-BY-SIDE MODELS

Each of MARVEL's side-by-side refrigerator/freezers displays our commitment to superior construction, choice and capacity. Interiors are solidly built in your choice of arctic white or gleaming stainless steel. All products are frost-free and have the exclusive MARVEL cooling system for optimum performance.

Door options include stainless steel and panel/overlay. The refrigerator door is also available in a glass door with stainless steel wrap or panel/overlay.

Only MARVEL offers you an extensive choice of widths. Available in 36", 42" 48" and our exclusive large capacity 60" and 72" models, these refrigerators are exceptional when it comes to food preservation and are unequalled in terms of capacity.

All models have an automatic ice maker, LED interior lighting, clear crispers, easily adjustable interior shelves and formed metal door bins. With all this superior construction, choice and capacity, our side-by-side may well be the last refrigerator you ever buy.







THE ANATOMY OF A MARVEL REFRIGERATOR



01 Exclusive Cooling System

We locate all the mechanical components in a separate module above the refrigerated cabinet, providing more usable storage space with superior performance and easy installation and service. Since no bottom or back venting is required, design possibilities are almost endless.

02 Durable Metal Interior

Like a commercial refrigerator, every MARVEL is made with either a hygienic stainless steel or arctic white aluminum interior – so well built, it may well be the last refrigerator you ever buy.

03 Crescent Cube Ice Maker

The automatic ice maker supplies reliable production and storage of ice cubes that always taste fresh.

04 FreshFlo™ Freezer Shelves

These perforated shelves (in stainless steel or arctic white) are a MARVEL exclusive. This unique design facilitates cold air flow throughout the cavity, resulting in more even temperatures. Fully adjustable, these shelves are standard with all stainless steel or arctic white interior freezer models.

05 Roller Base

The roller base enables easy mobility of the refrigerator cabinet, while front-adjustable leveling legs allow both the front and rear legs to be adjusted while the refrigerator is in place, making installation a snap.

06 Daylight Interior Lighting

All refrigerators and freezers feature MARVEL's superior LED interior lighting – a cleaner, more modern looking white light that reduces dark areas and shadows.

07 Formed Metal Door Bins

Fully adjustable door bins are solid stainless steel or arctic white (to match interior), making them the strongest and longest lasting on the market.

08 Metal Framed Glass Shelving

Adjustable, tempered glass shelves are framed to match the interior, in either gleaming stainless steel or arctic white, providing unsurpassed strength and beauty.

09 More Usable Depth

We create more space by placing refrigeration components on top of the unit instead of inside the walls. This results in up to 20% more storage area than comparable products. With more usable capacity, models easily accommodate deeper items like beverage refrigerator packs, deli trays, and serving platters that other brands simply can't hold.

10 Clear-View Storage Bins

Our clear vegetable and fruit bins allow you to see what's stored without opening the bin, a definite time-saver.







ALL-REFRIGERATOR & ALL FREEZER COLUMNS

These beautiful columns have the largest interior capacity on the market. Finished with either stainless steel or panel/overlay door, our all-refrigerator and all-freezer columns offer you interior choices of arctic white aluminum or gleaming stainless steel.

The all-refrigerator is also available with a glass door in two trim options: stainless or panel-ready. The all-freezer features an automatic ice maker.
All columns have adjustable shelving and storage bins, daylight interior lighting, perforated FreshFlo™ stainless steel shelving, and the exclusive MARVEL cooling system.

If you prefer a separate refrigerator or freezer, these handsome columns deliver superior storage.

- All refrigerator columns available in 24", 30" and 36" widths.
- All freezer columns available in 18", 24", 30" and 36" models.
- Top freezer models available in 24", 30", and 36" models.



All-Freezer, Single Zone Wine Cooler and All Refrigerator



WINE STORAGE MODELS

Your wine collection is a reflection of your good taste, so it is only fitting that such a prize investment be carefully and beautifully preserved. MARVEL offers a selection of undercounter and full-height wine storage refrigerators with up to a 98-bottle capacity.

Choose from single or dual-zone wine cellars. Both models feature our exclusive cooling system, which keeps each section at optimum temperature.

Each wine section has properly canted wine racks to keep corks moist and prevent sediments from resting at the bottom of bottles. Wine racks slide out for easy access. Like our refrigerator/freezers, our coolers are also available with stainless steel wrap or panel overlay and integrate beautifully with your MARVEL refrigerators, freezers, and your existing décor.







HUMIDRAWERTM

Cigar enthusiasts will enjoy the optional Humidrawer™ cigar storage compartment, a self-contained humidor that preserves up to 200 cigars in four adjustable, Spanish cedar lined compartments. The drawer is finished and sealed to prevent interior moisture from escaping and the exceptionally solid drawer closure seals the humidified cigar chamber.

TOP FREEZER MODELS

This popular model is available in 24", 30" or 36" widths. Choose from an arctic white interior or gleaming stainless steel with tempered glass refrigerator shelves.

With an automatic ice maker, formed metal door bins, clear crispers for easy viewing, and durable easy-to-clean freezer and refrigerator shelves, our top freezer provides you with the best storage for your individual lifestyle. All freezers feature our FreshFlo™ stainless steel or arctic white shelving. Perforated and fully adjustable, the FreshFlo™ system facilitates cold airflow for more even temperatures. Door choices include stainless steel or panel/overlay to complement any décor.

Each model features our separate cooling system for superior performance and easy installation and service. Unlike typical refrigeration design, MARVEL's exclusive cooling system provides an exceptional frost free environment, reducing freezer burn.

Our Top Freezer offers more usable storage space than other brands. So there's room to store turkeys, birthday cakes, pizzas, and other large items.







INSTALLATION SPECIFICATIONS

	Side-By-Side Models									
	Refrige Free	66" Side-by-Side 42" Side Refrigerator/ Refrigerat Freezer M45 M36SS				r/Freezer	60" Side-by-Side Refrigerator/Freezer M60CSS		72" Side-by-Side Refrigerator/Freezer M72CSS	
Interior Options †	S, \	N	S,	W	S, W		S, W		S, W	
Door Options *	P, S, G	P, GX	P, S, GP, GX		P, S, GP, GX		P, S, GP, GX		P, S, GP, GX	
Overall Width	36	ō"	42"		48"		60"		72"	
Overall Height From Bottom	84	1"	84"		84"		84"		84"	
Overall Depth From Rear	to back edge of side trim	24"	to back edge of side trim	24"	to back edge of side trim	24"	to back edge of side trim	24"	to back edge of side trim	24"
	to front edge of door	25 1/8"	to front edge of door	25 1/8"	to front edge of door	25 1/8"	to front edge of door	25 1/8"	to front edge of door	25 1/8"
	to front edge of the handle	27 1/8"	to front edge of the handle	27 1/8"	to front edge of the handle	27 1/8"	to front edge of the handle	27 1/8"	to front edge of the handle	27 1/8"
	to front of panel ready door	25 1/4	to front of panel ready door	25 1/4	to front of panel ready door	25 1/4	to front of panel ready door	25 1/4	to front of panel ready door	25 1/4
Cutout Width	35 1			1/2"	47 1/2"		59 1/2"		71 1/2"	
Cutout Height	84			4"	84"		84"		84"	
Cutout Depth	24		2	4"	24	"	2.	4"	24"	
Electrical Requirements	115V, 60Hz, Single Phase, 15 amp dedicated circuit, AC Receptacle		115V, 60Hz, Single Phase, 15amp dedicated circuit, AC Receptacle		115V, 60Hz, Single Phase, 15amp dedicated circuit, AC Receptacle		115V, 60Hz, Single Phase, 15amp dedicated circuit, AC Receptacle		115V, 60Hz, Single Phase, 15amp dedicated circuit, AC Receptacle	
Inlet Water Req. for icemaker	1/4" O.D. copper tubing inlet waterline; 20psi; maximum 120psi		1/4" O.D. copper tubing inlet waterline; 20psi; maximum 120psi		1/4" O.D. copper tubing inlet waterline; 20psi; maximum 120psi		1/4" O.D. copper tubing inlet waterline; 20psi; maximum 120psi		1/4" O.D. copper tubing inlet waterline; 20psi; maximum 120psi	
Overall Interior Dimensions	Refrigerator	65" H x 20 1/2"D x 15 1/2" W	Refrigerator	65" H x 20 1/2" D x 20" W	Refrigerator	65" H x 20 1/2" D x 26" W	Refrigerator	65" H x 20 1/2" D x 31" W	Refrigerator	65" H x 20 1/2" D x 31" W
	Freezer	65"H x 20 1/2" D x 14" W	Freezer	65"H x 20 1/2" D x 15 1/2" W	Freezer	65"H x 20 1/2" D x 15 1/2" W	Freezer	65"H x 20 1/2" D x 19 1/2" W	Freezer	65"H x 20 1/2" D x 31" W
	Total Capacity	23.0 cu. ft.	Total Capacity	27.7cu. ft.	Total Capacity	32.5 cu. ft.	Total Capacity	39.3 cu. ft.	Total Capacity	48.3 cu. ft.
Approximate Ship Weight	465 lbs. 475 lbs. 385 lbs. (panel ready) 430 lbs. (panel ready)			555 lbs. 475 lbs. (panel ready)		805 lbs. 735 lbs. (panel ready)		1110 lbs. 1030 lbs. (panel ready)		

		Wine Cellar Models						
		18" Single Zone 24" Single Zone M18SZ M24SZ		24" Dual Zone M24DZ				
Door Options *		GX	GP, GX	GP, GX				
Overall Width		18"	24"	24"				
Overall Height	From Bottom	84"	84"	84"				
Overall Depth	to back edge of side trim	24"	24"	24"				
From Rear	to front edge of door	24 1/2"	24 1/2"	24 1/2"				
	to front edge of handle	27 1/2"	27 1/2"	27 1/2"				
	to front of panel ready door	25 1/4"	25 1/4"	25 1/4"				
	to door edge open at 90 ° **	40"	46"	46"				
Cutout Width		17 1/2"	23 1/2"	23 1/2"				
Cutout Height		84"	84"	84"				
Cutout Depth		24"	24"	24"				
Electrical Requi	rements	115V, 60Hz, Single Phase, 15 amp dedicated circuit, AC Receptacle						
Interior	No. of Racks	14	14	13				
	No. of Bottles	56	98	91				
	Optional Humidrawer	N/A	84	77				
Approximate Ship Weight *		285 lbs. 310 lbs. (GX)	315 lbs. 366 lbs. (GX)	325 lbs. 366 lbs. (GX)				

Full Size Refrigerator, Freezer, and Wine Cellar Warranty

Limited 7 year warranty on sealed system.

One year limited warranty on entire product.

See your installation, operation, and maintenance instructions for full warranty details.

B = Black

		All-Refrigerator Models						
		24" All-Refrigerator M24AR	30" All Refrigerator M30AR	36" All-Refrigerator M36AR				
Interior Opti	ons [†]	S,W	S,W	S,W				
Door Option	s *	P, S, GP, GX	P, S, GP, GX	P, S, GP, GX				
Overall Widt	h	24"	30"	36"				
Overall Heig	ht From Bottom	84"	84"	84"				
Overall	to back edge of side trim	24"	24"	24"				
Depth From Rear	to front stainless door (solid)	25 1/8" 27 1/8 (with handle)	25 1/8" 27 1/8 (with handle)	25 1/8" 27 1/8 (with handle)				
	to front of panel ready door (solid)	25 1/4"	25 1/4"	25 1/4"				
	to front of all glass door	24 1/2" 25 1/4" (with handle)	24 1/2" 25 1/4" (with handle)	24 1/2" 25 1/4" (with handle)				
	to front of panel ready door (with glass)	24 1/2"	24 1/2"	24 1/2"				
	to front of stainless door (with glass)	25 1/2" 27 1/2" (with handle)	25 1/2" 27 1/2" (with handle)	25 1/2" 27 1/2" (with handle)				
	to door edge open at 90 ° **	46′	52"	58"				
Cutout Widtl	h	23 1/2"	29 1/2"	35 1/2"				
Cutout Heigh	nt	84"	84"	84"				
Cutout Deptl	h	24"	24"	24"				
Electrical Rec	quirements	115V, 60Hz, Single Phase, 15 amp dedicated circuit, AC Receptacle						
Overall	Width	19 1/2"	25 1/2"	31"				
Interior	Height	65"	65"	65"				
Dimensions	Depth	20 1/2"	20 1/2"	20 1/2"				
	Total Capacity	15.2 cu. ft.	19.9 cu. ft.	24.2 cu. ft.				
Approximate Ship Weight *		340 lbs. (S, GX) 330 lbs. (G, GP) 255 lbs. (P)	395 lbs. (S, GX) 370 lbs. (G, GP) 335 lbs. (P)	465 lbs. (S, GX) 330 lbs. (G, GP) 385 lbs. (P)				

		All-Freezer Models			Top Freezer Models			
		18" M18AF	24" M24AF	30" M30AF	36" M36AF	24" M24TF	30" M30TF	36" M36TF
Interior Option	ons [†]	S, W	S, W	S, W	S, W	S, W	S, W	S, W
Door Options	*	S, P	S, P	S, P	S, P	S, P	S, P	S, P
Overall Width	1	18"	24"	30"	36"	24"	30"	36"
Overall Heigh	t From Bottom	84"	84"	84"	84"	84"	84"	84"
Overall Depth From	to back edge of side trim	24"	24"	24"	24"	24"	24"	24"
Rear	to front edge of door	25 1/8"	25 1/8"	25 1/8"	25 1/8"	25 1/8"	25 1/8"	25 1/8"
	to front edge of handle	27 1/8"	27 1/8"	27 1/8"	27 1/8"	27 1/8"	27 1/8"	27 1/8"
	to front edge of panel ready door	25 1/4"	25 1/4"	25 1/4"	25 1/4"	25 1/4"	25 1/4"	25 1/4"
	to door edge open at 90 ° **	40"	46"	52"	58"	46"	52"	56"
Cutout Width	Cutout Width		23 1/2"	29 1/2"	35 1/2"	23 1/2"	29 1/2"	35 1/2"
Cutout Height		84"	84"	84"	84"	84"	84"	84"
Cutout Depth		24"	24"	24"	24"	24"	24"	24"
Electrical Requirements		115V, 60Hz,		L5amp dedicate ptacle	115V, 60Hz, Single Phase, 15amp dedicated circuit, AC Receptacle			
Inlet Water Requirements		1/4″ O.D		g inlet waterlin m 120psi	1/4" O.D. copper tubing inlet waterline; 25psi; maximum 120psi			
Overall Interior Dimensions	Width	13 1/2"	19 1/2"	25 1/2"	31"	19 1/2"	25 1/2"	31"
	Height	65" 65" 65" 65"				Freezer - 20 1/4", Refrigerator - 43 1/4"		
	Depth	20 1/2"	20 1/2"	20 1/2"	20 1/2"	20 1/2"	20 1/2"	20 1/2"
	Total Capacity	10.4 cu. ft.	15.1 cu. ft.	19.8 cu. ft.	24.1 cu. ft.	14.9 cu. ft.	19.4 cu. ft.	23.6 cu. ft.
Approximate Ship Weight*		275 lbs. 255 lbs (P)	340 lbs. 300 lbs. (P)	395 lbs. 335 lbs. (P)	465 lbs. 385 lbs. (P)	340 lbs. 300 lbs. (P)	395 lbs. 300 lbs. (P)	465 lbs. 385 lbs. (P)

AGA MARVEL

World. Class. Living.

AGA

Iconic ranges and cookers with unparalleled cooking precision, control, and styling

MARVEL

Premium food and wine preservation

La Cornue

The ultimate aspirational brand and world expert in domestic culinary art

Heartland and Waterford Stanley

Nostalgic beauty and craftsmanship combined with modern performance

MARVEL Scientific

The quality leader in medical, scientific, and industrial refrigeration













United States AGA MARVEL 1260 E Van Deinse Street Greenville, MI 48838 800-223-3900 Canada

AGA MARVEL - SOFA Galleries 6900 Airport Road, Suite 205Mississauga ON, L4V 1E8 855-213-2785

AGA MARVEL www.agamarvel.com

www.agamarver.com

© AGA MARVEL 2014, all rights reserved.

Printed 5/14 41013120 Rev. C

The information presented herein is based on the best data available at time of printing and is believed to be correct. However, nothing stated herein is to be taken as warranty, expressed or implied, regarding the accuracy of the information or the use of our product or products. Products might not appear exactly as shown in images. Specifications and product esthetics are subject to change without notice.