

Interior space has never been more flexible.

EF30	4 - 5
EF30G	4 - 5
EFL32H - Slimline Series	6 - 7
EFC32H - Slimline Series	6 - 7
EF39HD	8 - 9
EF39S	8 - 9
EFL48H - Slimline Series	10 - 11
EFL60H - Slimline Series	12 - 13
EFL72H - Slimline Series	12 - 13
EFL100 - Slimline Series	14 - 15
Outstanding Features	16
Detailed Specifications	17 - 19



EFL100 shown with modern glass ember bed



Why Napoleon[®]?

Environmentally friendly... Go Green with Napoleon[°] – no emissions, no pollution, 100% energy efficient. Napoleon[°] electric fireplaces are an environmentally friendly way to enjoy the ambiance of a fire by simply plugging it in to a standard 120V electric outlet and enjoying.

Making your life easier... Napoleon' electric fireplaces are designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon' electric fireplace, you can rest assured that you will enjoy a lifetime of instant ambiance.

An investment you can count on... Your new Napoleon' electric fireplace adds value to your home while at the same time giving you uncompromising comfort and a reliable heating source. Aside from kitchen and bathroom renovations, fireplaces add the highest return on your home investment.

Create your personal design statement... Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. Designer options are available to create the exact statement you have been looking for.

Authorized dealer support network... With over 3,000 reputable authorized dealers across North America, Napoleon works hard to provide professional, consistent training and technical education to support our dedicated team of professionals.

Outstanding reliable warranty... Each and every Napoleon' electric fireplace is designed and manufactured to strict quality testing standards and backed by our one year warranty, guaranteed to give you the solid performance you deserve. Napoleon' is registered under the world recognized ISO 9001-2008 quality systems.



EF30 & EF30G Recessed Clean Face Fireplace

A clean face, modern electric fireplace that looks great in both a mantel or drywall installation! The superior flame image and natural looking log set (EF30) or modern glass ember bed (EF30G) truly reflect the appearance of a real burning fire. Tinted reflective panels give the illusion of a deeper, larger firebox. The three stage heater and WHISPER QUIET⁻ fan can be thermostatically controlled, providing a warm and comfortable environment. Perfect for any room in your home!

EF30
5,000 BTU's
1,500 Watts
30"w x 32 1/4"h as shown

EF30G 5,000 BTU's 1,500 Watts 30"w x 32 ½"h as shown

For more detailed specifications, see page 17

Features & Accessories



Bevelled Mantel Painted Black Finish



Metro[®] Mantel Painted Black and Natural (clear) Finishes



Remote Control Adjusts flame height, heat and on/off (standard)



EF30G shown in a drywall installation





EF30 shown with Metro" mantel in painted black finish



Log Ember Bed





EFL32H & EFC32H



Clean Face Linear & Convex Fireplaces


Offering a clean face linear or convex design and the convenience of simply hanging, plugging in and enjoying. The EFL32H & EFC32H are perfect for those wanting a clean face fireplace that takes up minimal space on the wall. The EFL32H & EFC32H can be recessed into a 2" x 4" wall for reduced protrusion into the room or surface mounted on the wall with a built-in bracket. A beautiful way to add ambiance and comfort to any room in the home.

EFL32H
5,000 BTU's
1,500 Watts
32 ¼"w x 23 ¼"h as shown

EFC32H 5,000 BTU's 1,500 Watts 32 ¼"w x 23 ¼"h as shown

For more detailed specifications, see page 17 & 18

Features & Accessories



Glass Media Enhancement Kits Blue, Amber, Black and Red



Remote Control Adjusts flame height, heat and on/off (standard)



Paintable Cord Cover










EF39HD & EF39S Mounted or Recessed Electric Fireplace

A display of modern artwork and an elegant fireplace all in one. The EF39 electric fireplace simply hangs on your wall like any artwork and plugs into a standard 120V electrical outlet. Instantaneously, your room is easily transformed into a relaxing and intriguing retreat. Perfect for any room in a house, apartment, condo, office or spa. The EF39 is available without a heater (EF39S) for either wall mount or recessed installation – ideal for beneath sensitive electronic equipment. The EF39 offers you the most versatility, limited only by your imagination.

EF39HD 5,000 BTU's 1,500 Watts 39 ¼"w x 28 ¼16"h as shown EF39S No Heater 39 ¼"w x 28 ¼16"h as shown

For more detailed specifications on these units, see page 18

Features & Accessories



Glass Media Enhancement Kits Blue, Amber, Black and Red



Remote Control Adjusts flame height, heat and on/off (standard)



8







EFL48H Linear Wall Mount Fireplace




Napoleon's EFL48H electric slimline fireplace offers a linear contemporary design and the convenience of simply hanging, plugging in and enjoying. The EFL48H features a contemporary glass ember bed, an electronic touch screen control panel with LED technology, which offers a cool to the touch surface. The EFL48H can be recessed into a $2" \times 4"$ wall for reduced protrusion into the room or surface mounted with the built-in bracket. With unmatched flame technology and a realistic flame pattern, the EFL48H is perfect for any room in your home.

EFL48H

5,000 BTU's 1,500 Watts 48"w x 23 ¼"h as shown

For more detailed specifications, see page 18

Features & Accessories




Glass Media Enhancement Kits Blue, Amber, Black and Red



Remote Control Adjusts flame height, heat and on/off (standard)



Paintable Cord Cover











EFL60H & EFL72H A New Source of Warmth




60" & 72" electric fireplaces you can simply hang, plug in and enjoy. The generous glass front with wide black glass frame creates a stunning contrast around the realistic flame pattern generated using LED technology. A contemporary glass ember bed complements the minimalist design. The EFL60H & EFL72H can be recessed into a 2" x 4" wall for reduced protrusion into the room or wall mounted with the built-in bracket and features an electronic touch screen control panel providing convenient access on the front of the units.

EFL60H
5,000 BTU's
1,500 Watts
60"w x 23 1/4"h as shown

EFL72H 5,000 BTU's 1,500 Watts 72"w x 23 ¹/4"h as shown

For more detailed specifications, see page 19

Features & Accessories



Glass Media Enhancement Kits Blue, Amber, Black and Red



Remote Control Adjusts flame height, heat and on/off (standard)



Paintable Cord Cover



EFL60H shown with modern glass ember bed





EFL72H shown with modern glass ember bed





EFL100 100" Wide Design




Napoleon's EFL100 electric slimline fireplace is 100" wide and offers an outstanding linear design element to any room in your home or office. The EFL100 features a realistic flame pattern accented by a contemporary glass ember bed and operates from a remote control or can be hard wired to a light switch. The EFL100 does not produce heat and can be recessed into a 2" x 4" wall with only 1/2" protrusion or surface mounted on the wall with a built-in bracket, perfect for commercial applications.

EFL100 No Heater 100"w x 23 ¼"h as shown

For more detailed specifications, see page 19

Features & Accessories



Glass Media Enhancement Kits Blue, Amber, Black and Red



Remote Control On/off (standard)



Paintable Cord Cover











Outstanding Features

of Napoleon's Advanced Technology



Reliable LED Technology

Napoleon's electric slimline series offer reliable LED technology for added convenience. LED lights are extremely efficient and long-lasting saving you the hassle of having to change out light bulbs.

Hidden Touch Screen Controls

Touch screen controls allow you to adjust the fan, heat level, flame height and brightness. At the touch of your finger you can set the thermostat to a desired temperature, plus use the timer to control hours of operation (excluding EFL100).

A Space-Saving Convenience

Offering a wide variety of lengths ranging from 32" to 100", Napoleon[°] has an electric fireplace for any room in your home or office.


Heat from top


Napoleon's Electric Slimline fireplaces have been designed to heat from the top, allowing you the option of a recessed or wall mounted installation, without intruding on the look of the linear glass front (excluding EFL100).

Reduced Protrusion

All Napoleon° electric fireplaces can be recessed into a $2^{"} \times 4^{"}$ wall for reduced protrusion into the room. All units can also be surface mounted.







10 1/4"

10 ¹/₄"


30 ³/8"


30 ³/8"

Model	BTU's	Watts	He	ight	Front	Width	De	pth	Installation	Mobile Home Certified	Blower	Remote Control	Emb	er Bed	Mantel	Height	Front Width	Depth
			Actual	Framing	Actual	Framing	Actual	Framing		connou		connor	Logs	CRYSTALINE	EFMD (Bevelled)	50 7/8"	49 5/8"	18"
EF30	5,000	1,500	32 1/4"	31 1/2"	30"	29"	11"	11 3/4"	Drywall/Mantel	Yes	Standard	Standard	Standard	N/A	EFMM (Metro")	44 1/4"	47"	13"

Certified under Canadian and American National Standards.

EF30G Shown on pages 4 & 5







Model	BTU's	Watts	He	ight	Front	Width	De	pth	Installation	Mobile Home Certified	Blower	Remote Control	Embo	er Bed	Mantel	Height	Front Width	Depth
			Actual	Framing	Actual	Framing	Actual	Framing		connica		connor	Logs	CRYSTALINE	EFMD (Bevelled)	50 7/8"	49 5/8"	18"
EF30G	5,000	1,500	32 1/4"	31 1/2"	30"	29"	11"	11 3/4"	Drywall/Mantel	Yes	Standard	Standard	N/A	Standard	EFMM (Metro [*])	44 1/4"	47"	13"

Certified under Canadian and American National Standards.

EFL32H - Slimline Series

Shown on pages 6 & 7





Model	BTU's	Watts	He	ight	Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Embe	Ember Bed		
			Actual	Framing	Actual	Framing	Actual	Framing		connica		connor	Logs	Glass		
EFL32H	5,000	1,500	23 1/4"	20 3/4"	32 1/4"	27"	3 3/4"*	3"	Wall Mount/Recessed	Yes	Standard	Standard	N/A	Standard		


Certified under Canadian and American National Standards.

*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.

EFC32H - Slimline Series

Shown on pages 6 & 7





Model	BTU's	Watts	Hei	ight	Front Width		De	pth	Installation	Mobile Home Certified	Blower	Remote Control	Embe	r Bed
			Actual	Framing	Actual	Framing	Actual Framing			connicu		connor	Logs	Glass
EFC32H	5,000	1,500	23 1/4"	20 3/4"	32 1/4"	27"	4 7/8"*	3"	Wall Mount/Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

EF39HD & EF39S

Shown on pages 8 & 9






Model	BTU's	Watts	Hei	ight	Front	Width	De	pth	Installation	Mobile Home Certified	Blower	Remote Control	Embe	r Bed
			Actual	Framing	Actual	Framing	Actual	Framing		connica		connor	Logs	Glass
EF39HD	5,000	1,500	28 1/16"	N/A	39 3/16"	N/A	7 1/4"	N/A	Wall Hanging	Yes	Standard	Standard	N/A	Standard
EF39S	N/A	N/A	28 1/16"	26"	39 3/16"	32"	7 1/4"	6 1/2"	Drywall/Hanging	Yes	N/A	Standard	N/A	Standard

Certified under Canadian and American National Standards.

EFL48H - Slimline Series

Shown on pages 10 & 11




Model	BTU's	Watts	Hei	ight	Front	Width	Depth		Installation	Mobile Home Certified	Blower	Remote Control	Embe	r Bed
			Actual	Framing	Actual	Actual Framing		Framing		connicu		connor	Logs	Glass
EFL48H	5,000	1,500	23 1/4"	20 3/4"	48"	42 3/4"	3 3/4"*	3"	Wall Mount/Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.

*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.





Model	BTU's	Watts	He	ight	Front	Width	De	Depth		Mobile Home Certified	Blower	Remote Control	Embe	r Bed	
			Actual	Framing	Actual	Framing	Actual	Framing		connicu		connor	Logs	Glass	
EFL60H	5,000	1,500	23 1/4"	20 3/4"	60"	55"	3 3/4"*	3"	Wall Mount/Recessed	Yes	Standard	Standard	N/A	Standard	

Certified under Canadian and American National Standards.

EFL72H - Slimline Series


Shown on pages 12 & 13





M	odel	BTU's	Watts	He	ight	Front	Width	Depth		Installation	Mobile Home Certified	Blower	Remote Control	Embe	r Bed
				Actual	Framing	Actual	Framing	Actual	Framing		connicu		connor	Logs	Glass
EFL	L72H	5,000	1,500	23 1/4"	20 3/4"	72"	66 3/4"	3 3/4"*	3"	Wall Mount/Recessed	Yes	Standard	Standard	N/A	Standard

Certified under Canadian and American National Standards.



Model	BTU's	Watts	Height		Front Width		Depth		Installation	Mobile Home Certified	Blower	Remote Control	Ember Bed	
			Actual	Framing	Actual	Framing	Actual	Framing		connicu		Connor	Logs	Glass
EFL100	N/A	N/A	23 1/4"	21"	100"	95"	3 3/4"*	4 1/4"	Wall Mount/Recessed	Yes	N/A	Standard	N/A	Standard

Certified under Canadian and American National Standards.

*Excludes glass thickness

Figures may vary with individual conditions such as floor plan layout, insulation value/heat loss of the house and geographical location. Measurements to be used as a guide only. Consult your owner's manual for complete and up-to-date installation instructions and proper clearances to combustible materials.



Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Mantels • Wood Stoves Hybrid Furnaces • Pellet Insert • Heating & Cooling • Gourmet Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tell: 705-721-1212 Fax: 705-722-6031 napoleonfireplaces.com



Consult your owner's manual for complete installation instructions, accurate framing dimensions and proper clearances to combustible material. Check all local and national building codes. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Napoleon' is a registered trademark of Wolf Steel Ltd. © Wolf Steel inc.

Authorized Dealer