





Wolf Design Guide




WOLF MICROWAVE OVENS

Microwave Ovens

24" DRAWER MICROWAVE



30" DRAWER MICROWAVE



| MICROWAVE OVENS     |  |               |               |               |
|---------------------|--|---------------|---------------|---------------|
| INTERIOR CAPACITY   |  | CU FT (L)     |               |               |
| Drawer              |  | 1.0 (28)      |               |               |
| Convection          |  | 1.5 (42)      |               |               |
| Standard            |  | 2.0 (57)      |               |               |
| INTERIOR DIMENSIONS |  | W             | H             | D             |
| Convection          |  | 17 3/8" (441) | 5 7/8" (149)  | 17 1/8" (435) |
| Convection          |  | 16 1/8" (410) | 9 5/8" (244)  | 16 1/8" (410) |
| Standard            |  | 17 3/8" (441) | 10 1/2" (267) | 18 5/8" (473) |

WOLF MICROWAVE OVENS

Planning Information

Wolf drawer microwaves can be installed in a standard or flush inset application. Refer to the illustrations on the following pages for minimum cabinet dimensions for your specific installation. The cabinet must be able to support 125 lbs (57 kg).

Wolf convection and standard microwaves can be used freestanding or built-in with optional trim kit, available through your authorized Wolf dealer. For local dealer information, visit the find a showroom section of our website, [wolfappliance.com](http://wolfappliance.com).

In a freestanding application, allow 2" (51) of airflow space on the top, rear and both sides. Built-in opening dimensions accommodate air flow space.

In a built-in application, convection, standard and drawer microwaves will overlap stiles and rails. Refer to the chart below for trim overlaps.


| MICROWAVE TRIM OVERLAP |              |              |
|------------------------|--------------|--------------|
| DRAWER MICROWAVE       | 24" MODEL    | 30" MODEL    |
| Top                    | 3⁄8" (10)    | 3⁄8" (10)    |
| Bottom                 | 1⁄8" (3)     | 1⁄8" (3)     |
| Sides                  | 7⁄8" (22)    | 3⁄4" (19)    |
| 27" E SERIES TRIM      | CONVECTION   | STANDARD     |
| Top                    | 1⁄4" (6)     | 9⁄16" (14)   |
| Bottom                 | 3⁄4" (19)    | 11⁄16" (17)  |
| Sides                  | 13⁄16" (21)  | 13⁄16" (21)  |
| 30" L / E SERIES TRIM  | CONVECTION   | STANDARD     |
| Top                    | 1⁄4" (6)     | 9⁄16" (14)   |
| Bottom                 | 3⁄4" (19)    | 11⁄16" (17)  |
| Sides                  | 1 3⁄16" (30) | 1 3⁄16" (30) |
| 36" L SERIES TRIM      | CONVECTION   | STANDARD     |
| Top                    | 3⁄16" (5)    | NA           |
| Bottom                 | 13⁄16" (21)  | NA           |
| Sides                  | 1 1⁄4" (32)  | NA           |

ELECTRICAL

| ELECTRICAL REQUIREMENTS |                                  |
|-------------------------|----------------------------------|
| MICROWAVE OVENS         |                                  |
| Electrical Supply       | grounded, 120 V AC, 60 Hz        |
| Service                 | 15 amp dedicated circuit         |
| Receptacle              | 3-prong grounding-type           |
| Power Cord              | 3' (.9 m), 4' (1.2 m) for drawer |

Drawer Microwave

STANDARD INSTALLATION




\*Dimension must accommodate height of anti-tip block and drawer face overlap.  
NOTE: Dashed line represents profile of unit.

| STANDARD INSTALLATION |               |
|-----------------------|---------------|
| WIDTH                 | OPENING WIDTH |
| 24" Drawer Microwave  | 22 1/8" (562) |
| 30" Drawer Microwave  | 28 1/2" (724) |

WOLF MICROWAVE OVENS


Drawer Microwave

FLUSH INSET INSTALLATION



\*Dimension must accommodate height of anti-tip block and drawer face overlap.  
NOTE: Dashed line represents profile of unit.

| FLUSH INSET INSTALLATION |               |               |
|--------------------------|---------------|---------------|
| WIDTH                    | OPENING WIDTH | FLUSH INSET   |
| 24" Drawer Microwave     | 22 1/8" (562) | 24 3/8" (619) |
| 30" Drawer Microwave     | 28 1/2" (724) | 30 3/8" (772) |



WOLF APPLIANCE, INC. P.O. BOX 44848 MADISON, WI 53744 WOLFAPPLIANCE.COM 800.222.7820

WDG

2/2013