

ASKO Logic Dishwasher



## D5634XXLHS

Type: Built-in  
Colors: TouchProof™ stainless steel

### PERFORMANCE

Capacity: 14 place settings  
Noise level 48 dB(A)  
7Spray™ system  
PowerZone™ Pots & Pans, PowerZone™ Cutlery

### PROGRAMS

Heavy	Super Quick	Daily
Quick	Rinse and Dry	Delicate
Eco	Rinse & Hold	Normal

Super Quick program in 15 minutes!

### FEATURES

7 Temperatures, Turbo drying™,  
Delayed start 1-24 h, Hidden control, LCD  
display, Front LED display, Towel bar handle,  
Uses as little as 2.6 gals of water in Quick wash,  
Energy Star rated, 2 Plus 1 warranty

### FLEXIRACKS™

Premium upper rack accommodates:  
- 9" items  
- Fold-down stemware shelves  
Exclusive lower rack accommodates:  
- 13 3/4" dishes  
- Fold-down tines for storage flexibility  
- Wide tine design for large bowls and platters  
- Upper & lower rack handles  
Cutlery basket



MADE IN  
SWEDEN



Asko Appliances, Inc

PO BOX 940609 • Plano • Texas • 75094

Phone 800.898.1879

[www.askousa.com](http://www.askousa.com)

# XXL TALL TANK MODELS

## Planning & Design: XXL Dishwashers


D5434XXL, D5624XXL, D5634XXLHS, D5654XXLHS, D5894XXLHS

### Unit Dimensions

	US	METRIC
HEIGHT:*	34 <sup>3</sup> / <sub>8</sub> " – 36 <sup>1</sup> / <sub>2</sub> "	873 – 927 mm
WIDTH:	24"	610 mm
DEPTH:	22 <sup>7</sup> / <sub>8</sub> "	581 mm
DEPTH W/ HANDLE (HS):	24 <sup>7</sup> / <sub>8</sub> "	632 mm
DEPTH W/DOOR OPEN:	49 <sup>1</sup> / <sub>2</sub> "	1257 mm
WEIGHT:	106 lbs	48 kg

### Technical Data

Electricity	120 V, 60 Hz, 15 Amp
Water pressure	18 – 176 psi
Heating element	1200 watt
Max loading	1300 watt




### Cutout Dimensions

	US	METRIC
HEIGHT:*	34 <sup>3</sup> / <sub>8</sub> " – 36 <sup>1</sup> / <sub>2</sub> "	873 – 927 mm
WIDTH:	24"	610 mm
DEPTH:	24"	610 mm

The electrical and water supplies should enter through the area indicated by the shaded area. Preferably, they should come through the right side of the machine. The access hole must be round and smooth and no bigger than 2" (51 mm) in diameter.

\* Total height can be reduced by <sup>1</sup>/<sub>2</sub>" by removing upper trim.



# ASKO Stainless Steel Dishwashers

## NEW! Dishwasher D5634XXLHS

Image not available!

#### COLORS:

- TouchProof Stainless Steel™ Handle:
- Towel Bar CAPACITY:

#### - 14 place settings PROGRAMS:

- Daily Wash
- Heavy Wash
- Normal Wash
- Delicate Wash
- Quick Wash
- Super Quick Wash
- Eco
- Rinse & Hold
- Rinse & Dry Features:
- 7 Temperatures
- Turbo Drying™
- Delayed Start (1 - 24 hours)

#### FLEXIRACKS™:

- Premium Upper Rack
- 9" Clearance
- Exclusive Lower Rack
- 13 3/4" Clearance
- Wide Tine Design Accommodates Large Items
- High-side Design Protects Dishware
- Adjustable Tines - Lower Rack
- 2 Adjustable Stemware Shelves
- Cutlery Basket

#### - Knife Guard CLEANING SYSTEM:

- PowerZone™ Pots-and-Pans
- PowerZone™ Cutlery
- 7Spray™ Wash System
- Self-Cleaning Triple Filtration System (SCS)

#### - AquaLevel™ Sensor

#### DRYING SYSTEM:

- Turbo Drying™ SIMPLICITY /

#### COMFORT:

- EasyInstall™ Package
  - Hidden Control Panel w/LCD Display
  - Front LED Display
  - Quiet Operation - 48 dB(A)
  - End-of-Program Signal SAFETY:
  - AquaSafe™ water safety system
  - AquaDetect™ Sensor
  - SteamSafe™
  - KidSafe™ QUALITY:
  - 18:9 Stainless Steel Tank, Filter & Spray Arms
  - Anti-Jam, Auto-Reversing Pump
  - Galvanized Steel Base Pan
  - Balanced Door
  - Check Valve
  - PEX Water Line (rated 90 year life span)
- #### WARRANTY:

- Industry Leading - 2 Plus 1 Year - Parts & Labor Protection

ASKO Appliances, Inc. - PO BOX 940609 - Plano, TX 75094-0609

Phone: 800-898-1879 - Fax: 972-941-1999

E-mail: [info@askousa.com](mailto:info@askousa.com) - [www.askousa.com](http://www.askousa.com)

## Technical specifications - NEW! Dishwasher D5634XXLHS

### PROGRAMMING OPTIONS:

Number of programs	9
Delayed Start (hours)	24
End-of-Program signal	Yes

### COMFORT:

Adjustable feet	Yes
-----------------	-----

### CONSUMPTION:

Total annual energy consumption (kWh)	231
Average water usage (gal)	2.4 (Quick Wash)
Frequency (Hz)	60
Voltage (V)	120
Current (A)	15

### DIMENSIONS / WEIGHT:

Variable machine height (min & max) (inches)	34 3/8 - 36 1/2
Width (inches)	24
Depth (inches)	22 7/8
Depth with door open (inches)	49 1/2

### OTHER FEATURES:

Largest loadable dish in lower basket (inches)	13 3/4
Noise level dB(A)	48
Stainless Steel hidden heating element	Yes
Tank material	18:9 Stainless steel