



Color Variants

VI411611

Width 15 "

Optional accessories

VD400000

Stainless steel cover

VZ400700

Vario timer connecting strip 400 series

WP400001

Wok pan made of multiple-layer material

WZ400001

Wok ring attachment for wok pan

VI411611

Vario induction wok 400 series

Width 15 "

- 11" cooking zone with 3,600 W
- Wok ring attachment optional. For the original round-bottomed wok.

Cooking zones

One \varnothing 7 1/16" induction cooking zone (1,800 W with booster 2,500 W), which automatically expands to \varnothing 11" (3,600 W without booster option).

Features

Control knob with ring and output marking.

Cooking zone marking.

Electronic control in 12 output levels.

Booster function for the \varnothing 7 1/16" cooking zone.

Pan detection (it also automatically switches on the outer cooking zone).

Residual heat indication.

Safety lock.

Immersion depth 2 3/4 ".

Planning notes

Operates with magnetic (induction) iron pots and pans only. For an optimal heat distribution, the use of sandwich bottom cookware is recommended. Front panel thickness 5/8" - 1".

The details below must be observed if the panel is more than 1" thick (there must be a recess at the rear for proper control module installation).

Appliance clicks into place when inserted into the countertop from above.

Clamping range: 1 13/16" - 2".

Rating

Total rating: 1.8 kW

Connecting cable without plug. Hard wire required.

Product Features

Product name / series name

Vario/Domino cooking zone cera

Construction type

CONSTR_TYPE.Built-in

Energy source

Electric

Total number of cooktop burners

1

Type of control

Required cutout size (HxWxD) (mm)

70 x 360 x 490-500

Width of the product (mm)

380

Overall appliance dimensions (HxWxD) (mm)

77.8 x 380 x 510

Net weight (kg)

10.000

Gross weight (kg)

12.000

Residual heat indicator

Location of control panel

Basic surface material

Color of surface

Black, Stainless steel

Color of frame

Stainless steel

Approval certificates

ETL

Power cord length (cm)

96.0

Consumption and connection features

Watts (W)

3600

Gas connection rating (W)

Current (A)

16

Volts (V)

208-240

Frequency (Hz)

50; 60

2013-04-22

Page 1