



PRODUCT GUIDE

 **elica**
aria nuova



AIR IS PRECIOUS.
THIS EVERYDAY AWARENESS, HAS DRIVEN ELICA'S DESIGN
SENSE, SUPPORTED BY THE MOST ADVANCED TECHNOLOGY
IN THE FIELD. ALL ELICA SERIES ARE ABLE TO MEET THE
NEEDS RELATED TO THE DIFFERENT WAYS OF LIVING AND
COOKING ALL AROUND THE WORLD.

WHY ELICA

The history of our brand began back in 1970 in Fabriano, Italy, where **our passion for design and quality** was born. An unmistakable style along with the meticulous studies of the air and its qualities, are our distinctive traits.

From the very beginning we have been inspired by the principles of Italian Design, combining the most innovative technologies in the creation of our range-hoods.

Over the years we have revolutionized the image of the hoods and the Elica brand can be found in homes all over the world. Our evolution has taken us into the world of cooking, providing unprecedented industry first solutions before anyone else that **never cease to amaze**. Our long history of cutting edge design and technology, has led to numerous patents, which have helped drive the future of appliances. At our global design center and the Elica Propulsion Laboratory, experts study air, moisture and heat, where they are researching and developing the products of tomorrow.

We are the market leader, by producing 20.7 million pieces ranging from hoods to motors every year. Elica is represented worldwide in five continents with manufacturing plants and commercial offices in Italy, Poland, Mexico, India, China and Russia.

These are some of the Awards where our products have been recognized:



INDEX

COOKTOPS WITH ASPIRATION SYSTEM



NIKOLATESLA SWITCH
Page 7

RISERVA SERIES



EBS52SS1
Page 9



EBS51SS1
Page 10



EWS52SS1
Page 11



EBF52SS1
Page 12

ISLAND HOODS



EASY
Page 14



SEASHELL
Page 14




HAIKU IS & HAIKU IS COLOR
Page 16



HAIKU IS
Page 17



CINGOLI
Page 23



SALICE
Page 24



MAGGIORE
Page 25



STONE IS
Page 28



LEONE IS
Page 33



VAVANO IS
Page 34

INDEX

WALL-MOUNT HOODS



HAIKU & HAIKU COLOR
Page 15



HAIKU
Page 17



CATANIA 36 - 48
Page 20



ORISTANO 36 - 48
Page 21



COMO
Page 23



LUGANO
Page 24



MEZZANO
Page 25



VARNA BLACK
Page 26



VARNA
Page 26



FOGLIA
Page 27



PILATO
Page 27



STONEY
Page 28



LEONE
Page 33



VAVANO
Page 34



CALABRIA
Page 35



TOBLINO 24
Page 41



TOBLINO 30 -36
Page 41



POTENZA
Page 42



VOLTERRA 24
Page 45



VOLTERRA 30 - 36
Page 45

UNDERCABINET HOODS



ARIA
Page 29



MODENA
Page 29



BELLAGIO
Page 31



CERVINIA
Page 35



ALLASIO
Page 40



NEMI
Page 40



Fusaro
Page 42



TT
Page 44



SORA
Page 46



GUBBIO
Page 46

INDEX

OUTDOOR HOOD



CAPRI
Page 38

INSERT HOODS



PALERMO
Page 30



AREZZO
Page 36



TRENTO
Page 36



ASTI 22 - 28
Page 43



ASTI 30
Page 44

CEILING MOUNT HOODS



ILLUSION
Page 18



HIGHLIGHT
Page 18

DOWNDRAFT HOODS




RISE
Page 30

*The product images shown are for illustration purposes only
and may not be an exact representation of the product.



AIR COOKING

NIKOLATESLA is the first Elica exclusive Aspiration Cooktop, which combines functionality of two technologies: Induction + Ventilation System into one single appliance. No other cooking technology is faster than the induction elements, Nikolatesla Series makes a reality to boil 1L of water in less than 60 seconds. Elica's Air Cooking line offers all the benefits of the induction wonders: Safety, cleanliness, energy saving, PLUS the aspiration system of a powerful hood. Save time and space, uncover this elegant hi-tech design.



NIKOLATESLA SWITCH

INDUCTION COOKTOP


Model Numbers	ENS436BL
Wattage	440 W
Frequency	60 Hz
Voltage	208-240 V
Cooking Zones	4 zones of 7.1" x 7.9"
Bridge Zones	2
Heating Level	9 levels + booster

ASPIRATION SYSTEM

Controls	Slider touch control 3 speed + booster ventilation
Blower performance	400 CFM (4 speed)
Noise (Sones)	5.9 sones
Duct Transition	3 1/4" x 10" Round
Filters	6 layer dishwasher-safe anodized aluminum mesh
Recirculating Kit	3 - Ceramic Carbon Filters

AIR COOKING

Size	36 1/16" W x 20 1/4" D x 8 1/4" H
Type Finish	Black glass
Installation Type	Ducted or recirculating self rimming or flush mounted



reddot design award winner





RISERVA SERIES

Fresh drinks as an alluring lifestyle.

Life is best when you improvise, but when it comes to your favorite beverages and wines it is better to be prepared and have them always handy!

Meet Elica's New Series of Undercabinet Beverage Centers and Wine Cellars, exquisitely designed to preserve them fresh to accompany the best moments of your life.



EBS52SS1

Beverage & Wine Center

SINGLE DOOR DUAL ZONE

Width	24"
Dimension	23 13/32" W x 33 13/16" H x 23 5/8" D
Weight	128 lbs
Installation Type	Built-in and free standing
Volume	4.8 cu ft (135L)
Sound Level	39 dBA
Door Finish	304 stainless steel + tempered glass
Hinge Design	Concealed
Lighting	3 level white LED
Controls	Capacitive touch display with white numbers

COOLING ZONE 1 - BEVERAGES

Total Capacity	72 cans (12 oz cans)
Temperature Range	34 to 50 °F
Shelving	2 adjustable slide-out Tempered glass shelves

COOLING ZONE 2 - WINES

Total Capacity	14 bottles of wine (25 oz)
Temperature Range	40 to 64 °F
Shelving	1 full extension rack of beechwood with metal front trim

RISERVA

Door Handle	Tubular
Door glass	Tinted dual pane, Low-e-Argon-Filled
Reversible door	Yes

ELECTRICAL

Min. circuit required	15 A
AC Power	110-120V / 60 HZ
Amperage	0.95 A
Plug Type	B
PRO Handle kit	KIT0175505



OTHERS	Anti damping system Sabbath mode Beverage shelving made of tempered glass Premium beechwood wine racks Double panel glass door, UV coated 1 carbon filter
--------	--



EPC TECHNOLOGY



QUIET OPERATION



ECO-MODE



DOOR OPEN ALARM



CONCEALED HINGE



HIGH EFFICIENCY CARBON FILTERS



EBS51SS1

Beverage Center

SINGLE DOOR SINGLE ZONE

Width	24"
Dimension	23 13/32" W x 33 13/16" H x 23 5/8" D
Weight	128 lbs
Installation Type	Built-in and free standing
Volume	4.8 cu ft (135L)
Sound Level	39 dBA
Door Finish	304 stainless steel + tempered glass
Hinge Design	Concealed
Lighting	3 level white LED
Controls	Capacitive touch display with white numbers

COOLING ZONE 1 - BEVERAGES

Total Capacity	>120 cans (12 oz cans)
Temperature Range	34 to 65 °F
Shelving	3 Adjustable slide-out tempered glass shelves with metal front trim (without rollers)

RISERVA

Door Handle	Tubular
Door glass	Tinted dual pane, Low-e-Argon-Filled
Reversible door	Yes

ELECTRICAL

Compressor brand	Embraco
Min. circuit required	15 A
AC Power	110-120V / 60 HZ
Amperage	0.95 A
Plug Type	B
PRO Handle kit	KIT0175505



OTHERS	Anti damping system Sabbath mode Beverage shelving made of tempered glass Premium beechwood wine racks Double panel glass door, UV coated
--------	---



EPC TECHNOLOGY



QUIET OPERATION



ECOMODE



DOOR OPEN ALARM



CONCEALED HINGE



HIGH EFFICIENCY CARBON FILTERS



EWS52SS1

Wine Cellar

SINGLE DOOR DUAL ZONE

Width	24"
Dimension	23 13/32" W x 33 13/16" H x 23 5/8" D
Weight	128 lbs
Installation Type	Built-in and free standing
Volume	4.8 cu ft (135L)
Sound Level	39 dBA
Door Finish	304 stainless steel + tempered glass
Hinge Design	Concealed
Lighting	3 level white LED
Controls	Capacitive touch display with white numbers

COOLING ZONE 1 - WHITE WINE

Total Capacity	16 bottles of wine (25 oz)
Temperature Range	40 to 50 °F
Shelving	2 full extension racks of beechwood with metal front trim

COOLING ZONE 2 - RED WINE

Total Capacity	36 bottles of wine (25 oz)
Temperature Range	50 to 64 °F
Shelving	3 full extension rack of beechwood with metal front trim

RISERVA

Door Handle	Tubular
Door glass	Tinted dual pane, Low-e-Argon-Filled
Reversible door	Yes

ELECTRICAL

Compressor brand	Embraco
Min. circuit required	15 A
AC Power	110-120V / 60 HZ
Amperage	0.95 A
Plug Type	B
PRO Handle kit	KIT0175505



OTHERS	Anti damping system Sabbath mode Beverage shelving made of tempered glass Premium beechwood wine racks Double panel glass door, UV coated
--------	---



EPIC TECHNOLOGY



QUIET OPERATION



ECO-MODE



DOOR OPEN ALARM



CONCEALED HINGE



HIGH EFFICIENCY CARBON FILTERS



EBFS52SS1

Beverage & Wine Center

FRENCH DOOR DUAL ZONE

Width	24"
Dimension	23 13/32" W x 34 13/16" H x 22 13/32" D
Weight	117 lbs
Installation Type	Built-in and free standing
Volume	4.8 cu ft (135L)
Sound Level	39 dBA
Door Finish	304 stainless steel + tempered glass
Hinge Design	Concealed
Lighting	3 level white LED
Controls	Capacitive touch display with white numbers

COOLING ZONE 1 - WHITE WINE

Total Capacity	> 60 cans (12 oz)
Temperature Range	34 to 68 °F
Shelving	3 adjustable slide-out tempered glass shelves with metal front trim

COOLING ZONE 2 - WINES

Total Capacity	21 bottles of wine (25 oz)
Temperature Range	34 to 68 °F
Shelving	6 pieces beechwood shelves with metal front trim

RISERVA

Door Handle	Tubular
Door glass	Tinted dual pane, Low-e-Argon-Filled
Reversible door	No

ELECTRICAL

Compressor brand	Embraco
Min. circuit required	15 A
AC Power	110-120V / 60 HZ
Amperage	0.95 A
Plug Type	B
PRO Handle kit	KIT0175505 (2 kits needed for french door)



OTHERS	Anti damping system Sabbath mode Beverage shelving made of tempered glass Premium beechwood wine racks Double panel glass door, UV coated
--------	---



RSC
TECHNOLOGY



QUIET
OPERATION



ECO+MODE



DOOR OPEN
ALARM



CONCEALED
HINGE



HIGH EFFICIENCY
CARBON FILTERS



Iconic line hoods are uniquely Italian, with a focus on design that makes a statement in any home, providing captivating beauty, complemented by innovative materials and technology that promotes curiosity, emotion and conversation.



EASY ISLAND

Model Numbers	EES320SS, EES320WT
Width	20"
Depth	20"
Color / Material	Stainless steel / White
Blower Performance	355 CFM (3-speed + boost)
Controls	Electronic push control with perimetral light
Lighting	3 LED Lights
Filter	Aluminium mesh filter + Perimeter aspiration
Installation Type	Recirculating
Installation Height	For ceiling heights 6'10" - 11'8"
Sones	6.8 sones
OTHERS	Timer

KIT

Optional wall mounting bracket	KIT0121394
High ceiling extension	KIT01921



TOUCH
CONTROL



PERIMETER
ASPIRATION



LONG LIFE
FILTER



REPLACE
FILTER ALARM



LED LIGHT



CLEAN
FILTER ALARM



SEASHELL ISLAND

Model Numbers	ESS432SS
Width	31 1/2"
Depth	31 1/2"
Color / Material	Mirror look stainless steel
Blower Performance	400 CFM (4-speed)
Controls	Remote control
Lighting	4 strip LED + LED disk
Filter	Aluminium grease filter + regenerable charcoal filter
Installation Type	Recirculating only
Installation Height	For ceiling height 6'11" - 11'1"
Sones	5.9 sones

KIT

High ceiling extension	KIT0067590
White remote control	KIT0121468
Black remote control	KIT0121469



REMOTE
CONTROL



LONG LIFE
FILTER



HAIKU

WALL MOUNT

Model Numbers EHK636SS, EHK624SS, EHK648SS

Width 24", 36", 48"

Depth 12 3/5" to 15"

Color / Material Stainless steel

Blower Performance 600 CFM (3-speed + boost)

Controls Sensitive touch control with backlight

Lighting Strip LED

Filter Sophisticated black iron grates + 6 layer mesh filter

Installation Type Ducted or recirculating (kit sold separately)

Installation Height For ceiling heights 7'3" - 9'10" (ducted) 7'3" - 10'1" (recirculating)

Transition 6" round

Sones 6.8 sones

KIT
Recirculating kit CFC0141725AUL



CLEAN
FILTER ALARM



UNIQUE
MATERIALS



REPLACE
FILTER ALARM



TOTAL
INTEGRATION



DEEP SILENCE



LONG LIFE
FILTER



HAIKU COLOR

WALL MOUNT

Model Numbers EHK636WH, EHK636BL

Width 36"

Depth 12 3/5" to 15"

Color / Material Black glass / White KRION®

Blower Performance 600 CFM (3-speed + boost)

Controls Sensitive touch control with backlight

Lighting Strip LED

Filter Sophisticated black iron grates + 6 layer mesh filter

Installation Type Ducted or recirculating (kit sold separately)

Installation Height For ceiling heights 7'3" - 9'10" (ducted) 7'3" - 10'1" (recirculating)

Transition 6" round

Sones 6.8 sones

KIT
Recirculating kit CFC0141725AUL



CLEAN
FILTER ALARM



UNIQUE
MATERIALS



REPLACE
FILTER ALARM



TOTAL
INTEGRATION



DEEP SILENCE



*White KRION® ecological material that has antibacterial properties and can be 100% recycled. Easy repair and cleaning due to the absence of porosity.



HAIKU

ISLAND

Model Numbers	EH1648SS, EH1670SS
Width	48", 70"
Depth	13"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed + boost)
Controls	Sensitive touch control with backlight
Lighting	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'11" - 9'11" (ducted) 7'11" - 10'1" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	CFC0141725AUL



LONG LIFE
FILTER



UNIQUE
MATERIALS



REPLACE
FILTER ALARM



TOTAL
INTEGRATION



DEEP SILENCE



CLEAN
FILTER ALARM



HAIKU COLOR

ISLAND

Model Numbers	EH1648BL, EH1648WH
Width	48"
Depth	13"
Color / Material	Black glass / White KRION®
Blower Performance	600 CFM
Controls	Sensitive touch control with backlight
Lighting	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'11" - 9'11" (ducted) 7'11" - 10'1" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	CFC0141725AUL



LONG LIFE
FILTER



UNIQUE
MATERIALS



REPLACE
FILTER ALARM



TOTAL
INTEGRATION



DEEP SILENCE



CLEAN
FILTER ALARM



*White KRION® ecological material that has antibacterial properties and can be 100% recycled. Easy repair and cleaning due to the absence of porosity.



HAIKU

WALL MOUNT

Model Numbers	EHK613SS
Width	13"
Depth	12 3/5" to 15"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed + boost)
Controls	Sensitive touch control with backlight
Lighting	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'3" - 9'11" (ducted) 7'3" - 10'1" (recirculating)
Transition	6" round
Sones	6.8 sones
OTHERS	Clean filter indicator

KIT	
Recirculating kit	CFC0141725AUL




HAIKU

ISLAND

Model Numbers	EH1613SS
Width	13"
Depth	13"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed + boost)
Controls	Sensitive touch control with backlight
Lighting	Strip LED
Filter	Sophisticated black iron grates + 6 layer mesh filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'11" - 9'11" (ducted) 7'11" - 10'1" (recirculating)
Transition	6" round
Sones	6.8 sones
OTHERS	Clean filter indicator

KIT	
Recirculating kit	CFC0141725AUL





ILLUSION

CEILING


Model Numbers	EIL640WH, EIL640DW
Width	40"
Depth	19 17/25"
Color / Material	Metal white with white frame / naked panel + stainless steel frame
Blower Performance	600 CFM (3-speed + boost)
Controls	Remote control
Lighting	Strip LED light with dimmable + tunable lighting
Filter	Aluminum mesh filter + perimetral aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights up to 10'0"
Transition	6" round (multi directional)
Sones	6.8 sones
OTHERS	Long strip LED Timer Panel ready
KIT Recirculating kit	KIT0167875



HIGHLIGHT

CEILING

Model Numbers	EHL640WH, EHL640SS
Width	40"
Depth	22 11/25"
Color / Material	White glass with metal white frame / stainless steel
Blower Performance	600 CFM (3-speed + boost)
Controls	Remote control
Lighting	Strip LED light with dimmable + tunable lighting
Filter	Aluminum mesh filter + perimetral aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights up to 10'0"
Transition	6" round (multi directional)
Sones	6.8 sones
OTHERS	Long strip LED Timer White glass: gives the look as if it was all illuminated
KIT Recirculating kit	KIT0167875





DISEGNO

Elica's statement hoods, inspired by the traditional architecture, **Disegno** series combines performance and a bold design to complement the most exquisite kitchens. With seamless edges, mirrored stainless front rims and decorative banding & rivets deliver design to support those with a passion for food and gourmet cooking.



CATANIA 36

WALL MOUNT

Model Numbers	ECTX36SS
Width	36"
Depth	22"
Color / Material	Stainless steel, front rim + decorative bands & rivets (stainless steel mirror look)
Requires a Trento Insert	ETR634SS, ETR134SI
Blower Type	600 CFM / 1200 CFM
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher safe professional stainless steel baffled filters
Installation Type	Ducted installation only
Transition	10" round
Sones	7 sones / 8.5 sones

KIT

Duct cover extension 6" tall	KIT0182785
Duct cover extension 18" tall	KIT0182786
Compatible with Trento KITS	



ELICA EASY
MOUNTING



REAR OUTLET
INSTALLATION



HUSH
SYSTEM



SEAMLESS
LOOK



GREASE
COLLECTORS



PROFESSIONAL
PERFORMANCE



HEAT GUARD



CATANIA 48

WALL MOUNT

Model Numbers	ECTX48SS
Width	48"
Depth	22"
Color / Material	Stainless steel, front rim + decorative bands & rivets (stainless steel mirror look)
Requires a Trento Insert	ETR146SS
Blower Type	1200 CFM
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher safe professional stainless steel baffled filters
Installation Type	Ducted installation only
Transition	10" round
Sones	8.5 sones

KIT

Duct cover extension 6" tall	KIT0182787
Duct cover extension 18" tall	KIT0182788
Compatible with Trento KITS	



ELICA EASY
MOUNTING



REAR OUTLET
INSTALLATION



HUSH
SYSTEM



SEAMLESS
LOOK



GREASE
COLLECTORS



PROFESSIONAL
PERFORMANCE



HEAT GUARD



ORISTANO 36

WALL MOUNT

Model Numbers	EORX36SS
Width	36"
Depth	24"
Color / Material	Stainless steel, front rim + decorative bands & rivets (stainless steel mirror look)
Requires a Arezzo Insert	EAR634SS, EAR134S4
Blower Type	600 CFM / 1200 CFM
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher safe professional stainless steel baffled filters
Installation Type	Ducted installation only
Transition	10" round
Sones	7 sones / 8.5 sones

KIT

Duct cover extension 6" tall	KIT0182781
Duct cover extension 18" tall	KIT0182782
Compatible with Arezzo KITS	



ELICA EASY
MOUNTING



REAR OUTLET
INSTALLATION



HUSH
SYSTEM



SEAMLESS
LOOK



GREASE
COLLECTORS



PROFESSIONAL
PERFORMANCE



HEAT GUARD



ORISTANO 48

WALL MOUNT

Model Numbers	EORX48SS
Width	48"
Depth	24"
Color / Material	Stainless steel, front rim + decorative bands & rivets (stainless steel mirror look)
Requires a Arezzo Insert	EAR140S4
Blower Type	1200 CFM
Controls	Fully retractable rotating knobs with blue backlight
Lighting	4 LED lights
Filter	Dishwasher safe professional stainless steel baffled filters
Installation Type	Ducted installation only
Transition	10" round
Sones	8.5 sones

KIT

Duct cover extension 6" tall	KIT0182783
Duct cover extension 18" tall	KIT0182784
Compatible with Arezzo KITS	



ELICA EASY
MOUNTING



REAR OUTLET
INSTALLATION



HUSH
SYSTEM



SEAMLESS
LOOK



GREASE
COLLECTORS



PROFESSIONAL
PERFORMANCE



HEAT GUARD



Techne Line brings everyday Italian living into your kitchen, featuring inspirational classic Italian designs, loaded with functional technologies that deliver convenience and high performance. Techne hoods come equipped with powerful blowers, hush sound suppression system, elegant glass touch controls and the possibility to set the desired illumination mood with long life LED lighting, where temperature and luminosity can be dimmed and adjusted.



COMO

WALL MOUNT

Model Numbers	ECM630S3, ECM636S3
Width	30", 36"
Depth	19 11/16"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe, anodized stainless steel microhole filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'6" - 10'2" (ducted) 7'10" - 10'5" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KITO2766
Long chimney extension	KIT0100315
Charcoal filter replacement	KIT02667



CFM
REDUCTION



TOP
PERFORMANCE



TOUCH
CONTROL



LED LIGHT



DIM LIGHT



HUSH
SYSTEM



CINGOLI

ISLAND

Model Numbers	ECN636S3, ECN642S3
Width	36", 42"
Depth	25 1/4"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe, anodized stainless steel microhole filter
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'6" - 9'8" (ducted) 7'6" - 10'1" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KITO2665
Long chimney extension	KIT0100317
Charcoal filter replacement	KIT02667



CFM
REDUCTION



TOP
PERFORMANCE



TOUCH
CONTROL



LED LIGHT



DIM LIGHT



HUSH
SYSTEM




LUGANO

WALL MOUNT

Model Numbers	ELG630S3, ELG636S3
Width	30", 36"
Depth	19 7/8"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Aluminum mesh filter + Perimeter aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'0" - 9'2" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round
Sones	6.8 sones

KIT	
Recirculating kit	KIT0141925
Long chimney extension	KIT02785, KIT01935
Charcoal filter replacement	KIT0141918




SALICE

ISLAND

Model Numbers	ESL636S3, ESL642S3
Width	36", 42"
Depth	27 4/5"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	4 LED premium dimmable lights
Filter	Aluminum mesh filter + Perimeter aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'9" - 9'11" (ducted) 7'9" - 10'4" (recirculating)
Transition	6" round
Sones	6.8 sones

KIT	
Recirculating kit	KIT0141924
Long chimney extension	KIT0100317
Charcoal filter replacement	KIT0141918






MEZZANO

WALL MOUNT


Model Numbers	EMZ630S3, EMZ636S3
Width	30", 36"
Depth	19 11/16"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'6" - 10'2" (ducted) 7'10" - 10'6" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT0102875
Long chimney extension	KIT02785



MAGGIORE

ISLAND

Model Numbers	EMG636S1, EMG642S1
Width	36", 42"
Depth	27 1/8"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	4 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'6" - 9'9" (ducted) 7'6" - 10'2" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT02665
Long chimney extension	KIT0100317
Charcoal filter replacement	KIT02667





VARNA

WALL MOUNT

Model Numbers	EVR630S2, EVR636S2
Width	30", 36"
Depth	19 11/16"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'1" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension	KIT02762



CFM
REDUCTION



TOP
PERFORMANCE



TOUCH
CONTROL



LED LIGHT



DIM LIGHT



HUSH
SYSTEM



VARNA BLACK

WALL MOUNT

Model Numbers	EVR630BL, EVR63BL
Width	30", 36"
Depth	19 11/16"
Color / Material	Black stainless steel + Black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'1" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension	KIT0140998



CFM
REDUCTION



TOP
PERFORMANCE



TOUCH
CONTROL



LED LIGHT



DIM LIGHT



HUSH
SYSTEM



FOGLIA

WALL MOUNT

Model Numbers	EFG630S1, EFG636S1
Width	30", 36"
Depth	19 11/16"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'2" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension	KIT02784



PILATO

WALL MOUNT

Model Numbers	EPL630S2, EPL636S2
Width	30", 36"
Depth	21 1/2"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Multi-function electronic with LCD display
Lighting	2 LED lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'2" (ducted) 7'5" - 9'5" (recirculating)
Transition	6" round
Sones	6.8 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension	KIT02762





STONEY

WALL MOUNT

Model Numbers	EST630SS, EST636SS
Width	30", 36"
Depth	19 7/8"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Aluminum mesh filter + Perimeter aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'0" - 9'2" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round
Sones	6.8 sones

KIT

Recirculating kit	KIT0141925
Long chimney extension	KIT02785, KIT01935



STONEY IS

ISLAND

Model Numbers	ESI636SS, ESI642SS
Width	36", 42"
Depth	27"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	4 LED premium dimmable lights
Filter	Aluminum mesh filter + Perimeter aspiration
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'9" - 9'11" (ducted) 7'9" - 10'4" (recirculating)
Transition	6" round
Sones	6.8 sones

KIT

Recirculating kit	KIT0141924
Long chimney extension	KIT0100317





ARIA

UNDERCABINET

Model Numbers	EAI430SS, EAI436SS
Width	30", 36"
Depth	20"
Color / Material	Stainless steel with black glass
Blower Performance	430 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	2 dishwasher-safe stainless steel baffle slot filters
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top / Rear or 7" round top (sold separately)
Sones	6.1 sones

KIT

Recirculating kit **30"**: KIT02178, **36"**: KIT02179
Backdraft damper 7" round KIT02723



CFM
REDUCTION



TOUCH
CONTROL



SEMI BAFFLE
FILTER



DIM LIGHT



LED LIGHT



MODENA

UNDERCABINET

Model Numbers	EMD530S3, EMD536S3
Width	30", 36"
Depth	19 5/8"
Color / Material	Stainless steel with black glass
Blower Performance	600 CFM (3-speed + boost) with CRS System to limit CFM
Controls	Capacitive touch (glass)
Lighting	2 LED premium dimmable lights
Filter	Dishwasher-safe stainless steel microhole filters
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" rectangular (rear outlet) and 6" round (top outlet)
Sones	6.8 sones

KIT

Recirculating kit KIT02667



CFM
REDUCTION



HUSH
SYSTEM



TOUCH
CONTROL



DIM LIGHT



LED LIGHT



PALERMO

INSERT

Model Numbers	EPR628S1, EPR634SS
Width	28", 34"
Depth	10 3/4"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed)
Controls	Stainless steel push button
Lighting	2 LED lights
Filter	Dishwasher-safe stainless steel baffle slot filters
Installation Type	Ducted or recirculating (kit sold separately)
Transition	6" round (top)
Sones	6.8 sones

KIT	
Recirculating kit	KIT02770
Hood liner 30"	KIT02773
Hood liner 36"	KIT02774
CFM Reduction kit	KIT02748



RISE

DOWNDRAFT

Model Numbers	ERS630S1, ERS636S1
Width	30", 36"
Depth	12 1/2"
Color / Material	Stainless steel
Blower Performance	600 CFM (3-speed + boost)
Controls	External electronic rotating disk + LCD
Filter	Aluminum mesh filter + Perimeter aspiration
Installation Type	Ducted installation only
Transition	6" round (multi directional)
Sones	6.8 sones
KIT	
CFM Reduction kit	KIT02748





BELLAGIO

UNDERCABINET

Model Numbers EBL430S1, EBL436S1

Width 30", 36"

Depth 20"

Color / Material Stainless steel

Blower Performance 430 CFM (3-speed + boost)
with CRS System to limit CFM

Controls Multi-function electronic with LCD display

Lighting 2 LED lights

Filter Dishwasher-safe, anodized aluminum mesh

Installation Type Ducted or recirculating
(kit sold separately)

Transition 3 1/4" x 10" top / rear or 7" round
top (sold separately)

Sones 6.1 sones

KIT
Recirculating kit **30":** KIT02178, **36":** KIT02179
Valve damper kit KIT02723



CFM
REDUCTION



3X LAYER
MESH FILTER



HEAT GUARD



LED LIGHT



For those inspired by the culinary arts and gourmet cooking, **Elica Pro** line range hoods deliver professional style cooking, with bold design coupled with unparalleled durability, quality and high performance that top chefs desire.



LEONE

WALL MOUNT

Model Numbers ELN630S2, ELN636SS
ELN136S2, ELN142S2, ELN148SS

Width 30", 36", 42", 48"

Depth 24"

Color / Material Stainless steel

Blower Performance 30", 36": 600 CFM (4-speed)
36", 42", 48": 1200 CFM (4-speed)

Controls Fully retractable rotating knobs
with blue backlight

Lighting 2 LED lights

Filter Dishwasher-safe, professional
stainless steel baffle

Installation Type Ducted installation only

Installation Height For ceiling heights 7'6"-10'0"
(over electric cooking),
8'0"-10'0" (over gas cooking)

Transition 8" round (top)

Sones 7 sones / 8.5 sones

KIT
Long chimney extension KIT02785
1200 CFM external blower KIT0153054
1200 CFM in-line blower KIT0154387



PROFESSIONAL
PERFORMANCE



HUSH
SYSTEM



GREASE
COLLECTORS



LED
REPLACEABLE



HEAT GUARD



SEAMLESS
LOOK



LEONE IS

ISLAND

Model Numbers ELI136S2, ELI142S2

Width 36", 42"

Depth 27"

Color / Material Stainless steel

Blower Performance 1200 CFM (4-speed)

Controls Fully retractable rotating knobs
with blue backlight

Lighting 4 LED lights

Filter Dishwasher-safe, professional
stainless steel baffle

Installation Type Ducted installation only

Installation Height For ceiling heights 7'9" - 9'10"
(over electric cooking)
8'3" - 9'10" (over gas cooking)

Transition 8" round (top)

Sones 8.5 sones

KIT
Long chimney extension KIT0100317
1200 CFM external blower KIT0153054
1200 CFM in-line blower KIT0154387



PROFESSIONAL
PERFORMANCE



HUSH
SYSTEM



GREASE
COLLECTORS



LED
REPLACEABLE



HEAT GUARD



SEAMLESS
LOOK



VAVANO

WALL MOUNT

Model Numbers	EVV636S1, EVV648S1
Width	36", 48"
Depth	24"
Color / Material	Stainless steel
Blower Performance	600 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Installation Height	For ceiling heights 7'6" - 10'6" (over electric cooking) 8'0" - 10'6" (over gas cooking)
Transition	8" round (top)
Sones	7 sones

KIT

Long chimney extension	KIT0146881
Inline blower kit 1200	KIT0154387
External blower kit 1200	KIT0153054



PROFESSIONAL
PERFORMANCE



HUSH
SYSTEM



GREASE
COLLECTORS



LED
REPLACEABLE



HEAT GUARD



SEAMLESS
LOOK



VAVANO IS

ISLAND

Model Numbers	EVI642S1, EVI648S1
Width	42", 48"
Depth	24"
Color / Material	Stainless steel
Blower Performance	600 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	4 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Installation Height	For ceiling heights 7'6" - 10'1" (over electric cooking) 8'0" - 10'1" (over gas cooking)
Transition	8" round (top)
Sones	7 sones

KIT

Long chimney extension	KIT0145610
Inline blower kit 1200	KIT0154387
External blower kit 1200	KIT0153054



PROFESSIONAL
PERFORMANCE



HUSH
SYSTEM



GREASE
COLLECTORS



LED
REPLACEABLE



HEAT GUARD



SEAMLESS
LOOK



CALABRIA

WALL MOUNT

Model Numbers	ECL630S4, ECL636SS, ECL136S4, ECL142S4, ECL148S4
Width	30", 36", 42", 48"
Depth	25"
Color / Material	Stainless steel
Blower Performance	30", 36": 600 CFM (4-speed) 36", 42", 48": 1200 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	30", 36", 42": 2 LED lights 48": 4 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Transition	10" round (top)
Sones	7 sones / 8.5 sones
OTHERS	Stackable ducts

KIT	
Long chimney extension 6"	30": KIT02159, 36": KIT02158, 42": KIT02622, 48": KIT02164
Long chimney extension 12"	30": KIT02160, 36": KIT02161, 42": KIT02623, 48": KIT02165
1200 CFM external blower	KIT0153054
1200 CFM in-line blower	KIT0154387
Heat lamp w/2 75W bulbs kit	30": KIT0155106, 36": KIT0155107, 42": KIT0155110, 48": KIT0155111
Stainless back splash	30": KIT0142864, 36": KIT0142867, 42": KIT0142868, 48": KIT0142870



CERVINIA

UNDERCABINET

Model Numbers	ECV630S3, ECV636S3
Width	30", 36"
Depth	23"
Color / Material	Stainless steel
Blower Performance	600 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Transition	3 1/4 X 10" (top and rear)
Sones	7 sones
OTHERS	Stackable ducts

KIT	
Long chimney extension 6"	30": KIT02159 36": KIT02158
Long chimney extension 12"	30": KIT02160 36": KIT02161
Stainless back splash	30": KIT0142864 36": KIT0142867







AREZZO

INSERT


Model Numbers	EAR628S4, EAR634SS EAR134S4, EAR140S4, EAR146S4
Width	28", 34", 40", 46"
Depth	22"
Color / Material	Stainless steel
Blower Performance	28", 34": 600 CFM (4-speed) 34", 40", 46": 1200 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	28" 34": 2 LED lights 40", 46": 4 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Transition	10" round (top)
Sones	7 sones / 8.5 sones
KIT	
1200 CFM external blower	KIT0153054
1200 CFM in-line blower	KIT0154387



TRENTO

INSERT

Model Numbers	ETR634SS, ETRI34S1, ETRI46SS
Width	34", 46"
Depth	18"
Color / Material	Stainless steel
Blower Performance	34": 600 CFM (4-speed) 34", 46": 1200 CFM (4-speed)
Controls	Fully retractable rotating knobs with blue backlight
Lighting	2 LED lights
Filter	Dishwasher-safe, professional stainless steel baffle
Installation Type	Ducted installation only
Transition	10" round (top)
Sones	7 sones / 8.5 sones
KIT	
1200 CFM external blower	KIT0153054
1200 CFM in-line blower	KIT0154387





OUTDOORS

Perfect BBQ are the results of a good combination between a grill and a powerful exterior hood. Our **Outdoor** line includes stainless steel grade 304 weather resistant materials, LED light and extra depth for better fume capturing, and it is even extendable with a spacer.



CAPRI

WALL MOUNT

Model Numbers	ECP136SS, ECP148SS
Width	36", 48"
Depth	32"
Color / Material	Corrosion resistant stainless steel
Blower Performance	Internal or external 1200 CFM (4-speed) sold separately
Controls	Fully retractable rotating knobs with blue backlight
Lighting	36": 2 LED lights, 48": 4 LED lights
Filter	Dishwasher-safe,, professional stainless steel angled baffle filters
Installation Type	Ducted installation only
Transition	10" round (top)
Sones	8.5 sones
OTHERS	Stackable duct cover

KIT

External blower kit 1200 CFM 8" or 10" duct size compatible	KIT0153054
In line blower kit 1200 CFM 8" or 10" duct size compatible:	KIT0154387
1200 CFM internal blower	KIT0156655
Spacer kit 3" deep	36" : KIT0153304, 48" : KIT0153305
Ductcover kit 6"	36" : KIT0156637, 48" : KIT0156641
Ductcover kit 12"	36" : KIT0156645, 48" : KIT0156649



PROFESSIONAL
PERFORMANCE



GREASE
COLLECTORS



LED
REPLACEABLE



HEAT GUARD



SEAMLESS
LOOK



The **Comfort** line of range hoods feature highly popular Italian design equipped with a core set of features that delivers functionality, performance, easy installation system and overall a very high level of value.



ALLASIO

UNDERCABINET

Model Numbers	EAL330S2 EAL336S2
Width	30", 36"
Depth	20"
Color / Material	Stainless steel
Blower Performance	300 CFM (3-speed)
Controls	Electronic touch controls w/color backlight
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top / Rear or 7" round top (sold separately)
Sones	5.2 sones

KIT

Recirculating kit	30" : KIT02178, 36" : KIT02179
Non return valve	30", 36" : KIT02723
Upgrade Filter Kit	30" : GRI0131086A 36" : GRI0131087A



3X LAYER
MESH FILTER



LED LIGHT



CFM
REDUCTION



NEMI

UNDERCABINET

Model Numbers	ENM230S1, ENM236S1
Width	30", 36"
Depth	18 5/8"
Color / Material	Stainless steel
Blower Performance	280 CFM (3-speed)
Controls	Backlit electronic push button
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top / Rear or 7" round top (sold separately)
Sones	4.9 sones

KIT

Optional recirculating kit	KIT0140997
Non return valve 7"	KIT02723
Duct transition 7"	KIT02722



3X LAYER
MESH FILTER



LED LIGHT



TOBLINO 24

WALL MOUNT

Model Numbers	ETB424SS
Width	24"
Depth	19 5/8"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Backlit electronic push button
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 6'11" - 8'7" (ducted) 7'0" - 8'11" (recirculating)
Transition	6" round
Sones	5.9 sones

KIT

Recirculating kit	KIT0102875
Long chimney extension	KIT02785, KIT01935
CFM reduction kit	KIT0175561
Upgrade filter kit	GF04YB



3X LAYER MESH FILTER



LED LIGHT



TOBLINO 30-36

WALL MOUNT

Model Numbers	ETB430S3, ETB436S3
Width	30", 36"
Depth	19 5/8"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Electronic touch controls w/color backlight
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 6'11" - 8'7" (ducted) 7'0" - 8'11" (recirculating)
Transition	6" round
Sones	5.9 sones

KIT

Recirculating kit	KIT0102875
Long chimney extension	KIT02785
Upgrade filter kit	GF04YB



3X LAYER MESH FILTER



LED LIGHT




CFM REDUCTION



POTENZA

WALL MOUNT

Model Numbers	EPT430S3, EPT436S3
Width	30", 36"
Depth	19 5/8"
Color / Material	Stainless steel
Blower Performance	400 CFM
Controls	Electronic touch controls w/ color backlight
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 6'9"-8'8" (ducted), 7'0"-9'0"(recirculating)
Transition	6" round
Sones	5.9 sones
KIT	
Recirculating kit	KIT0102875
Long chimney extension	KIT0100315, KIT01609/1
Upgrade filter kit	GF04YB



FUSARO

UNDERCABINET

Model Numbers	EF5130S1
Width	30"
Depth	18 5/8"
Color / Material	Stainless steel
Blower Performance	190 CFM (2-speed)
Controls	Rocker Switch
Lighting	Incandescent lamp (not included)
Filter	Dishwasher-safe aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top / rear or 7" round top (sold separately)
Sones	4.1 sones
KIT	
Duct transition kit	KIT02722
Back draft damper kit	KIT02723
Non return valve	KIT02724





ASTI 22

INSERT

Model Numbers	EAS422SS
Width	22"
Depth	10 3/4"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Backlit electronic push button
Lighting	2 LED lights
Filter	Anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	6" round (top)
Sones	5.9 sones

KIT	
Recirculating kit	KIT02770
CFM reduction kit	KIT0175561



ASTI 28

INSERT

Model Numbers	EAS428S2
Width	28"
Depth	10 3/4"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Electronic touch controls w/ color backlight
Lighting	2 LED lights
Filter	Anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	6" round (top)
Sones	5.9 sones

KIT	
Recirculating kit	KIT02770
30" hood liner for EAS428S1	KIT02773
36" hood liner for EAS428S1	KIT02774





ASTI 30

INSERT

Model Numbers	EAS430SS
Width	30"
Depth	10 3/4"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Mechanical push button
Lighting	2 LED lights
Filter	Stainless steel mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	6" round (top)
Sones	5.9 sones

KIT	
Recirculating kit	KIT02770
CFM reduction kit	KIT0175561



LED LIGHT



TT

UNDERCABINET

Model Numbers	ETT424SI, ETT430SS, ETT436SS
Width	24", 30", 36"
Depth	11" - 17"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Hidden electronic touch controls
Lighting	2 LED lights
Filter	Diswasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	6" round (top)
Sones	5.9 sones

KIT	
Recirculating kit	CFC0038668
CFM reduction kit	KIT02748
6" round plastic deflector	DF01EA



3X LAYER
MESH FILTER



LED LIGHT



VOLTERRA 24

WALL MOUNT

Model Numbers	EVL424SS
Width	24"
Depth	19 5/8"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed)
Controls	Backlit electronic push button
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'1" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round (top)
Sones	5.9 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension kit	KIT02762
CFM reduction kit	KIT0175561
Upgrade filter kit	GF04YB



VOLTERRA 30-36

WALL MOUNT

Model Numbers	EVL430S2, EVL436S2
Width	30", 36"
Depth	19 5/8"
Color / Material	Stainless steel
Blower Performance	400 CFM (3-speed) with CRS system to limit CFM
Controls	Electronic touch controls w/color backlight
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Installation Height	For ceiling heights 7'5" - 9'1" (ducted) 7'5" - 9'6" (recirculating)
Transition	6" round (top)
Sones	5.9 sones
KIT	
Recirculating kit	KIT02766
Long chimney extension kit	KIT02762
Upgrade filter kit	GF04YB





SORA

UNDERCABINET

Model Numbers	ESR430SI, ESR436SI
Width	30", 36"
Depth	23"
Color / Material	Stainless steel
Blower Performance	400 CFM (2-speed)
Controls	Rocker switches
Lighting	2 LED lights
Filter	Dishwasher-safe stainless steel baffle slot
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top or rear
Sones	5.9 sones

KIT

Recirculating kit	KIT02770
CFM reduction kit	KIT0175561



SEMI BAFFLE
FILTER



LED LIGHT



GUBBIO

UNDERCABINET

Model Numbers	EGB224SS
Width	24"
Depth	18 7/8"
Color / Material	Stainless steel
Blower Performance	250 CFM (3-speed)
Controls	Mechanical Slider
Lighting	2 LED lights
Filter	Dishwasher-safe anodized aluminum mesh
Installation Type	Ducted or recirculating (kit sold separately)
Transition	3 1/4" x 10" top or rear
Sones	4.6 sones

KIT

Optional recirculating kit	KIT0140997
Non return valve 7"	KIT02723
Duct transition 7"	KIT02722



LED LIGHT

ELICA'S EXCLUSIVE PLUS FEATURES



STOP&GO

COOKTOP

Switch off all the cooking zones at once.



HUSH SYSTEM

Exclusive sound deadening technology that effectively reduces sound levels.



AUTOCAPTURE

COOKTOP

Auto aspiration system automatically adjusts to the number and power of cooking zones used.



BLOWER KIT

Offers installation flexibility that will accommodate most construction requirements, plus provided options related to ventilation power and sound generation.



BRIDGE ZONES

COOKTOP

Homogeneous cooking: Cooktop surface adapts to the type of pot being used.



DEEP SILENCE

An exclusive sound deadening technology that utilizes a patented filter design, which substantially eliminates air turbulence and ultimately reduce sound levels.



POT DETECTOR

COOKTOP

Turns off cooktop when zone is not being used and turns on when pot is placed.



REMOTE CONTROL

ADA compliant Remote Control provides added convenience to the user, as well as full function access for those with limited mobility.



TEMPERATURE MANAGER

COOKTOP

The cooktop can be used with three programs (42, 72 or 92 degrees) to always ensure a perfect cooking.



TOUCH CONTROL

Multi function electronic touch control behind sleek black glass and illuminate soft blue when activated.



AIRMATIC

COOKTOP

Once the Airmatic function is activated, the product's intelligent sensor system detects the quantity - but above all the quality - of the fumes produced by the type of cooking and sets the most suitable aspiration power.



PERIMETER ASPIRATION

The technology draws air through narrowed channel around a face plate, which increases suction, without increasing blower speed or energy consumption.



CFM REDUCTION

CFM Reduction System: enables user to reduce directly the maximum blower CFM, to meet local code requirements.



EASY INSTALLATION

Installation of the hood is easier, through an adjustment of the appliance alignment between the cabinets.



PROFESSIONAL PERFORMANCE

Very high performances for models with aspiration capacity between 600 and 1200 CFM's. The ideal complement of PRO ranges.



GREASE COLLECTORS

Professional grade stainless steel baffle filters designed for high airflow cooking trap volumes of grease which is collected in trays for easy removal and cleaning.

ELICA'S EXCLUSIVE PLUS FEATURES



TOP
PERFORMANCE

High fume capturing capacity with an average aspiration range of 600 CFM's with low noise levels (1.2-1.7 sones at working speed).



UNIQUE
MATERIALS

Products designed with special materials and finishes with great aesthetic impact but also with practical and durable characteristics, perfect for the kitchen.



LONG LIFE
FILTER

Air filter that can be regenerated and keeps characteristics for up to 3 years, avoiding unnecessary replacements and waste. It has level of efficiency of around 60%.



SEAMLESS
LOOK

Heavy gauge stainless steel "seamless" construction that delivers superior quality and Italian craftsmanship.



3X LAYER
MESH FILTER

Aluminum mesh filters are step above competition, featuring triple layered, anodized aluminum that is woven into a highly dense mesh.



CLEAN
FILTER ALARM

When activated, your hood will emit a "beep" signal to let you know when is time to clean your filters. For some models, an intermittent light will remain active until cleaning filter action is completed. See instructions manual to activate feature.



TUNE WHITE

Choose preferred shade of white to create the right atmosphere. The Kelvin degrees regulation starts from a very warm tone up to a cold color.



REPLACE
FILTER ALARM

When activated, your hood will emit a "beep" signal let you know when is time to replace the carbon filters. See instructions manual to activate feature.



LED
REPLACEABLE

Enables typical homeowners to replace LED lamps in seconds.



ELICA EASY
MOUNTING

Elica's patented Easy Mounting System enables hood installation to be done in 6 easy steps, without ladders, without the added cost of purchasing a specialized duct transition, and without the added cost of purchasing a duct cover to hide ducting connection points.



LED LIGHT

Expected lifetime of over 20,000 hours, represents the most remarkable advantage of LED light bulbs.



REAR OUTLET
INSTALLATION

The Elica Easy Mounting System makes ducting out through the rear wall behind the hood canopy possible for this style hood.



WIRELESS
CONNECTIVITY

Wireless connection ensures constant communication between the induction cooktop and the hood.



ECO-MODE

REFRIGERATION

Sustainable and environmentally friendly: Eco-Mode will maintain optimum interior temperature, while saving energy consumption turning the lights OFF.



SEMI BAFFLE
FILTER

A baffle shapes stainless steel filter with mesh backing allows air to pass but blocks grease, which drops into the high capacity baffle cavities.



HIGH EFFICIENCY
CARBON FILTERS

REFRIGERATION

Elica's advanced Carbon Filters remove odors and other gaseous pollutants from the air, ensuring fresh and pure environment.

ELICA'S EXCLUSIVE PLUS FEATURES



DOOR
OPEN ALARM

REFRIGERATION

To save energy and ensure proper preservation of your beverages, all Elica Undercabinet Refrigeration products come with a Door-Open Alarm, that will repeatedly beep when the door has been left ajar for longer than 5 minutes.



CONCEALED
HINGE

REFRIGERATION

Door hinges are hidden within the door and do not extend above the top of the door, allowing for a cleaner, more refined appearance, plus enabling the refrigerator to fit tighter within cabinetry.



EPC
TECHNOLOGY

REFRIGERATION

Elica Perfect Climate with double air duct cooling system. Meet Elica's Intelligent System with sensors that deliver precise and consistent temperature & humidity evenly throughout the entire compartment, so that all stored bottles are preserved under the same conditions.



QUIET
OPERATION

REFRIGERATION

Elica offers a speed-controlled motor, reducing exterior sound levels, while offering high ventilation performance to keep constant interior temperature and dampening any possible vibration that could disturb the preservation of wine or beverages.

CONTACT INFO

TECHNICAL SUPPORT & WARRANTY SERVICE:

USA & CANADA - Western Provinces

888 732 8018

elica@servicepower.com

CANADA - Ontario Province

888 651 2534

service@agintl.qc.ca

CANADA - Quebec & Atlantic Provinces

800 463 0119

service@ateliersgpaquette.com

PARTS, KITS AND ACCESSORIES:

For USA and Canada:

Contact: Encompass

800 432 8542

encompass.com/brands/eli/Elica

or

Repair Clinic

800-269-2609

Repairclinic.com

Don't forget to Register your Product to earn a Warranty Extension



V.2022



www.elica.com

