

## 30" SELF-CLEAN OVEN

4

## MODEL CODE

## MATTEO 100 SERIES



## F1MSP30MB1



True Convection



Self-Clean Oven



Multi-Level Cooking



Cool Touch Door



Interior Lighting



Digital Controls



Americans with Disabilities Act †

## **DESCRIPTION**

The Matteo 100 Series 30" oven combines full-size performance with a sleek, compact design, making it an ideal choice for modern kitchens. Its exclusive matte black finish and 24" height make it perfect for ADA-compliant installations or space-conscious designs, such as multi-family high-rises. Packed with features including a cool-touch door for safety, a self-cleaning function, a multi-pass broiler, and true convection for even results. Concealed bake elements offer a streamlined look and simplify cleaning. Eight intuitive baking functions provide easy control, making it a versatile, reliable addition to any kitchen.

## **FEATURES**

Knob and electronic controls
Single fan true convection
Self-cleaning oven with Multifunction baking
Electronic cooking programmer
Black Porcelain enamel interior

2 Halogen lights for flawless visibility

Cool to the touch

Extra-large baking cavity and viewing area

2 Chromed racks Enameled Broiler pan

## **FUNCTIONS**

Self-Clean
Broil
Convection Broil
True Convection
Convection Roast
Bake
Defrost
Sabbath Mode

## **INCLUDED ACCESSORIES**

2 x 12200240 Chromed rack 42105327 Enameled Broiler pan

#### **OPTIONAL ACCESSORIES**

TELG60M Telescopic Rack

† To achieve full ADA compliance, please consult the current ADA requirements for product installation instructions.



# 30" SELF-CLEAN OVEN


4

MODEL CODE

MATTEO 100 SERIES

F1MSP30MB1





MODEL CODE	30" SELF-CLEAN OVEN F1MSP30MB1	
GENERAL DETAILS		
Finish	Matte Black	
Control Type	Dual Knob	
Display	White LED	
Oven Type	True Convection	
Temperature (min - max), °F (°C)	120 - 485	(50 - 250)
Rack Positions	5	
Interior Lights	2 x 25 W Halogen	
CAPACITY		
Volume, cu. ft. (L)	3.2	(86)
Useable Width, in. (mm)	22-13/16	(580)
Useable Height, in. (mm)	13-3/4	(350)
Useable Depth, in. (mm)	16-9/16	(420)
DIMENSIONS / WEIGHT		
Product Width, in. (mm)	29-3/8	(745)
Product Height, in. (mm)	23-1/4	(590)
Product Depth, in. (mm)	21-7/8	(555)
Cutout Width, in. (mm)	28	(710)
Cutout Height (min), in. (mm)	23-1/4	(590)
Cutout Depth (min), in. (mm)	22	(560)
Net Weight, lbs. (kg)	128	(58)
POWER / RATINGS (240 V, 60 Hz)		
Broil Upper Heating Element	1200 W	
Upper Auxiliary Element	1200 W	
Concealed Lower Bake Element	1360 W	
Convection Element	2300 W	
TECHNICAL DETAILS		
kW / Amps rating at 120-240 V, 60 Hz	3.8 kW - 15.8 A	
kW / Amps rating at 120-208 V, 60 Hz	2.9 kW - 14.0 A	
Power Cable	4-Wire Conduit – Hardwire Connection	
Power Cable Length, in. (mm)	56 (1422)	
Electrical Circuit	240 / 208 V - 60 Hz - 20 A	
INSTRUCTIONS FOR USE		
Use & Care Manual / Installation Manual	English / French / Spanish	
WARRANTY	· ·	
Limited Warranty	Parts and Labor (2-year)	