

Nostalgie

Nostalgie range cookers integrate highly professional technologies and excellent materials with a classic style that is always inspiring. Undisputed protagonists of the kitchen, they offer a complete choice of sizes (from 30 to 60 inches) and various configurations: you can choose the flush-top induction up to 6 cooking zones with bridge function for 48 inches version, single or double oven, standard colors or RAL colours on request, various finishes and accessories. Only available as an option for the Nostalgie collection, Noblesse frames are more than just a detail: they are a fine design feature that frames the front panels, matching the metallic finishes of the handles and knobs. The blind door inspired by the past is another option that elegantly enriches the style of Nostalgie.

Color range

Body



White – WH



Antique white – AW



Stainless steel – SS



Graphite matt – MG



Glossy black – BK



Blue – MB



Burgundy red – BU



Emerald green – EG



Blue grey – BG

Optional
RAL Classic
– RA + \$ 2800.00

Finishes

Knobs, handles, feet, frames



Brass – G



Chrome – C



Burnished – B



Copper – P



Dual gas burners with power up to btu 20000 as standard



Total Black brass flame spreader with non-stick nanotechnological treatment



Highly specialised cooktops



Hob with cast iron pan supports.



One control for both ovens



Precise electronic temperature control



Door and drawer with soft-closing system



Cold door with triple removable glass



Quick start



Abacus of colors and finishes



Antique
white – AW



White – WH



Stainless
steel – SS



Graphite
matt – MG



Glossy
black – BK



Chrome
– C



Brass – G



Copper
– P



Burnished
– B



↓ Models shown with optional Noblesse frames

-  Blue grey – BG
-  Blue – MB
-  Emerald green – EG
-  Burgundy red – BU



Chrome
– C



Brass – G



Copper
– P



Burnished
– B

Ovens available for Nostalgie range cookers

General features

	UOV 80 M	UOV 76 M	UOV 60 M
	Large multi-function electric oven	Large 30" multi-function electric oven	Standard multi-function electric oven
Cooking modes	9	9	9
Operating temperature	100-500°F	100-500°F	100-500°F
Programmer	electronic	electronic	electronic
Electronic temperature control	-	-	-
Cooking probe	-	-	-
Lighting	Double internal light	Double internal light	Double internal light
Automatic oven light switch on	-	-	-
Soft-closing door	Yes	Yes	Yes
Door glass	Triple glass cold door	Triple glass cold door	Triple glass cold door
Ventilation	cooling tangential	cooling tangential	cooling tangential
Child lock	-	-	-


Cavity features

Cavity	with easy clean enamel	with easy clean enamel	with easy clean enamel
Internal dimensions (inches)	25½×14¾×16¾	25¾×17×16¾	19¾×14¾×16¾
Capacity (cu. ft.)	3.5	4.00	2.3
Steam discharge	-	-	-
Folding grill heating element	Yes	Yes	Yes
Rotisserie	diagonal	diagonal	-
Thermostat	analog	analog	analog

Consumption

Maximum input	3.7 kW	3.7 kW	3.5 kW
Top electrical heating element	1300 W	1300 W	1090 W
Bottom electrical heating element	1470 W	1700 W	1200 W
Electric grill	2340 W	3265 W	2285 W
Circular heating element	2290 W	2×1145 W	2290 W

Cooking modes



UOV40 E

Medium static electric oven

4
100-500°F
-
-
-
Internal light
-
Yes
Triple glass cold door
cooling tangential
-
with easy clean enamel
14⅜×14×17⅝
2.00
Yes
-
Yes
analog
2.8 kW
925 W
1035 W
1740 W
-



UOV30 E

Small static electric oven

4
100-500°F
-
-
-
Internal light
-
Yes
Triple glass cold door
cooling tangential
-
with easy clean enamel
10⅞×14×17⅝
1.52
Yes
-
Yes
analog
2.5 kW
870 W
870 W
1630 W
-

